

SAT-Equiv: an efficient tool for equivalence properties

Véronique Cortier*, Antoine Dallon*^{†‡}, Stéphanie Delaune[‡]

* CNRS, LORIA, France

[†] LSV & ENS Paris-Saclay, Université Paris-Saclay, France

[‡] CNRS, IRISA, France

Abstract—Automatic tools based on symbolic models have been successful in analyzing security protocols. Such tools are particularly adapted for trace properties (e.g. secrecy or authentication), while they often fail to analyse equivalence properties.

Equivalence properties can express a variety of security properties, including in particular privacy properties (vote privacy, anonymity, untraceability). Several decision procedures have already been proposed but the resulting tools are rather inefficient.

In this paper, we propose a novel algorithm, based on graph planning and SAT-solving, which significantly improves the efficiency of the analysis of equivalence properties. The resulting implementation, SAT-Equiv, can analyze several sessions where most tools have to stop after one or two sessions.

I. INTRODUCTION

Formal methods have produced several successful tools for the automatic analysis of security protocols. Examples of such tools are ProVerif [1], Avantssar [2], Maude-NPA [3], Scyther [4], or Tamarin [5]. They have been applied to many protocols of the literature including e.g. Kerberos and TLS. However, one type of properties still resists to these tools, namely privacy properties. Privacy properties include ballot privacy (no one should know how I voted), privacy (no one should know I am here), or unlinkability (no one should be able to relate two of my transactions). Such properties are typically expressed as equivalences: an attacker should not be able to distinguish a session from Alice from one from Bob.

Equivalence properties are harder to analyze than the more standard authentication or confidentiality properties (expressed as trace properties). Among the tools mentioned earlier, only ProVerif, Maude-NPA and Tamarin may handle equivalences. Tamarin often requires user interaction for equivalence properties. Maude-NPA [6] often does not terminate when used for equivalence properties. Since checking equivalence properties for an unbounded number of sessions is undecidable [7], ProVerif may of course also fail. This is in particular the case when the order of the protocol rules matters or when some step may be executed at most once.

The alternative is to *decide* equivalence, for a bounded number of sessions. Several procedures have been proposed [8]–[10], often with a companion tool: Akiss [10], Spec [9], Apte [11]. Unfortunately, these tools have a very limited practical impact because they scale badly. Analyzing one session typically requires several seconds and the analysis of two sessions is often unreachable, although the tools Apte and Akiss have recently improved their efficiency through the use

of Partial Order Reduction (POR) techniques [12], [13]. It is interesting to note that considering one or two sessions is not sufficient to explore all standard attack scenarios (where each participant may engage a session with an honest or a dishonest agent and may be involved in any role). For example, in the case of a three-party protocol, with a trusted server, 6 sessions have to be considered to cover all possible scenarios with two honest agents A , B and a dishonest one C (A talking to B , A talking to C , and C talking to B , and three additional sessions where the role of the agents A and B are swapped). Assuming that dishonest roles do not need to be modelled, this leads to a scenario with 14 roles in parallel. In practice, an attack does not require 14 sessions. 3-4 sessions are typically sufficient. However, it is impossible to predict which scenario is required for the attack. Moreover, since the problem of deciding equivalence is actually undecidable, an attack may require an arbitrary number of sessions. Therefore, the more sessions we can check, the more confidence we obtain.

Our contribution. In this paper, we propose a different procedure for deciding equivalence. Instead of designing a crafted algorithm for equivalence, we use more general verification techniques, namely Graph planning [14], [15] and SAT-solving. The idea of using Graph planning and SAT-solvers for analyzing protocols has already been explored in [16], yielding the tool SATMC [17] for trace properties. Moving from trace to equivalence properties is far from being straightforward as exemplified by the research effort on equivalence these past 10 years (see e.g. [18] for a survey).

Let us first sketch how SATMC works. The tool focuses at secrecy and encodes accessibility of a (secret) term into a SAT formula. For efficiency reasons, the main step of SATMC actually consists in applying Graph planning techniques in order to compute an over-approximation of reachable messages. If no secret has been found, the protocol is deemed secure. Otherwise, actual accessibility of the potentially leaked secret is encoded into a SAT formula.

In order to benefit from Graph planning and SAT-solvers, the size of messages has to be bounded and this bound needs to be practical. In [16], [17], the authors simply assume protocols to be given with a (finite) format for the messages. Here, we do not bound *a priori* the format of the messages. Instead, we rely on a recent result [19] that shows that if there is an attack, that is a witness of non equivalence between two

protocols P and Q , then there is a “small” attack, where messages comply to a certain format (induced by a type). This result holds for deterministic protocols that use symmetric keys and pairing. Note that this result only controls the format of the messages exchanged in P , not in Q (or conversely). The fact that the messages in Q are *a priori* unbounded forbids any direct encoding of (non) equivalence into a SAT formula. Planning graphs are particularly helpful here: while computing an over-approximation of the messages reachable in P , we simultaneously obtained an over-approximation of the messages that need to be considered in Q for checking equivalence w.r.t. P . This requires of course to characterize (non) equivalence as a reachability property, which is made possible thanks to the protocols’ determinism.

In order to further reduce the traces than need to be explored, we show that we can restrict ourselves to an attacker that only *decompose* messages (and do not compose them), provided that protocols are *flattened*, that is all meaningful composition steps are pre-computed in advance. This flattening technique has been used in [16] (although we are not aware of any proof of correction). We formally prove this technique to be sound, in the more general case of equivalence properties. Handling equivalence is non trivial since it is not sufficient to preserve the set of messages that can be computed, it is also necessary to preserve cases of failure on both processes. Moreover, we had use one more ingredient to obtain an efficient bound. We significantly reduce the number of constants that need to be considered to find an attack. Namely, we show that only two constants are necessary, which is a result of independent interest.

Implementation. We have implemented our algorithm and our first experimentations demonstrate the good performance of our tool. For most protocols, we can easily analyse several sessions while the three other tools (Akiss, Spec, Apte) typically fail for more than one session, with the exception of the variant Apte-por [13], which can handle several sessions, in some cases. All files related to the tool implementation and case studies are available at [20].

II. MODEL FOR SECURITY PROTOCOLS

A common framework for modelling security protocols are process algebra like the applied pi-calculus [21]. We consider here a variant of the calculus provided in [19] in order to benefit from its main result, which guarantees a “small attack” property: when there is an attack, there is a well-typed attack.

A. Syntax

Term algebra: As usual, messages are modelled by terms. We consider an infinite set of *names* \mathcal{N} , an infinite set of constants Σ_0 , and two distinct sets of *variables* \mathcal{X} and \mathcal{W} . Names are typically used to represent keys or nonces. Variables in \mathcal{X} refer to unknown parts of messages expected by participants while variables in \mathcal{W} are used to store messages learnt by the attacker. We consider the following sets of function symbols:

$$\Sigma_c = \{\text{enc}, \langle \rangle\} \quad \Sigma_d = \{\text{dec}, \text{proj}_1, \text{proj}_2\} \quad \Sigma_{\text{std}} = \Sigma_c \cup \Sigma_d$$

The symbol enc and dec both of arity 2 represent encryption and decryption. Concatenation of messages is modelled through the symbol $\langle \rangle$ of arity 2, with projection functions proj_1 and proj_2 of arity 1. We distinguish between *constructor* symbols in Σ_c and *destructor* symbols in Σ_d .

We consider several sets of terms. Given a set of A of atoms (*i.e.* names, variables, and constants), and a signature $\mathcal{F} \in \{\Sigma_c, \Sigma_d, \Sigma_{\text{std}}\}$, we denote by $\mathcal{T}(\mathcal{F}, A)$ the set of terms built from \mathcal{F} and A . Constructors terms with atomic encryptions are represented by the set $\mathcal{T}_0(\Sigma_c, A)$, which is the subset of $\mathcal{T}(\Sigma_c, A)$ such that any subterm $\text{enc}(m, k)$ of a term in $\mathcal{T}_0(\Sigma_c, A)$ is such that $k \in A$. Given $\Sigma \subseteq \Sigma_0$, we denote by \mathcal{M}_Σ the set $\mathcal{T}_0(\Sigma_c, \Sigma \cup \mathcal{N})$, *i.e.* the set of *messages* built using constants in Σ . The *positions* of a term are defined as usual. We denote $\text{vars}(u)$ the set of variables that occur in u . The application of a substitution σ to a term u is written $u\sigma$, and we denote $\text{dom}(\sigma)$ its *domain*, and $\text{img}(\sigma)$ its *image*. Two terms u_1 and u_2 are *unifiable* when there exists σ such that $u_1\sigma = u_2\sigma$. In this case, we denote mgu their most general unifier. The composition of two substitutions σ_1 and σ_2 is denoted $\sigma_1 \circ \sigma_2$.

Example 1: Let k_{ab} and k_{bs} be two names in \mathcal{N} , and a be a constant from Σ_0 . We have that $t = \text{enc}(\langle k_{ab}, a \rangle, k_{as})$ is a message from \mathcal{M}_{Σ_0} , whereas $\text{enc}(a, \langle k_{as}, k_{as} \rangle)$ is not (due to the presence of a compound term in key position).

An attacker can build any term by applying function symbols. His computation is formally modelled by terms, called *recipes*. Given $\Sigma \subseteq \Sigma_0$, we denote \mathcal{R}_Σ the set $\mathcal{T}(\Sigma_{\text{std}}, \Sigma \cup \mathcal{W})$, *i.e.* the set of recipes built using constants in Σ . Note that a recipe does not contain names, since, intuitively, names are initially secret.

Example 2: Assume that the attacker has first intercepted the message t (stored in w_1), and then the key k_{as} (stored in w_2). The term $R = \text{proj}_1(\text{dec}(w_1, w_2))$ is a recipe that represents a computation that can be performed by the attacker. Indeed, he can decrypt the first message with the second one, and then apply a projection operator.

The decryption of an encryption with the right key yields the plaintext. Similarly, the left (or right) projection of a concatenation yields the left (or right) component. These properties are reflected in the three following convergent rewrite rules:

$$\text{dec}(\text{enc}(x, y), y) \rightarrow x, \text{ and } \text{proj}_i(\langle x_1, x_2 \rangle) \rightarrow x_i \quad i \in \{1, 2\}.$$

A term u can be rewritten in v if there is a position p in u , and a rewriting rule $g(t_1, \dots, t_n) \rightarrow t$ such that $u|_p = g(t_1, \dots, t_n)\theta$ for some substitution θ . Moreover, we assume that $t_1\theta, \dots, t_n\theta$ as well as $t\theta$ are *messages*. This assumption slightly differs from [19]. Here, whenever an inner decryption/projection fails then the overall evaluation fails. Intuitively, we model eager evaluation while [19] models lazy evaluation. Our rewriting system is convergent, and we denote $u\downarrow$ the *normal form* of a given term u .

Example 3: Let t be the term given in Example 1, we have that $\text{proj}_1(\text{dec}(t, k_{as})) \downarrow = k_{ab}$. Indeed, we have that:

$$\begin{aligned} \text{proj}_1(\text{dec}(t, k_{as})) &= \text{proj}_1(\text{dec}(\text{enc}(\langle k_{ab}, a \rangle, k_{as}), k_{as})) \\ &\rightarrow \text{proj}_1(\langle k_{ab}, a \rangle) \\ &\rightarrow k_{ab} \end{aligned}$$

Process algebra: We only consider public channels and we assume that each process communicates on a dedicated channel. In practice, an attacker can typically distinguish between protocol participants thanks to their IP address and even between protocol sessions thanks to session identifiers. Technically, this assumption avoids non determinism. Formally, we assume an infinite set \mathcal{Ch} of channels and we consider the fragment of simple processes without replication built on basic processes as defined e.g. in [22]. A basic process represents a party in a protocol, which may sequentially perform actions such as waiting for a message of a certain form, and outputting a message. Then, a simple process is a parallel composition of such basic processes playing on distinct channels.

Definition 1: The set of *basic processes* on $c \in \mathcal{Ch}$ is defined as follows (with $u_1, u_2 \in \mathcal{T}(\Sigma_c, \Sigma_0 \cup \mathcal{N} \cup \mathcal{X})$):

$$P, Q := 0 \mid \text{in}(c, u_1).P \mid \text{out}(c, u_2).P$$

A *simple process* $\mathcal{P} = \{P_1, \dots, P_n\}$ is a multiset of basic processes P_i on pairwise distinct channels c_i .

The process 0 does nothing. The process “ $\text{in}(c, u_1).P$ ” expects a message m of the form u_1 on channel c and then behaves like $P\sigma$ where σ is a substitution such that $m = u_1\sigma$ is a message. The process “ $\text{out}(c, u_2).P$ ” emits u_2 on channel c , and then behaves like P . We assume that names are implicitly freshly generated, and therefore we do need a specific action to model name generation. The construction “new” is important in the presence of replication but we do not consider replication here. For the sake of clarity, we may omit the null process. We write $fv(P)$ for the set of *free variables* that occur in P , i.e. the set of variables that are not in the scope of an input.

Definition 2: A *protocol* is a simple process \mathcal{P} that is ground, i.e. $fv(\mathcal{P}) = \emptyset$.

Example 4: The Denning Sacco protocol [23] (without timestamps) is a key distribution protocol using symmetric encryption and a trusted server. Informally, we have:

1. $A \rightarrow S : A, B$
2. $S \rightarrow A : \{B, K_{ab}, \{K_{ab}, A\}_{K_{bs}}\}_{K_{as}}$
3. $A \rightarrow B : \{K_{ab}, A\}_{K_{bs}}$

where $\{m\}_k$ denotes the symmetric encryption of a message m with key k . The agents A and B aim at authenticating each other and establishing a session key K_{ab} through a trusted server S . The key K_{as} (resp. K_{bs}) is a long term key shared between A and S (resp. B and S).

To model the Denning Sacco protocol, we introduce several atomic data: k_{as}, k_{bs}, k_{ab} are names, a and b are constants from Σ_0 , and c_1, c_2 , and c_3 are channel names from \mathcal{Ch} . Each

role is modelled by a basic process that is described below. Below, we denote by $\langle x_1, x_2, x_3 \rangle$ the term $\langle x_1, \langle x_2, x_3 \rangle \rangle$.

$$\begin{aligned} P_A &= \text{out}(c_1, \langle a, b \rangle). \\ &\quad \text{in}(c_1, \text{enc}(\langle b, x_{AB}, x_B \rangle, k_{as})). \\ &\quad \text{out}(c_1, x_B) \\ P_S &= \text{in}(c_2, \langle a, b \rangle). \\ &\quad \text{out}(c_2, \text{enc}(\langle b, k_{ab}, \text{enc}(\langle k_{ab}, a \rangle, k_{bs}) \rangle, k_{as})) \\ P_B &= \text{in}(c_3, \text{enc}(\langle y_{AB}, a \rangle, k_{bs})) \end{aligned}$$

The protocol is then modelled by the simple ground process $\mathcal{P}_{DS} = \{P_A, P_S, P_B\}$. In order to model several sessions of the same protocol, we simply have to consider several instances of the basic processes P_A, P_S , and P_B . We will use different channel names to get a simple process, different names to model fresh names, and we will rename variables to avoid clashes. Two sessions of the Denning-Sacco protocol (between honest participants) are therefore modelled by:

$$\mathcal{P}'_{DS} = \{P_A, P_S, P_B, P'_A, P'_S, P'_B\}$$

where P'_A, P'_B , and P'_S are given below:

$$\begin{aligned} P'_A &= \text{out}(c_4, \langle a, b \rangle). \\ &\quad \text{in}(c_4, \text{enc}(\langle b, x'_{AB}, x'_B \rangle, k_{as})). \\ &\quad \text{out}(c_4, x'_B) \\ P'_S &= \text{in}(c_5, \langle a, b \rangle). \\ &\quad \text{out}(c_5, \text{enc}(\langle b, k'_{ab}, \text{enc}(\langle k'_{ab}, a \rangle, k_{bs}) \rangle, k_{as})) \\ P'_B &= \text{in}(c_6, \text{enc}(\langle y'_{AB}, a \rangle, k_{bs})) \end{aligned}$$

B. Semantics

The operational semantics of a process is defined using a relation over configurations, i.e. triples $(\mathcal{P}; \phi; \sigma)$ where:

- \mathcal{P} is a multiset of processes with $fv(\mathcal{P}) \subseteq \text{dom}(\sigma)$;
- ϕ is a *frame*, i.e. a substitution of the form $\{w_1 \triangleright m_1, \dots, w_n \triangleright m_n\}$ where $w_1, \dots, w_n \in \mathcal{W}$, and $m_1, \dots, m_n \in \mathcal{M}_{\Sigma_0}$;
- σ is a substitution such that $\text{dom}(\sigma) \subseteq \mathcal{X}$, and $\text{img}(\sigma) \subseteq \mathcal{M}_{\Sigma_0}$.

We often write \mathcal{P} instead of $(\mathcal{P}; \emptyset; \emptyset)$, and $P \cup \mathcal{P}$ instead of $\{P\} \cup \mathcal{P}$. The terms in ϕ represent the messages that are sent out and therefore known by the attacker whereas the substitution σ is used to store parts of the messages received so far. The operational semantics of a process is induced by the relation $\xrightarrow{\alpha}$ over configurations defined below:

IN

$$\begin{aligned} &(\text{in}(c, u).P \cup \mathcal{P}; \phi; \sigma) \xrightarrow{\text{in}(c, R)} (P \cup \mathcal{P}; \phi; \sigma \uplus \sigma_0) \\ &\text{where } R \in \mathcal{R}_{\Sigma_0} \text{ such that } R\phi \downarrow \in \mathcal{M}_{\Sigma_0}, \\ &\text{and } R\phi \downarrow = (u\sigma)\sigma_0 \text{ for } \sigma \text{ with } \text{dom}(\sigma_0) = \text{vars}(u\sigma). \end{aligned}$$

OUT

$$\begin{aligned} &(\text{out}(c, u).P \cup \mathcal{P}; \phi; \sigma) \xrightarrow{\text{out}(c, w)} (P \cup \mathcal{P}; \phi \cup \{w \triangleright u\sigma\}; \sigma) \\ &\text{with } w \text{ a fresh variable from } \mathcal{W}, \text{ and } u\sigma \in \mathcal{M}_{\Sigma_0}. \end{aligned}$$

A process may input any term that an attacker can build from publicly available terms and symbols (rule IN). The second rule corresponds to the output of a term: the corresponding term is added to the frame of the current configuration, which

means that the attacker has now access to it. Note that the term is outputted provided that it is a message. In case the evaluation of the term yields an encryption with a non atomic key, the evaluation fails and there is no output. We do not need to model internal communications since we assume public channels: all communications are controlled by the attacker.

The relation $\xrightarrow{\text{tr}}$ between configurations (where tr is a possibly empty sequence of actions) is defined in the usual way. Given $\Sigma \subseteq \Sigma_0$, and a protocol \mathcal{P} we define its *set of traces w.r.t. Σ* as follows:

$$\text{trace}_\Sigma(\mathcal{P}) = \{(\text{tr}, \phi) \mid (\mathcal{P}; \emptyset; \emptyset) \xrightarrow{\text{tr}} (\mathcal{P}'; \phi; \sigma) \text{ for some configuration } (\mathcal{P}'; \phi; \sigma) \text{ and any recipe occurring in } \text{tr} \text{ is in } \mathcal{R}_\Sigma\}.$$

Note that, for any $(\text{tr}, \phi) \in \text{trace}_\Sigma(\mathcal{P})$, we have that $\text{tr}\phi\downarrow$ only contains messages in \mathcal{M}_{Σ_0} .

Example 5: Consider the following sequence tr :

$$\text{tr} = \text{out}(c_1, w_1).\text{in}(c_2, w_1).\text{out}(c_2, w_2). \\ \text{in}(c_1, w_2).\text{out}(c_1, w_3).\text{in}(c_3, w_3)$$

This sequence tr allows one to reach the frame:

$$\phi = \{w_1 \triangleright \langle a, b \rangle, w_2 \triangleright \text{enc}(\langle b, k_{ab}, \text{enc}(\langle k_{ab}, a \rangle, k_{bs}) \rangle, k_{as}), \\ w_3 \triangleright \text{enc}(\langle k_{ab}, a \rangle, k_{bs}) \}.$$

We have that $(\text{tr}, \phi) \in \text{trace}_\Sigma(\mathcal{P}_{\text{DS}})$. This trace corresponds to a normal execution of the protocol.

C. Trace equivalence

Trace equivalence can be used to formalise many interesting security properties, in particular privacy-type properties. We assume keys to be atomic and encryption to fail for non atomic keys. We define trace equivalence accordingly, by letting the attacker observe when an encryption fails. We first define equivalence on sequences of messages.

Definition 3: A frame ϕ_1 is *statically included* w.r.t. $\Sigma \subseteq \Sigma_0$ in a frame ϕ_2 , denoted $\phi_1 \sqsubseteq_s \phi_2$, when we have that $\text{dom}(\phi_1) = \text{dom}(\phi_2)$, and:

- for any $R \in \mathcal{R}_\Sigma$, $R\phi_1\downarrow \in \mathcal{M}_{\Sigma_0}$ implies that $R\phi_2\downarrow \in \mathcal{M}_{\Sigma_0}$;
- for any $R_1, R_2 \in \mathcal{R}_\Sigma$ with $R_1\phi_1\downarrow, R_2\phi_1\downarrow \in \mathcal{M}_{\Sigma_0}$, $R_1\phi_1\downarrow = R_2\phi_1\downarrow$ implies that $R_1\phi_2\downarrow = R_2\phi_2\downarrow$.

They are in *static equivalence* w.r.t. Σ , denoted $\phi_1 \sim_s \phi_2$, when $\phi_1 \sqsubseteq_s \phi_2$, and $\phi_2 \sqsubseteq_s \phi_1$ (both w.r.t. Σ).

Example 6: Consider $\phi_1 = \phi \cup \{w_4 \triangleright \text{enc}(m_1, k_{ab})\}$ and $\phi_2 = \phi \cup \{w_4 \triangleright \text{enc}(m_2, k)\}$ where ϕ has been introduced in Example 5. The terms m_1, m_2 are public constants from Σ_0 , and k is a name from \mathcal{N} . We have that the two frames ϕ_1 and ϕ_2 are statically equivalent (w.r.t. any Σ). Intuitively, at the end of a normal execution between honest participants, an attacker can not distinguish whether the key used to encrypt a message (here the constants m_1 and m_2) is the session key that has been established or a fresh key k .

In contrast, the frames $\phi'_1 = \phi_1 \cup \{w_5 \triangleright k_{ab}\}$ and $\phi'_2 = \phi_2 \cup \{w_5 \triangleright k_{ab}\}$ are *not* in static equivalence. Actually ϕ'_1 is not statically included in ϕ'_2 . Indeed, an attacker can observe

that the 4th message of ϕ_1 can be decrypted by the 5th message, which is not the case in ϕ'_2 . Formally, considering $R = \text{dec}(w_4, w_5)$, we have $R\phi'_1\downarrow \in \mathcal{M}_{\Sigma_0}$ while $R\phi'_2\downarrow \notin \mathcal{M}_{\Sigma_0}$.

Then, we lift this notion of equivalence from frames to configurations.

Definition 4: Let $\Sigma \subseteq \Sigma_0$. A protocol \mathcal{P} is *trace included* w.r.t. Σ in a protocol \mathcal{Q} , written $\mathcal{P} \sqsubseteq_t \mathcal{Q}$, if for every $(\text{tr}, \phi) \in \text{trace}_\Sigma(\mathcal{P})$, there exists $(\text{tr}', \psi) \in \text{trace}_\Sigma(\mathcal{Q})$ such that $\text{tr} = \text{tr}'$ and $\phi \sqsubseteq_s \psi$ w.r.t. Σ . The protocols \mathcal{P} and \mathcal{Q} are *trace equivalent* w.r.t. Σ , written $\mathcal{P} \approx_t \mathcal{Q}$, if $\mathcal{P} \sqsubseteq_t \mathcal{Q}$ and $\mathcal{Q} \sqsubseteq_t \mathcal{P}$ (both w.r.t. Σ).

This notion of equivalence (even when $\Sigma = \Sigma_0$) does not coincide in general with the usual notion of trace equivalence as defined e.g. in [22]. It is actually coarser since we simply require the resulting frames to be in static inclusion ($\phi \sqsubseteq_s \psi$) instead of static equivalence ($\phi \sim_s \psi$). However, these two notions actually coincide (see [10]) for the class of simple processes that we consider in this paper.

Assume given two protocols \mathcal{P} and \mathcal{Q} such that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ . A witness of this non-inclusion is a trace tr w.r.t. Σ for which there exists ϕ such that $(\text{tr}, \phi) \in \text{trace}_\Sigma(\mathcal{P})$ and:

- either there is no ψ such that $(\text{tr}, \psi) \in \text{trace}_\Sigma(\mathcal{Q})$;
- or such ψ exists and $\phi \not\sqsubseteq_s \psi$ w.r.t. Σ .

Note that for a simple process, once the sequence tr is fixed, the resulting frame reachable through tr is uniquely defined (when it exists) since simple processes are deterministic.

Example 7: The protocol \mathcal{P}'_{DS} presented in Example 4 models two sessions of the Denning Sacco protocol. Assume now that we wish to check strong secrecy of the exchanged key, as received by the agent A . This can be expressed by checking whether $\mathcal{P}'_{\text{DS}} \approx_t \mathcal{P}''_{\text{DS}}$ where:

- \mathcal{P}'_{DS} is as \mathcal{P}_{DS} but we add “ $\text{out}(c_1, \text{enc}(m_1, x_{AB}))$ ” at the end of the process P_A , and “ $\text{out}(c_4, \text{enc}(m_1, x'_{AB}))$ ” at the end of P'_A
- $\mathcal{P}''_{\text{DS}}$ is as \mathcal{P}_{DS} but we add the instruction “ $\text{out}(c_1, \text{enc}(m_2, k))$ ” at the end of P_A , and “ $\text{out}(c_4, \text{enc}(m_2, k'))$ ” at the end of P'_A .

The terms m_1 and m_2 are two public constants from Σ_0 whereas k and k' are names from \mathcal{N} .

While the key received by A cannot be learnt by an attacker, strong secrecy of this key is not guaranteed. Indeed, due to the lack of freshness, the same key can be sent several times to A , and this can be observed by an attacker. Formally, the attack is as follows. Consider the sequence

$$\text{tr}' = \text{tr} \cdot \text{out}(c_4, w_4).\text{in}(c_4, w_2).\text{out}(c_4, w_5). \\ \text{out}(c_1, w_6).\text{out}(c_4, w_7)$$

where tr has been defined in Example 5. The attacker simply replays an old session. The resulting (unique) frames are

- $\phi'_1 = \phi \cup \phi' \cup \{w_6 \triangleright \text{enc}(m_1, k_{ab}), w_7 \triangleright \text{enc}(m_1, k_{ab})\}$,
- $\phi'_2 = \phi \cup \phi' \cup \{w_6 \triangleright \text{enc}(m_2, k), w_7 \triangleright \text{enc}(m_2, k')\}$

where ϕ is the frame given in Example 5, and

$$\phi' = \{w_4 \triangleright \langle a, b \rangle, w_5 \triangleright \text{enc}(\langle k_{ab}, a \rangle, k_{bs})\}.$$

We have that $(\text{tr}', \phi'_1) \in \text{trace}_{\Sigma_0}(\mathcal{P}'_{\text{DS}})$ and $(\text{tr}', \phi'_2) \in \text{trace}_{\Sigma_0}(\mathcal{P}'_{\text{DS}})$. However, we have that $\phi'_1 \not\sqsubseteq_s \phi'_2$ since $w_6 = w_7$ in ϕ'_1 but not in ϕ'_2 . Thus \mathcal{P}'_{DS} is *not* trace included in \mathcal{P}'_{DS} . To avoid this attack, the messages of the Denning-Sacco protocol shall include timestamps or nonces.

The goal of the paper is to provide an efficient and practical procedure for checking trace equivalence.

III. REDUCTION RESULTS

Even when considering finite processes (*i.e.* processes without replication), the problem of checking trace equivalence is difficult due to several sources of unboundedness:

- the size of messages which can be forged by an attacker is unbounded;
- the number of nonces and constants that can be used by an attacker is unbounded too.

Recently, [19] has established how to reduced the search space for attacks by bounding the size of messages involved in a minimal attack. From a theoretical point of view, this also yields a bound on the number of nonces/constants involved in such a minimal attack. However, this bound is far from being practical. In this section, we show that the small attack property of [19] still holds even if our semantics has slightly changed (due to eager evaluation) and we further demonstrate that the number of constants can be significantly reduced since only three constants need to be considered (and no nonces), in addition to those explicitly mentioned in the protocol.

A. Bounding the size of messages

As in [19], we consider type-compliant protocols, and we restrict ourselves to typing systems that preserve the structure of terms. A typing system is defined as follows.

Definition 5: A typing system is a pair $(\mathcal{T}_0, \delta_0)$ where \mathcal{T}_0 is a set of elements called *atomic types* with a special atomic type denoted τ_* , and δ_0 is a function mapping atomic terms in $\Sigma_0 \cup \mathcal{N} \cup \mathcal{X}$ to types τ generated using the following grammar:

$$\tau, \tau_1, \tau_2 = \tau_0 \mid \langle \tau_1, \tau_2 \rangle \mid \text{enc}(\tau_1, \tau_2) \text{ with } \tau_0 \in \mathcal{T}_0.$$

We further assume the existence of an infinite number of constants in Σ_0 (resp. variables in \mathcal{X} , names in \mathcal{N}) of any type, and the existence of three special constants denoted $c_{(\omega, \omega)}$, c_{\star}^0 , and c_{\star}^1 of type τ_* . The constant $c_{(\omega, \omega)}$ can not be used in key position. Then, δ_0 is extended to constructor terms as follows:

$$\delta_0(f(t_1, \dots, t_n)) = f(\delta_0(t_1), \dots, \delta_0(t_n)) \text{ with } f \in \Sigma_c.$$

Example 8: Continuing our running Example, we consider the typing system generated from the set $\mathcal{T}_{\text{DS}} = \{\tau_a, \tau_m, \tau_{ks}, \tau_k\}$ of atomic types and the function δ_{DS} that associates the expected type to each constant/name, and the following types to variables:

- $\delta_{\text{DS}}(x_{AB}) = \delta_{\text{DS}}(x'_{AB}) = \delta_{\text{DS}}(y_{AB}) = \delta_{\text{DS}}(y'_{AB}) = \tau_k$;
- $\delta_{\text{DS}}(x_B) = \delta_{\text{DS}}(x'_B) = \text{enc}(\langle \tau_k, \tau_a \rangle, \tau_{ks})$.

A protocol is type-compliant if two unifiable subterms have the same type. Formally, we use the definition given in [19], which is similar to the one introduced in [24].

We write $St(t)$ (resp. $St(\tau)$) for the set of (*syntactic*) *subterms* of a term t (resp. type τ), and $Est(t)$ the set of its *encrypted subterms*, *i.e.*

$$Est(t) = \{u \in St(t) \mid u \text{ is of the form } \text{enc}(u_1, u_2)\}.$$

In the following definition, $\delta_{\mathcal{P}}(P)$ is the set of $\delta_{\mathcal{P}}(t)$ for every term t occurring in protocol P .

Definition 6: A protocol \mathcal{P} is *type-compliant* w.r.t. a typing system $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$ if $\tau_{\star} \notin St(\delta_{\mathcal{P}}(\mathcal{P}))$, and for every $t, t' \in Est(\mathcal{P})$ we have that:

$$t \text{ and } t' \text{ unifiable implies that } \delta_{\mathcal{P}}(t) = \delta_{\mathcal{P}}(t').$$

Example 9: The protocol \mathcal{P}'_{DS} (resp. \mathcal{P}'_{DS}) is type-compliant w.r.t. the typing system given in Example 8. Indeed, the encrypted subterms of \mathcal{P}'_{DS} are:

- 1) $t_A = \text{enc}(\langle b, x_{AB}, x_B \rangle, k_{as})$;
- 2) $t_{B1} = \text{enc}(\langle y_{AB}, a \rangle, k_{bs})$;
- 3) $t_{B2} = \text{enc}(m_1, y_{AB})$;
- 4) $t_{S1} = \text{enc}(\langle b, k_{ab}, \text{enc}(\langle k_{ab}, a \rangle, k_{bs}) \rangle, k_{as})$;
- 5) $t_{S2} = \text{enc}(\langle k_{ab}, a \rangle, k_{bs})$

as well as the renaming of these terms obtained by replacing k_{ab} , x_{AB} , y_{AB} , and x_B with fresh names/variables of the same type, namely k'_{ab} , x'_{AB} , y'_{AB} , and x'_B .

It is easy to check that the type-compliance condition is satisfied for any pair of terms. For instance, we have that t_A and t_{S1} are unifiable, and they have indeed the same type:

$$\delta_{\text{DS}}(t_A) = \text{enc}(\langle \tau_a, \tau_k, \text{enc}(\langle \tau_k, \tau_a \rangle, \tau_{ks}) \rangle, \tau_{ks}) = \delta_{\text{DS}}(t_{S1}).$$

Consider a protocol \mathcal{P} that is type-compliant w.r.t. to a typing system $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$, an execution $\mathcal{P} \xrightarrow{\text{tr}} (\mathcal{P}'; \phi'; \sigma')$ is *well-typed* if σ' is a well-typed substitution, *i.e.* every variable of its domain has the same type as its image. We say that a trace $(\text{tr}, \phi) \in \text{trace}_{\Sigma}(\mathcal{P})$ is well-typed if its underlying execution (unique due to the class of protocols we consider in this paper) is well-typed. Given a protocol \mathcal{P} , we denote $\Sigma_{\mathcal{P}}$ the constants from Σ_0 that occur in \mathcal{P} .

We first show that the small attack property from [19] still holds: whenever two processes are not in trace equivalence, then there is a well-typed witness of non equivalence. In addition, we show that the recipes involved in such a trace have a simple form: they are built using constructor symbols on top of destructors.

Definition 7: Let R be a recipe. We say that R is *destructor-only* if $R \in \mathcal{T}(\Sigma_d, \Sigma \cup \mathcal{W})$. It is *simple* if there exist destructor-only recipes R_1, \dots, R_k , and a context C made of constructors such that $R = C[R_1, \dots, R_k]$.

Theorem 1: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$ and \mathcal{Q} be another protocol. We have that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 if, and only if, there exists a witness tr of this non-inclusion that only contains simple recipes and such that one of the following holds:

- 1) $(\text{tr}, \phi) \in \text{trace}_{\Sigma_0}(\mathcal{P})$ for some ϕ and (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$;

- 2) $\text{tr} = \text{tr}'\{c_0 \mapsto c_{(\omega, \omega)}\}$ for some $c_0 \in \Sigma_0 \setminus \Sigma_{\mathcal{P}}$, and $(\text{tr}', \phi') \in \text{trace}_{\Sigma_0}(\mathcal{P})$ for some ϕ' and (tr', ϕ') is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

Since we consider atomic keys, some execution may fail when a protocol is about to output an encryption with a non atomic key. In order to detect this kind of behaviours, it is important to consider slightly ill-typed traces as defined in Item 2.

Example 10: Continuing our running example, we have seen that $\mathcal{P}'_{\text{DS}} \not\sqsubseteq_t \mathcal{P}''_{\text{DS}}$. The witness tr' of this non-inclusion (given in Example 7) only contains simple recipes, and $(\text{tr}', \phi'_1) \in \text{trace}_{\Sigma_0}(\mathcal{P}'_{\text{DS}})$ is well-typed w.r.t. $(\mathcal{T}_{\text{DS}}, \delta_{\text{DS}})$ (the typing system given in Example 8).

B. Bounding the number of constants

The previous result implicitly bounds the number of constants used in an attack but the induced bound would be impractical. We show here that actually, two constants are sufficient. The proof technique is inspired from [25] and [26] which respectively reduce the number of nonces and agents in the context of equivalence properties. A direct application of the proof technique would however yield two constants of each type, which represents still a high number of constants. Instead, we show here that just two constants are enough, provided they are of special type τ_* . To obtain this result, we slightly relax the notion of well-typedness.

Given a typing system $(\mathcal{T}_0, \delta_0)$, we denote by \preceq the smallest relation on types defined as follows:

- $\tau_* \preceq \tau$ and $\tau \preceq \tau$ for any type τ (atomic or not);
- $f(\tau_1, \tau_2) \preceq f(\tau'_1, \tau'_2)$ when $\tau_1 \preceq \tau'_1$, $\tau_2 \preceq \tau'_2$, and $f \in \Sigma_c$.

Consider a protocol \mathcal{P} that is type-compliant w.r.t. to a typing system $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$, an execution $\mathcal{P} \xrightarrow{\text{tr}} (\mathcal{P}'; \phi'; \sigma')$ is *quasi-well-typed* if $\delta_{\mathcal{P}}(x\sigma') \preceq \delta_{\mathcal{P}}(x)$ for every variable $x \in \text{dom}(\sigma')$. We say that a trace $(\text{tr}, \phi) \in \text{trace}_{\Sigma}(\mathcal{P})$ is quasi-well-typed if its underlying execution (unique due to the class of protocols we consider in this paper) is quasi-well-typed.

If two processes are not in trace equivalence, then there is a witness of non equivalence that is quasi-well typed and uses at most two extra constants plus eventually $c_{(\omega, \omega)}$ to detect slightly ill-typed traces.

Theorem 2: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$ and \mathcal{Q} be another protocol. Let $\Sigma = \Sigma_{\mathcal{P}} \uplus \{c_*^0, c_*^1, c_{(\omega, \omega)}\}$. We have that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 if, and only if, there exists a witness tr of this non-inclusion w.r.t. Σ that only contains simple recipes, and such that $(\text{tr}, \phi) \in \text{trace}_{\Sigma}(\mathcal{P})$ for some ϕ and (tr, ϕ) is quasi-well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

Intuitively, we can show that non equivalence relies on at most one disequality, and thanks to our equational theory, only two constants c_*^0, c_*^1 are necessary to produce such a disequality.

IV. FROM STATIC EQUIVALENCE TO PLANNING

The overall objective of this paper is to provide a practical algorithm for deciding trace equivalence, using planning

graphs and SAT-solving. We start here with the static case and show how to reduce static equivalence to a planning problem. Given two frames, we show how to build a planning problem such that the planning problem has a solution if, and only if, the two corresponding frames are not in static equivalence.

We consider two frames ϕ and ψ having same domain. We denote Σ the constants from Σ_0 that occur either in ϕ or in ψ .

A. Planning problems

We first recall the definition of a planning problem, slightly simplified from [27]. Intuitively, a planning system defines a transition system from sets of facts to sets of facts. New facts may be produced and some old facts may be deleted.

Definition 8: A *planning system* is tuple $\langle \mathcal{F}act, \mathcal{I}nit, \mathcal{R}ule \rangle$ where $\mathcal{F}act$ is a set of variable-free atomic formulas called *facts*, $\mathcal{I}nit_0 \subseteq \mathcal{F}act$ is a set of facts representing the initial state, and $\mathcal{R}ule$ is a set of rules of the form:

$$Pre \rightarrow Add; Del$$

where Pre, Add, Del are finite sets of facts such that $Add \cap Del = \emptyset$, $Del \subseteq Pre$. We write $Pre \rightarrow Add$ when $Del = \emptyset$.

Given a rule $r \in \mathcal{R}ule$ of the form $Pre \rightarrow Add; Del$, we denote $Pre(r) = Pre$, $Add(r) = Add$, and $Del(r) = Del$. Moreover, if $S \subseteq \mathcal{F}act$ are such that $Pre(r) \subseteq S$, then we say that the rule is *applicable* in S , denoted $S \xrightarrow{r} S'$, and the state $S' = (S \setminus Del) \cup Add$ is the state resulting from the application of r to S . A *planning path* from $S_0 \subseteq \mathcal{F}act$ to $S_n \subseteq \mathcal{F}act$ is a sequence of rules $r_1, \dots, r_n \in \mathcal{R}ule$ such that there exist states $S_1, \dots, S_{n-1} \subseteq \mathcal{F}act$ such that:

$$S_0 \xrightarrow{r_1} S_1 \xrightarrow{r_2} \dots S_{n-1} \xrightarrow{r_n} S_n$$

A *planning problem* for a system $\Theta = \langle \mathcal{F}act, \mathcal{I}nit, \mathcal{R}ule \rangle$ is a pair $\Pi = \langle \Theta, S_f \rangle$ where $S_f \subseteq \mathcal{F}act$ represents the target facts. A *solution* to $\Pi = \langle \Theta, S_f \rangle$, called a *plan*, is a planning path from $\mathcal{I}nit$ to a state S_n such that $S_f \subseteq S_n$.

In this paper, we consider an (infinite) set of facts $\mathcal{F}act_0$ that consists of:

- all atomic formulas of the form $\text{att}(u_P, u_Q)$ with $u_P, u_Q \in \mathcal{M}_{\Sigma}$;
- all atomic formulas of the form $\text{state}_{P,Q}^c(\sigma_P, \sigma_Q)$ where $c \in \mathcal{C}h$, P, Q are basic processes on channel c , and σ_P (resp. σ_Q) is a grounding substitution for P (resp. Q);
- a special symbol bad .

The rest of this section is dedicated to the reduction of static equivalence to the (non) existence of a solution of a planning system. Therefore, we will consider planning systems with facts that represent the attacker's knowledge, i.e. those of the form $\text{att}(u_P, u_Q)$ (plus the symbol bad). Later on, in Section V, we will additionally consider the facts of the form $\text{state}_{P,Q}^c(\sigma_P, \sigma_Q)$ that model internal states of the agents.

B. Attacker rules

We first describe the planning rules that correspond to the attacker behaviours. Instead of considering rules on ground facts, we start by describing a set of abstract rules that we instantiated later on, yielding a (concrete) planning system.

The attacker behaviour is modelled by the following set Rule_A of abstract rules:

$$\begin{aligned} \text{att}(\langle x_1, x_2 \rangle, \langle y_1, y_2 \rangle) &\rightarrow \text{att}(x_1, y_1) \\ \text{att}(\langle x_1, x_2 \rangle, \langle y_1, y_2 \rangle) &\rightarrow \text{att}(x_2, y_2) \\ \text{att}(\text{enc}(x_1, x_2), \text{enc}(y_1, y_2)), \text{att}(x_2, y_2) &\rightarrow \text{att}(x_1, y_1) \end{aligned}$$

Note that there is no *Del* since the attacker never forgets. Interestingly, the rules only model decomposition. There is no rule to synthesize messages. In general, this would be unsound but we will show why we can get rid of synthesis rules, thanks to the flattening technique. This is a key point of our algorithm to avoid building large terms.

We now explain how to obtain concrete planning rules from the abstract ones. This step is called concretization. Basically, we distinguish two kinds of concrete rules: the positive one, and the negative one. We start in this subsection by defining the positive one.

Given an abstract attacker rule $r \in \text{Rule}_A$, we define its positive concretizations by simply instantiating the abstract rules such that the resulting terms are messages.

$$\text{Concrete}^+(r) = \{r\sigma \mid \sigma \text{ a substitution grounding for } r \text{ such that } r\sigma \text{ only involve messages in } \mathcal{M}_\Sigma\}$$

Let ϕ and ψ be two frames with $\text{dom}(\phi) = \text{dom}(\psi)$. The set of facts associated to ϕ and ψ is defined as the set of couples of all identical constants and the couples of associated messages of the two frames.

$$\text{Fact}(\phi, \psi) = \{\text{att}(a, a) \mid a \in \Sigma\} \cup \{\text{att}(w\phi, w\psi) \mid w \in \text{dom}(\phi)\}$$

It is easy to show that, applying (concrete) attacker rules to $\text{Fact}(\phi, \psi)$, we compute the set of couples (u, v) that can be reached by applying destructor-only recipes to ϕ and ψ .

Lemma 1: Let ϕ, ψ be two frames with $\text{dom}(\phi) = \text{dom}(\psi)$. Let $\Theta = \langle \text{Fact}_0, \text{Fact}(\phi, \psi), \text{Concrete}^+(\text{Rule}_A) \rangle$ and $\Pi = \langle \Theta, \{\text{att}(u, v)\} \rangle$ for some $u, v \in \mathcal{M}_\Sigma$. We have that Π has a solution if, and only if, there is a destructor-only recipe $R \in \mathcal{R}_\Sigma$ such that $R\phi \downarrow = u$, and $R\psi \downarrow = v$.

C. Case of failures

To break static equivalence, an attacker may build new terms but also check for equalities and computation failures. Therefore, we encode when a computation can be performed on the right hand side but can not be mimicked on the left.

We say that a fact $f = \text{att}(u_0, v_0)$ ($u_0, v_0 \in \mathcal{M}_\Sigma$) *left-unifies* (resp. *right-unifies*) with $\text{att}(u, v)$ if there exists σ such that $u\sigma = u_0$ (resp. $v\sigma = v_0$). Similarly, a sequence of facts $\text{att}(u_1, v_1), \dots, \text{att}(u_k, v_k)$ left-unifies with a sequence $\text{att}(u'_1, v'_1), \dots, \text{att}(u'_k, v'_k)$ if there exists σ such that $u'_1\sigma = u_1, \dots, u'_k\sigma = u_k$ (and symmetrically for right-unification).

Given an abstract attacker rule $r = \text{Pre} \rightarrow \text{Add}$ (note that *Del* is empty for attacker rule), we define $\text{Concrete}^-(r)$ as the set of concrete planning rules that contains:

$$f_1, \dots, f_k \rightarrow \text{bad}$$

for any sequence of facts $f_1, \dots, f_k \in \text{Fact}_0$ such that f_1, \dots, f_k left-unifies with *Pre*, whereas f_1, \dots, f_k does not right-unify with *Pre*. This is the generic way to compute the

failure rules from abstract attacker rules. In case of the set of abstract rules Rule_A that we consider here, we obtain the following infinite set of rules, denoted $\text{Concrete}^-(\text{Rule}_A)$:

$$\begin{aligned} \text{att}(\langle u_1, u_2 \rangle, v) &\rightarrow \text{bad} \\ &\text{for any } u_1, u_2, v \in \mathcal{M}_\Sigma \text{ such that } v \text{ is not a pair} \\ \text{att}(\text{enc}(u_1, u_2), v), \text{att}(u_2, v') &\rightarrow \text{bad} \\ &\text{for any } u_1, u_2, v, v' \in \mathcal{M}_\Sigma \text{ such that } \text{enc}(u_1, u_2) \in \mathcal{M}_\Sigma, \\ &\text{and } \text{dec}(v, v') \downarrow \notin \mathcal{M}_\Sigma. \end{aligned}$$

In order to capture static inclusion, we have to consider some additional cases of failure, in particular those corresponding to an equality that holds in one side but not in the other side. For this, we introduce the set $\mathcal{R}_{\text{fail}}^{\text{test}}$:

$$\mathcal{R}_{\text{fail}}^{\text{test}} = \{\text{att}(u, v_1), \text{att}(u, v_2) \rightarrow \text{bad} \mid v_1 \neq v_2\}$$

However, as exemplified below, due to the absence of rule to compose terms, this is not sufficient.

Example 11: Let $\phi = \{w \triangleright k\}$ and $\psi = \{w \triangleright \text{enc}(s, k)\}$ where $s, k \in \mathcal{N}$. We have that $\phi \not\sqsubseteq_s \psi$. Indeed, consider $R = \text{enc}(w, w)$, we have that $R\phi \downarrow \in \mathcal{M}_\Sigma$ whereas $R\psi \downarrow \notin \mathcal{M}_\Sigma$. However, we have no mean to witness this non-inclusion without relying on synthesis rules (that we do not have).

Therefore, we introduce in addition the ability to check whether a message is an atom or not (different from the special constant $c_{(\omega, \omega)}$). More formally, we consider the set:

$$\mathcal{R}_{\text{fail}}^{\text{atom}} = \{\text{att}(u, v) \rightarrow \text{bad} \mid u \text{ is an atom different from } c_{(\omega, \omega)} \text{ but not } v\}$$

Given a set Rule of abstract rules, we denote $\text{Concrete}(\text{Rule}) = \text{Concrete}^+(\text{Rule}) \cup \text{Concrete}^-(\text{Rule})$.

Two frames are in static inclusion if, and only if, the corresponding planning system has no solution.

Proposition 1: Let ϕ and ψ be two frames with $\text{dom}(\phi) = \text{dom}(\psi)$, and $\Theta = \langle \text{Fact}_0, \text{Fact}(\phi, \psi), \mathcal{R} \rangle$ where

$$\mathcal{R} = \text{Concrete}(\text{Rule}_A) \cup \mathcal{R}_{\text{fail}}^{\text{test}} \cup \mathcal{R}_{\text{fail}}^{\text{atom}}$$

Let $\Pi = \langle \Theta, \{\text{bad}\} \rangle$. We have that $\phi \not\sqsubseteq_s \psi$ if, and only if, Π has a solution.

As we shall see later, in order to obtain an efficient algorithm, we do not enumerate all ground attacker rules. Instead, they are generated on the fly, only when they are needed.

V. FROM TRACE EQUIVALENCE TO PLANNING

In the previous section, we have shown how to encode static inclusion into a planning system. We now show how to encode trace inclusion. We consider a protocol \mathcal{P} that is type-compliant w.r.t. $(\mathcal{T}_\mathcal{P}, \delta_\mathcal{P})$, and another protocol \mathcal{Q} . For simplicity we assume that variables of \mathcal{P} and \mathcal{Q} are disjoint. Let $\Sigma = (\Sigma_\mathcal{P} \cup \Sigma_\mathcal{Q}) \uplus \{c_\star^0, c_\star^1, c_{(\omega, \omega)}\}$. Moreover, we assume that variables occurring in \mathcal{P} are given with types.

A. Protocol rules

We first define the abstract rules describing the protocol behaviour. Given P and Q two basic processes on channel c , we write $\text{St}(P, Q) = \text{state}_{\mathcal{P}, \mathcal{Q}}^c(\text{id}_P, \text{id}_Q)$ where id_P (resp. id_Q) is the identity substitution of domain $\text{fv}(P)$ (resp. $\text{fv}(Q)$). Then,

the transformation $\text{Rule}(P; Q)$ from processes to abstract planning rules is defined as follows: We distinguish several cases depending on the shape of P .

1) Case $P = 0$:

$$\text{Rule}(P; Q) = \emptyset.$$

2) Case $P = \text{out}(c, u).P'$:

$$\begin{aligned} \text{Rule}(P; Q) &= \text{Rule}(P'; Q') \cup \\ &\quad \{\text{St}(P, Q) \rightarrow \text{att}(u, v), \text{St}(P', Q'); \text{St}(P, Q)\} \\ &\quad \text{when } Q = \text{out}(c, v).Q' \end{aligned}$$

$$\begin{aligned} \text{Rule}(P; Q) &= \{\text{St}(P, Q) \rightarrow \text{att}(u, c_0^*), \text{bad}\} \\ &\quad \text{otherwise.} \end{aligned}$$

3) Case $P = \text{in}(c, u).P'$:

$$\begin{aligned} \text{Rule}(P; Q) &= \text{Rule}(P'; Q') \cup \\ &\quad \{\text{St}(P, Q), \text{att}(u, v) \rightarrow \text{St}(P', Q'); \text{St}(P, Q)\} \\ &\quad \text{when } Q = \text{in}(c, v).Q' \end{aligned}$$

$$\begin{aligned} \text{Rule}(P; Q) &= \{\text{St}(P, Q), \text{att}(u, x) \rightarrow \text{bad}\} \\ &\quad \text{otherwise (with } x \text{ fresh).} \end{aligned}$$

Intuitively, abstract rules simply try to mimic each step of P by a similar step of Q . Clearly, if Q cannot follow P , the two processes are not in trace equivalence, which is modelled here by the bad state. It then remains to check whether the bad state is indeed reachable. Note that, in case $P = \text{out}(c, u).P'$ whereas Q is not ready to perform an output, bad will be trigger only if the outputted term is indeed a message.

Example 12: We consider protocols $\mathcal{P}_{\text{DS}}^1$ and $\mathcal{P}_{\text{DS}}^2$ as given in Example 7. We focus on the computations of the abstract protocol rules for the basic process defined on channel c_1 , i.e.

$$\begin{aligned} &\text{Rule}(P_A^1.\text{out}(c_1, \text{enc}(m_1, x_{AB}^1)), P_A^2.\text{out}(c_1, \text{enc}(m_2, x_{AB}^2))) \\ &\quad \text{where } P_A^i = \text{out}(c_1, \langle a, b \rangle). \\ &\quad \quad \text{in}(c_1, \text{enc}(\langle b, x_{AB}^i, x_B^i \rangle, k_{as})). \\ &\quad \quad \text{out}(c_1, x_B^i). \\ &\quad \quad \text{out}(c_1, \text{enc}(m_i, x_{AB}^i)) \text{ with } i \in \{1, 2\}. \end{aligned}$$

We have simply renamed bound variables to ensure disjointness between the variables of P_A^1 and those of P_A^2 . Moreover, for sake of conciseness, below, we write $\text{state}_{P_i^1, P_i^2}^{c_1}$ instead of $\text{state}_{P_i^1, P_i^2}^{c_1}$ where P_i^1 (resp P_i^2) with $i \in \{1, 4\}$ represents the subprocess of P_A^1 (resp. P_A^2) starting at the i^{th} action. We write id_X the identity substitution with $\text{dom}(\text{id}_X) = X$. Since this basic process is made up of 4 actions, we obtain 4 abstract protocol rules, among which the following abstract rule r_3 :

$$\begin{aligned} &\text{state}_3^{c_1}(\text{id}_{\{x_{AB}^1, x_B^1\}}, \text{id}_{\{x_B^2\}}) \rightarrow \\ &\quad \text{att}(x_B^1, x_B^2), \text{state}_4^{c_1}(\text{id}_{\{x_{AB}^1\}}, \emptyset); \\ &\quad \text{state}_3^{c_1}(\text{id}_{\{x_{AB}^1, x_B^1\}}, \text{id}_{\{x_B^2\}}) \end{aligned}$$

Since both basic processes have the same shape, no abstract rule with bad in conclusion have been computed at this stage.

This transformation is then extended to protocols in a natural way. Assume w.l.o.g. that both simple processes are made of n basic processes (we can complete with null processes if needed). That is, $\mathcal{P} = \{P_1, \dots, P_n\}$ and $\mathcal{Q} = \{Q_1, \dots, Q_n\}$. In addition, assume w.l.o.g. that P_i and Q_i are basic processes on channel c_i . We define

$$\text{Rule}(\mathcal{P}, \mathcal{Q}) = \text{Rule}(P_1, Q_1) \cup \dots \cup \text{Rule}(P_n, Q_n).$$

Given a substitution σ , and $\text{state}_{P, Q}^c(\sigma_P, \sigma_Q)$ occurring in a protocol abstract rule, the application of σ to the abstract state is defined as follows:

$$\text{state}_{P, Q}^c(\sigma_P, \sigma_Q)\sigma = \text{state}_{P, Q}^c(\sigma \circ \sigma_P, \sigma \circ \sigma_Q).$$

B. Flattening

In terms of efficiency, one key step of our algorithm is to avoid composition rules from the attacker. For this, we transform protocol rules in order to pre-compute all necessary composition steps. For example, consider the second step of the Denning Sacco protocol, presented in Example 4. The agent A expects a message m of the form $\{b, x_{AB}, x_B\}_{k_{as}}$ and answers with x_B . Either the attacker obtains m as an existing ciphertext or he builds the ciphertext himself, provided he knows the key k_{as} . In the later case, we may avoid a composition step by considering the following (informal) rule:

$$b, x_{AB}, x_B, k_{as} \rightarrow x_B$$

This rule is clearly useless for this particular example but illustrates our flattening technique. Note that such rules will become useful for the analysis of a more complex scenario, in particular those involving dishonest participants.

We now explain how formally to compute the set of flattened rules from a given abstract rule r . For this, we start by explaining how to decompose a fact $\text{att}(u, v)$.

Definition 9: Given a term $u \in \mathcal{T}(\Sigma_c, \Sigma \cup \mathcal{N} \cup \mathcal{X})$, we say that u is *decomposable* when:

- either $u \in \mathcal{X}$ and $\delta_{\mathcal{P}}(u)$ is not an atomic type;
- or $u \notin \Sigma \cup \mathcal{N} \cup \mathcal{X}$.

Intuitively, a variable of non atomic type is decomposable since it may be instantiated by a non atomic term which, in turns, may have been obtained by composition. Given $\text{att}(u, v)$ with u decomposable, we define $\text{split}(\text{att}(u, v))$ as follows:

$$\text{split}(\text{att}(u, v)) = (f; \{\text{att}(x_1, y_1), \text{att}(x_2, y_2)\}; \sigma_{\mathcal{P}}; \sigma_{\mathcal{Q}})$$

where

- $\delta_{\mathcal{P}}(u) = f(\tau_1, \tau_2)$ for some τ_1, τ_2 and some $f \in \Sigma_c$;
- x_1 (resp. x_2) is a fresh variable of type τ_1 (resp. τ_2) and $\sigma_{\mathcal{P}} = \text{mgu}(u, f(x_1, x_2))$;
- y_1, y_2 are fresh variables, $\sigma_{\mathcal{Q}} = \text{mgu}(v, f(y_1, y_2))$.

Note that $\sigma_{\mathcal{P}}$ exists and is necessarily a well-typed substitution. By convention, we assume that $\text{mgu}(u, u') = \perp$ when u and u' are not unifiable.

Let r be an abstract rule of the form $\text{Pre} \rightarrow \text{Add}; \text{Del}$ with $f = \text{att}(u, v) \in \text{Pre}$ such that u is decomposable and $\text{split}(f) = (f, S, \sigma_{\mathcal{P}}, \sigma_{\mathcal{Q}})$. The decomposition of r w.r.t. f , denoted $\text{decompo}(r, f)$, is defined as follows:

- 1) $((\text{Pre} \setminus f) \cup S \rightarrow \text{bad})\sigma_{\mathcal{P}}$ in case $\sigma_{\mathcal{Q}} = \perp$;
- 2) $((\text{Pre} \setminus f) \cup S \rightarrow \text{Add}; \text{Del})(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}})$ otherwise.

Then, decomposition is applied recursively on each rule.

$$\begin{aligned} \text{Flat}(r) &= \text{Flat}(\{\text{decompo}(r, f) \mid f = \text{att}(u, v) \in \text{Pre}(r) \\ &\quad \text{with } u \text{ decomposable}\}) \cup \{r\} \end{aligned}$$

Example 13: Considering the abstract protocol rule r_3 given in Example 12, the set $\text{Flat}(r_3)$ contains (among others):

$$\begin{aligned} & \text{state}_2^{c_1}(\emptyset, \emptyset), \\ & \text{att}(\langle b, x_{AB}^1, x_B^1 \rangle, \langle b, x_{AB}^2, x_B^2 \rangle), \text{att}(k_{as}, k_{as}) \\ & \quad \rightarrow \text{state}_3^{c_1}(id_{\{x_{AB}^1, x_B^1\}}, id_{\{x_B^2\}}); \text{state}_2^{c_1}(\emptyset, \emptyset) \\ & \text{state}_2^{c_1}(\emptyset, \emptyset), \\ & \text{att}(b, b), \text{att}(x_{AB}^1, x_{AB}^2), \text{att}(x_B^1, x_B^2), \text{att}(k_{as}, k_{as}) \\ & \quad \rightarrow \text{state}_3^{c_1}(id_{\{x_{AB}^1, x_B^1\}}, id_{\{x_B^2\}}); \text{state}_2^{c_1}(\emptyset, \emptyset) \\ & \text{state}_2^{c_1}(\emptyset, \emptyset), \text{att}(b, b), \text{att}(x_{AB}^1, x_{AB}^2), \text{att}(k_{as}, k_{as}) \\ & \text{att}(x_{B1}^1, x_{B1}^2), \text{att}(x_{B2}^1, x_{B2}^2) \\ & \quad \rightarrow \text{state}_3^{c_1}(\sigma_1, \sigma_2); \text{state}_2^{c_1}(\emptyset, \emptyset) \end{aligned}$$

where

- $\sigma_1 = \{x_{AB}^1 \mapsto x_{AB}^1, x_B^1 \mapsto \text{enc}(x_{B1}^1, x_{B2}^1)\}$;
- $\sigma_2 = \{x_B^2 \mapsto \text{enc}(x_{B1}^2, x_{B2}^2)\}$; and
- x_{B1}^1 (resp. x_{B2}^2) is of type $\langle \tau_k, \tau_a \rangle$ (resp. τ_{ks}).

C. Concretization

Given an abstract rule r , we denote $\text{vars}_{\text{left}}(r)$ the variables occurring on the left (first parameter) of a predicate occurring in r , and similarly for $\text{vars}_{\text{right}}(r)$. More precisely,

- $\text{vars}_{\text{left}}(\text{att}(u, v)) = \text{vars}(u)$; and
- $\text{vars}_{\text{left}}(\text{state}_{P,Q}^c(\sigma_P, \sigma_Q)) = \text{vars}(\text{img}(\sigma_P))$.

We have that $\text{vars}(r) = \text{vars}_{\text{left}}(r) \uplus \text{vars}_{\text{right}}(r)$.

Given an abstract protocol rule r , its positive concretization simply consists in all its instantiations that are well-typed w.r.t. the left side of the rule.

$$\begin{aligned} \text{Concrete}^+(r) = \{r\sigma \mid \sigma \text{ a substitution grounding for } r \\ \text{such that } r\sigma \text{ only involve messages in } \mathcal{M}_\Sigma \\ \text{and } \delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x) \text{ for any } x \in \text{vars}_{\text{left}}(r)\} \end{aligned}$$

Let $K_P = (\mathcal{P}; \sigma_P; \phi)$ and $K_Q = (\mathcal{Q}; \sigma_Q; \psi)$ be two configurations with $\text{dom}(\phi) = \text{dom}(\psi)$. The set of facts associated to K_P and K_Q is defined as follows:

$$\begin{aligned} \text{Fact}(K_P, K_Q) = \text{Fact}(\phi, \psi) \cup \\ \{ \text{state}_{P,Q}^c(\sigma_P, \sigma_Q) \mid P \in \mathcal{P}, Q \in \mathcal{Q} \text{ are basic processes} \\ \text{on channel } c, \sigma_P = \sigma_P|_{fv(P)} \text{ and } \sigma_Q = \sigma_Q|_{fv(Q)} \} \end{aligned}$$

We denote by $\text{Fact}(K_P, K_Q) \uparrow S'$ when the set of facts S' can be obtained from the set of facts $\text{Fact}(K_P, K_Q)$ by adding only deducible facts (using destructor recipes only).

Definition 10: Given two sets of facts S and S' such that $S = \text{Fact}(K_P, K_Q)$ with $K_P = (\mathcal{P}; \phi; \sigma_P)$ and $K_Q = (\mathcal{Q}; \psi; \sigma_Q)$ with $\text{dom}(\phi) = \text{dom}(\psi)$, we write $\text{Fact}(K_P, K_Q) \uparrow S'$ when:

- $\text{Fact}(K_P, K_Q)$ and S' coincide on states;
- for any $\text{att}(u, v) \in \text{Fact}(K_P, K_Q)$, $\text{att}(u, v) \in S'$; and
- for any $\text{att}(u, v) \in S'$, there exists a destructor-only recipe R such that $R\phi \downarrow = u$, and $R\psi \downarrow = v$.

The solutions of the planning system obtained as the positive concretization of the abstract rules of P and Q exactly corresponds to the set of (quasi-well-typed) traces of P that can be mimicked by Q .

Lemma 2: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$, and \mathcal{Q} be another protocol. Let Θ be the following planning system:

$$\langle \text{Fact}_0, \text{Fact}(\mathcal{P}, \mathcal{Q}), \mathcal{R} \rangle$$

where $\mathcal{R} = \text{Concrete}^+(\text{Rule}_A \cup \text{Flat}(\text{Rule}(\mathcal{P}, \mathcal{Q})))$.

Let $(\text{tr}, \phi) \in \text{trace}_\Sigma(P)$ for some ϕ and such that:

- tr only contains simple recipes;
- (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$;
- $(\text{tr}, \psi) \in \text{trace}_\Sigma(Q)$ for some ψ .

Then, there exist a planning path r_1, \dots, r_n of some length n from $\text{Fact}(\mathcal{P}, \mathcal{Q})$ to some S_n such that $\text{Fact}(K'_P, K'_Q) \uparrow S_n$ where K'_P (resp. K'_Q) is the resulting configuration starting from \mathcal{P} (resp. \mathcal{Q}) and executing tr .

Conversely, let r_1, \dots, r_n be a planning path from $\text{Fact}(\mathcal{P}, \mathcal{Q})$ to S_n such that $\text{bad} \notin S_n$. Then, there exist a trace tr , and frames ϕ and ψ such that:

- tr only contains simple recipes;
- (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$;
- $(\text{tr}, \psi) \in \text{trace}_\Sigma(Q)$ for some ψ ; and
- $\text{Fact}(K'_P, K'_Q) \uparrow S_n$ where K'_P (resp. K'_Q) is the resulting configuration starting from \mathcal{P} (resp. \mathcal{Q}) and executing tr .

D. Case of failures

Similarly to the static case, we need to make sure that we can detect when P and Q are *not* in trace inclusion. For this, we consider additional rules that express when a step that can be performed on the left hand side cannot be mimicked on the right hand side.

Given an abstract protocol rule $r = \text{Pre} \rightarrow \text{Add}; \text{Del}$, $\text{Concrete}^-(r)$ is the set of planning rules that contains:

$$f_1, \dots, f_k \rightarrow \text{bad}$$

for any sequence of facts $f_1, \dots, f_k \in \text{Fact}_0$ such that f_1, \dots, f_k left-unify with Pre with substitution σ_L and $u \in \mathcal{M}_\Sigma$ for any $\text{att}(u, v) \in \text{Add}\sigma_L$, and such that one of the following conditions holds:

- f_1, \dots, f_k does not right-unify with Pre ;
- f_1, \dots, f_k right-unify with Pre with substitution σ_R but $v \notin \mathcal{M}_\Sigma$ for some $\text{att}(u, v) \in \text{Add}\sigma_R$.

Our main technical result states that our encoding in planning system is sound and complete: two protocols are in trace inclusion if, and only if, the corresponding planning system (obtained by considering both positive and negative concretizations) has a solution.

Theorem 3: Let \mathcal{P} a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$, and \mathcal{Q} be another protocol. We consider the following set \mathcal{R} of concrete rules:

$$\mathcal{R} = \text{Concrete}(\text{Rule}_A \cup \text{flat}(\text{Rule}(\mathcal{P}, \mathcal{Q}))) \cup \mathcal{R}_{\text{fail}}^{\text{test}} \cup \mathcal{R}_{\text{fail}}^{\text{atom}}$$

Let $\Theta = \langle \text{Fact}_0, \text{Fact}(\mathcal{P}, \mathcal{Q}), \mathcal{R} \rangle$ and $\Pi = \langle \Theta, \{\text{bad}\} \rangle$. We have that $\mathcal{P} \sqsubseteq \mathcal{Q}$ if, and only if, Π has a solution.

This reduction to a planning system is a key ingredient of our result. But of course, it does not immediately yields an algorithm since the planning system encoding trace inclusion of a process \mathcal{P} w.r.t. a process \mathcal{Q} is actually infinite. Indeed, consider for example the positive concretizations of an abstract rule in $\text{Rule}(\mathcal{P}; \mathcal{Q})$. There are finitely many instantiations for the “left” part, that corresponds to \mathcal{Q} thanks to the typing system. However, the “right” part (corresponding to \mathcal{Q}) may be instantiated arbitrarily. We explain how to design an (efficient) algorithm in the next section.

VI. ALGORITHM

Our algorithm takes as input a protocol \mathcal{P} that is type-compliant w.r.t. a typing system $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$ and another protocol \mathcal{Q} . We explain here how to check trace inclusion of \mathcal{P} in protocol \mathcal{Q} . Then, trace equivalence is obtained by checking trace inclusion of \mathcal{P} in \mathcal{Q} and \mathcal{Q} in \mathcal{P} .

Step 1: Compute the abstract rules of $(\mathcal{P}; \mathcal{Q})$. As explained in Section V-A, we compute the abstract rules $\text{Rule}(\mathcal{P}; \mathcal{Q})$ associated to $(\mathcal{P}; \mathcal{Q})$, and then their flattened version $\text{flat}(\text{Rule}(\mathcal{P}; \mathcal{Q}))$, as described in Section V-B. Together with the attacker rules (defined in Section IV-B), this yields

$$\text{Rule}_{\mathcal{A}} \cup \text{flat}(\text{Rule}(\mathcal{P}; \mathcal{Q})).$$

Step 2: Initial state. Thanks to Theorem 2, it is sufficient to consider at most three extra constants in addition to the constants of \mathcal{P} and \mathcal{Q} , that is, it is sufficient to consider $\Sigma = \Sigma_{\mathcal{P}} \cup \Sigma_{\mathcal{Q}} \uplus \{c_{\star}^0, c_{\star}^1, c_{\langle \omega, \omega \rangle}\}$. We then add the initial states of the protocols. More formally, we start with the initial state

$$\text{Fact}(\mathcal{P}, \mathcal{Q}).$$

Step 3: Planning graph algorithm. Given a planning system, the standard technique for finding a solution to the planning system is to apply the planning graph algorithm (see [14]), that we briefly recall here. The algorithm consists in building a graph (called planning graph), that consists in an alternance of facts layers and rules layers, linked with four kinds of edges: *Pre*, *Add* and *Del* edges, that are edges between the fact layers and the rule layers; and *mutex* (as in *mutual exclusion*) are edges between vertices of the same layers. Mutex edges indicate when vertices may not be obtained simultaneously.

More precisely, the planning graph algorithm proceeds as follows. Let i denote the number of layers. Initially, $i := 0$.

- 1) The first fact layer is $N_0^f = \text{Fact}(\mathcal{P}, \mathcal{Q})$ (the set of initial facts) and the first rule layer is empty, $N_0^r = \emptyset$.
- 2) From the fact layer N_i^f , compute the set R of all concrete rules (either from Concrete^+ or Concrete^-) that are applicable from N_i^f without any mutex edge between facts of their precondition. Since there are a finite number of abstract protocol rules and since the facts in N_i^f are ground and finite, the set R of concrete rules applicable from N_i^f is finite as well.
- 3) Compute the new mutex edges between the rules. Rules are in mutex if they either interfere (one deletes a precondition or an add-effect of the other) or have

competing needs (there is a mutex edge between their preconditions).

- 4) Build N_{i+1}^f from N_i^f by adding the facts introduced by the rules in N_i^r . We have that:

$$N_{i+1}^f = \cup_{\rho \in N_i^r}$$

- 5) We compute the mutex edges between facts. There is a mutex edge between two facts f, f' if each rule that adds f is in mutex with each rule that adds f' .
- 6) $i := i + 1$
- 7) Check whether $N_i^f := N_{i-1}^f$ (same facts and same mutex). If yes, then stop. Otherwise, go back to Point 2.

When the planning graph algorithm stops, we obtain a graph, that represents an over-approximation of the states reachable from the planning system, starting from the initial state. While we are looking for a solution to an infinite planning system (finitely described through abstract rules), we only need to consider a finite number of concrete rules at each round of the algorithm (Point 2 of the algorithm). Note that this construction is not a naive saturation that would explore all possible paths. The mutex edges ensure a not too coarse over-approximation and provide a mean for considering the application of a rule to a family of facts instead a single fact.

Step 4: SAT encoding. If bad does not occur in the resulting planning graph, then trace inclusion is guaranteed since the planning graph is an over-approximation of the reachable states. If bad does occur in the planning graph, we can check whether bad is indeed reachable through SAT solvers. More precisely, we encode the existence of a solution to the planning system into a SAT instance, using the same technique as SATMC (see [16]), and relying on the SAT solver minisat [28]. If bad is reachable, the SAT solver provides us with a solution, which is translated back to an attack trace. If bad is not reachable (that is, the SAT solver guarantees that there is no solution), then trace inclusion is guaranteed.

Conclusion. Thanks to Theorem 3, $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ if, and only if, the corresponding planning system \mathcal{R} has a solution, that is, bad is reachable. Therefore our algorithm is correct and complete: it provides an attack if, and only if, $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$. Since $\mathcal{P} \approx_t \mathcal{Q}$ is defined as $\mathcal{P} \sqsubseteq_t \mathcal{Q}$ and $\mathcal{Q} \sqsubseteq_t \mathcal{P}$, we can then easily check whether two processes are in trace equivalence ($\mathcal{P} \approx_t \mathcal{Q}$).

Termination. Our procedure is not guaranteed to terminate. This may be surprising since Theorem 1 ensures that it is sufficient to consider traces that are well-types w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$. Then, since the processes are deterministic, a given trace of \mathcal{P} can only be followed by at most one trace in \mathcal{Q} , hence a finite number of traces need to be considered. However, the planning graph step over-approximates the set of facts that need to be considered. Therefore, it may consider several facts of the form $\text{att}(u, u_1), \text{att}(u, u_2), \dots, \text{att}(u, u_n)$ with distinct, uncontrolled, u_i . One way to enforce termination would be to check at each step that the planning graph only considers reachable facts (applying our SAT encoding). However, this would considerably slow down our algorithm while our experiments show that, not only our algorithm

terminates in practice, but it is also much more efficient than other existing tools.

VII. CASE STUDIES

In this section, we analyse several protocols of the literature and compare the results obtained using different tools that decide equivalence for a bounded number of sessions. The characteristics of these tools are given in Section VII-A, the different scenarios including some scenarios with corruption are described in Section VII-B. The results are described in Section VII-C and a discussion is provided in Section VII-D. Our tool as well as the source files to reproduce the benchmarks are available at [20].

A. Tools

Spec [9], [29] deals with a fixed set of cryptographic primitives, namely symmetric encryption and pairs, and protocols with no else branch. The procedure is sound and complete w.r.t. open bisimulation (a notion that is strictly stronger than trace equivalence [30]) and its termination is proved [9].

Apte decides trace equivalence [8], [11], [31] for a fixed but richer set of cryptographic primitives (i.e. symmetric/asymmetric encryptions, signature, pair, and hash functions). Processes are also more general: they include private channels, internal communications, processes that are not necessarily simple, and possibly with else branches.

Systems we are interested in are highly concurrent and a naive exploration of all possible interleavings limits the practical impact of those tools. Recent works [12], [13] have partially addressed the state space explosion problem due to naive exploration of all possible interleavings implemented in this tool. These dedicated partial order reduction (POR) techniques have been implemented in **Apte-por** (as an option of the Apte tool) yielding a significant speed-up.

Akiss implements the procedure described in [10], [32] and deals with rich user-defined term algebras including symmetric encryption and pairs. It is able to check an over-approximation of trace equivalence that actually coincides with trace equivalence for the class of simple processes that we study in this paper. Its termination has been established for the particular set of primitives used in this paper [33], and the performance of the tool has been recently improved relying on POR techniques mentioned above.

Of course, not all the tools consider exactly the same semantics. For example, Akiss considers a true equational theory while Spec, Akiss, and SAT-equiv consider a rewrite system (with again subtle differences). We believe nevertheless that they prove very similar properties and we therefore compare here their performance.

B. Scenarios with corruption

The scenario we considered so far for the Denning-Sacco protocol is quite simple. We only consider two sessions involving honest agents. This scenario involves 6 roles in parallel, and is denoted DS-6 in the table given in Section VII-C.

In the same spirit, we consider a simpler scenario, denoted DS-3, that corresponds to only one instance of each role (between honest agents). Such scenarios are known to be too simplistic and some attacks may be missed.

To go further, we consider a scenario where honest agents are willing to engage communications with a dishonest agent c . Let us develop this corruption scenario on the Denning-Sacco protocol. Formally, we consider in addition of the three basic processes used to model scenario DS-3, a basic process to model that the agent a may be involved in another session with a corrupted agent c , and the server S is ready to answer a request coming from them. Similarly, we consider also two additional basic processes to model the fact that agent b may be involved in another session where the role A is played by the corrupted agent c . This scenario is therefore made up of 7 basic processes and is named accordingly DS-7.

To be more complete, we can also consider the cases where the role of A is played by b , and the role of B is played by a (scenario DS-10), and then we add again processes to model sessions with a corrupted agent (scenario DS-12 and DS-14).

We consider the case where the property is encoded on role B (strong secrecy of the key as received by B). We may also decide to encode the property on the two instances of the roles of B (scenario DS-6-bis) or only once (scenario DS-6).

C. Review of symmetric key protocols

Most of the protocols we considered from [23] actually fall in our class. We sometimes need to include some explicit tags to ensure type-compliance (this check is performed automatically by our tool). We now report on experimental results. We ran the different tools on a single Intel 3.1 GHz Xeon core with 190Go of RAM (shared with the other 19 cores) and we compare their performances on several protocols. For SAT-Equiv, we further indicate the number of ground facts and rules considered when computing the planning graph.

We decide to stop each experiment after 24h, and we indicate by TO (Time Out) when the tool does not return an answer within this timeframe, SO when we encounter a stack overflow, and MO in case the tool used more than 64 Go of Memory. We encountered some bugs that are indicated by BUG when interacting with Apte (internal errors or wrong results). We have reported these bugs to the authors.

Some protocols are subject to replay attacks, detected by the scenario 6-bis mentioned earlier. Even if scenarios that correspond to an attack are less interesting regarding performances comparison (since most of the tools stop their exploration once an attack has been found), we report the corresponding analysis in the last row of each table, whenever applicable, that is, whenever there is indeed an attack.

Denning Sacco. The Denning Sacco protocol has been described in Example 4. There is a replay attack on DS-6-bis due to a lack of freshness on the messages that are exchanged. This attack is similar to the one explained in Example 7.

DS	Spec	Akiss	Apte	Apte-por	Sat-Eq	
3	12s	0.10s	0.3s	0.03s	0.25s	58
6	MO	15s	TO	8s	1s	104
7		101s		13s	2s	132
10		SO		39m	4s	166
12				TO	7s	203
14					10s	234
6-bis	78m	49s	19s	0.07s	2s	122

Wide Mouth Frog. We consider the protocol as described in [23] but without timestamps as described below:

$$A \rightarrow S : A, \{B, K_{ab}\}_{K_{as}}$$

$$S \rightarrow B : \{A, K_{ab}\}_{K_{bs}}$$

Therefore, there is a replay attack on WMF-6-bis due to a lack of freshness on the messages that are exchanged.

WMF	Spec	Akiss	Apte	Apte-por	Sat-Eq	
3	6s	0.04s	0.06s	0.01s	0.10s	52
6	58m	1.6s	55m	1.5s	1s	96
7	TO	5.3s	TO	2s	2s	121
10		8m30s		22m	7s	165
12		SO		TO	40s	238
14					118s	312
6-bis	13m	5.7s	0.06s	0.06s	1s	114

Needham-Schroeder. We consider the Needham-Schroeder protocol based on symmetric encryption as described in [23] (see below).

$$A \rightarrow S : A, B, N_a$$

$$S \rightarrow A : \{B, N_a, K_{ab}, \{A, K_{ab}\}_{K_{bs}}\}_{K_{as}}$$

$$A \rightarrow B : \{A, K_{ab}\}_{K_{bs}}$$

$$B \rightarrow A : \{Req, N_b\}_{K_{ab}}$$

$$A \rightarrow B : \{Rep, N_b\}_{K_{ab}}$$

NS	Spec	Akiss	Apte	Apte-por	Sat-Eq	
3	63s	4.4s	0.4s	0.03s	2s	100
6	MO	TO	TO	11m	54s	245
7				TO	153s	342
10					8m	475
12					22m	622
14					77m	838

Yahalom-Lowe. We consider the protocol as described in [23]. However, to ensure type-compliance, we consider a tagged version of the protocol.

$$A \rightarrow B : A, N_a$$

$$B \rightarrow S : \{1, A, N_a, N_b\}_{K_{bs}}$$

$$S \rightarrow A : \{2, B, K_{ab}, N_a, N_b\}_{K_{as}}$$

$$S \rightarrow B : \{3, A, K_{ab}\}_{K_{bs}}$$

$$A \rightarrow B : \{4, A, B, S, N_b\}_{K_{ab}}$$

YL	Spec	Akiss	Apte	Apte-por	Sat-Eq	
3	11s	3s	12s	0.12s	5s	122
6	MO	TO	TO	35m	3m	333
7				BUG	19m	549
10					206m	934
12					19h	1391
14					TO	–

Yahalom-Paulson. We consider the protocol as described in [23]. To ensure type-compliance, we consider a tagged version of the protocol.

$$A \rightarrow B : A, N_a$$

$$B \rightarrow S : B, N_b, \{1, A, N_a\}_{K_{bs}}$$

$$S \rightarrow A : N_b, \{2, B, K_{ab}, N_a\}_{K_{as}}, \{3, A, B, K_{ab}, N_b\}_{K_{bs}}$$

$$A \rightarrow B : \{3, A, B, K_{ab}, N_b\}_{K_{bs}}, \{4, N_b\}_{K_{ab}}$$

YP	Spec	Akiss	Apte	Apte-por	Sat-Eq	
3	23m	7s	111s	0.9s	50s	234
6	MO	TO	TO	BUG	165m	976
7					TO	–

Otway-Rees. We have also analysed a tagged version of the Otway-Rees protocol (see [23]).

$$A \rightarrow B : M, A, B, \{1, N_a, M, A, B\}_{K_{as}}$$

$$B \rightarrow S : M, A, B, \{1, N_a, M, A, B\}_{K_{as}}, \{2, N_b, M, A, B\}_{K_{bs}}$$

$$S \rightarrow B : M, \{3, N_a, K_{ab}\}_{K_{as}}, \{4, N_b, K_{ab}\}_{K_{bs}}$$

$$B \rightarrow A : M, \{3, N_a, K_{ab}\}_{K_{as}}$$

OR	Spec	Akiss	Apte	Apte-por	Sat-Eq	
3	16m	225s	BUG	24s	104s	239
6	MO	SO		SO	46m	660
7					50m	637
10					276m	1033
12					9h40m	1265
14					TO	–

Simple stateful example. Some protocols are stateful (see [34] for a detailed discussion). For example, a process may lock a resource which cannot be used until it is unlocked. We consider here a mock protocol that reflects this type of behaviors. The protocol $P_{\text{yes}}(n)$ with n tokens is described informally below ($1 \leq i \leq n$), and is made of $3n$ processes running in parallel on distinct channels.

1. $\rightarrow \{toka_i\}_{k_i}, \{tokb_i\}_{k_i}$
2. $\{x\}_{k_i} \rightarrow x$
3. $toka_i, tokb_i \rightarrow \text{yes}$

Here, yes and no are public constants, whereas k_i , $toka_i$, and $tokb_i$ are names unknown by the attacker. The protocol $P_{\text{no}}(n)$ can be defined similarly. Intuitively, $P_{\text{yes}}(n) \approx P_{\text{no}}(n)$ holds since rule 2 can be used only once for each key k_i . Therefore,

it is never possible to trigger a rule of type 3. We checked equivalence using ProVerif and, unsurprisingly, it found a false attack. This is due to the fact that ProVerif cannot properly model “a finite amount of time”.

# tok.	Spec	Akiss	Apte	Apte-por	Sat-Eq	
1	15s	0.02s	0.09s	0.01s	0.16s	49
2	MO	0.37s	240m	0.15s	1s	100
3		18s	MO	5s	2s	144
4		SO		9min32s	6s	188
12				TO	155s	540
36					85m	1596
60					6h40m	2652

D. Discussion

For ease of comparison, we decided to run our experiments using a single core machine since not all the tools are able to take advantage of more cores. Running these examples using more cores would have benefited to our tool that reaches its optimum when it is launched using 4 cores (2 inclusions have to be checked with constants c_*^0 and c_*^1 (resp. $c_{(\omega, \omega)}$)), and also to Akiss on which the saturation process is highly parallelizable.

The obtained results give evidence that our technique is less sensitive to the number of concurrent sessions analysed. On the contrary, the other tools that handle messages symbolically are less sensitive to the size of messages, which explains why our tool is typically slower on a small number of sessions. Moreover, on all our secure examples on which no attack is found, the planning graph is an over-approximation that appears to be precise enough, and does not require calls to the SAT solver. For the examples where an attack has been found (DS-6-bis and WMF-6-bis), the resulting SAT formulas contain about 750 variables and 4000 clauses.

VIII. CONCLUSION

Our tool SAT-Equiv outperforms all existing tools, even for the new Apte-por variant of Apte and the recently updated Akiss tool on which POR techniques have also been integrated. We also discovered several bugs in Apte-por, which prevented us from a thorough comparison of the two tools. SAT-Equiv is sometimes slower for a small number of sessions but in all cases, SAT-Equiv is the tool that allows to analyze the largest number of sessions.

One limitation of our tool is the fact that it covers protocols with symmetric encryption only. This is not an intrinsic limitation of our approach but rather a current limitation of the typing result [19], which states that we can limit ourselves to well-type attack traces. We plan to extend [19] to all standard primitives and we believe that the extension to SAT-Equiv to all standard primitives would then follow quite easily.

Note also that our tool is not guaranteed to terminate. We could enforce termination by checking reachability of the considered facts while building the planning graph, at the price of considerably slowing down our tool. Instead, as future work, we plan to formally prove termination of the planning

graph construction or to identify under which assumptions, termination can be guaranteed.

Acknowledgments

This work has been partially supported by the European Research Council (ERC) under the European Union’s Horizon 2020 research and innovation program (grant agreements No 645865-SPOOC and No 714955-POPSTAR) and the DGA.

REFERENCES

- [1] B. Blanchet, “An Efficient Cryptographic Protocol Verifier Based on Prolog Rules,” in *14th IEEE Computer Security Foundations Workshop (CSFW-14)*. Cape Breton, Nova Scotia, Canada: IEEE Computer Society, Jun. 2001, pp. 82–96.
- [2] A. Armando *et al.*, “The AVANTSSAR platform for the automated validation of trust and security of service-oriented architectures,” in *Proceedings of the 18th International Conference on Tools and Algorithms for the Construction and Analysis of Systems (TACAS’2012)*, 2012, Tallinn, Estonia, March 24 - April 1, 2012., ser. Lecture Notes in Computer Science, C. Flanagan and B. König, Eds., vol. 7214. Springer, 2012, pp. 267–282. [Online]. Available: http://dx.doi.org/10.1007/978-3-642-28756-5_19
- [3] S. Escobar, C. Meadows, and J. Meseguer, “A rewriting-based inference system for the NRL protocol analyzer and its meta-logical properties,” *Theoretical Computer Science*, vol. 367, no. 1-2, pp. 162–202, 2006.
- [4] C. Cremers, “The Scyther Tool: Verification, falsification, and analysis of security protocols,” in *Computer Aided Verification, 20th International Conference, CAV 2008, Princeton, USA, Proc.*, ser. Lecture Notes in Computer Science, vol. 5123/2008. Springer, 2008, pp. 414–418.
- [5] S. Meier, B. Schmidt, C. Cremers, and D. Basin, “The TAMARIN Prover for the Symbolic Analysis of Security Protocols,” in *Computer Aided Verification, 25th International Conference, CAV 2013, Princeton, USA, Proc.*, ser. Lecture Notes in Computer Science, N. Sharygina and H. Veith, Eds., vol. 8044. Springer, 2013, pp. 696–701.
- [6] S. Santiago, S. Escobar, C. A. Meadows, and J. Meseguer, “A Formal Definition of Protocol Indistinguishability and Its Verification Using Maude-NPA,” in *STM 2014*, ser. LNCS, 2014, pp. 162–177.
- [7] D. L. Mitchell, N. A. Durgin, P. D. Lincoln, J. C. Mitchell, and A. Scedrov, “Undecidability of bounded security protocols,” 1999.
- [8] V. Cheval, H. Comon-Lundh, and S. Delaune, “Trace equivalence decision: Negative tests and non-determinism,” in *Proceedings of the 18th ACM Conference on Computer and Communications Security (CCS’11)*. Chicago, Illinois, USA: ACM Press, Oct. 2011. [Online]. Available: <http://www.lsv.ens-cachan.fr/Publis/PAPERS/PDF/CCD-ccs11.pdf>
- [9] J. Dawson and A. Tiu, “Automating open bisimulation checking for the spi-calculus,” in *Proceedings of IEEE Computer Security Foundations Symposium (CSF 2010)*, 2010.
- [10] R. Chadha, Ș. Ciobăcă, and S. Kremer, “Automated verification of equivalence properties of cryptographic protocols,” in *Programming Languages and Systems — Proceedings of the 21th European Symposium on Programming (ESOP’12)*, ser. Lecture Notes in Computer Science, H. Seidl, Ed., vol. 7211. Tallinn, Estonia: Springer, Mar. 2012, pp. 108–127.
- [11] V. Cheval, “Apte: an algorithm for proving trace equivalence,” in *Proceedings of the 20th International Conference on Tools and Algorithms for the Construction and Analysis of Systems (TACAS’14)*, ser. Lecture Notes in Computer Science, E. Ábrahám and J. Havelund, Eds., vol. 8413. Grenoble, France: Springer Berlin Heidelberg, Apr. 2014, pp. 587–592.
- [12] D. Baelde, S. Delaune, and L. Hirschi, “A reduced semantics for deciding trace equivalence using constraint systems,” in *Proc. 3rd Conference on Principles of Security and Trust (POST’14)*. Springer, 2014, pp. 1–21.
- [13] —, “Partial order reduction for security protocols,” in *Proc. 26th International Conference on Concurrency Theory (CONCUR’15)*, ser. LIPIcs, vol. 42. Leibniz-Zentrum für Informatik, 2015, pp. 497–510.
- [14] A. L. Blum and M. L. Furst, “Fast planning through planning graph analysis,” *Artificial Intelligence*, vol. 90, pp. 281–300, 1997.
- [15] H. Kautz and B. Selman, “Planning as satisfiability,” in *ECAI*, Vienna, Austria, 1992, pp. 359–363.
- [16] A. Armando and L. Compagna, “Sat-based model-checking for security protocols analysis,” *International Journal of Information Security*, vol. 7, p. 3–32, 2008.
- [17] A. Armando, R. Carbone, and L. Compagna, “SATMC: a SAT-based model checker for security-critical systems,” in *Proceedings of the 20th international Conference on Tools and Algorithms for the Construction and Analysis of Systems (TACAS’14)*. Springer, 2014, pp. 31–45. [Online]. Available: <http://www.ai-lab.it/armando/pub/tacas2014.pdf>
- [18] S. Delaune and L. Hirschi, “A survey of symbolic methods for establishing equivalence-based properties in cryptographic protocols,” *Journal of Logical and Algebraic Methods in Programming*, 2017, to appear, available at <https://arxiv.org/abs/1610.08279>.
- [19] R. Chréten, V. Cortier, and S. Delaune, “Typing messages for free in security protocols: the case of equivalence properties,” in *Proceedings of the 25th International Conference on Concurrency Theory (CONCUR’14)*, ser. Lecture Notes in Computer Science, P. Baldan and D. Gorla, Eds., vol. 8704. Rome, Italy: Springer, Sep. 2014, pp. 372–386. [Online]. Available: <http://www.lsv.ens-cachan.fr/Publis/PAPERS/PDF/CCD-concur14.pdf>
- [20] <https://projects.lsv.ens-cachan.fr/satequiv>.
- [21] M. Abadi and C. Fournet, “Mobile values, new names, and secure communication,” in *Proceedings of the 28th ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages*, ser. POPL ’01. New York, NY, USA: ACM, 2001, pp. 104–115. [Online]. Available: <http://doi.acm.org/10.1145/360204.360213>
- [22] V. Cheval, V. Cortier, and S. Delaune, “Deciding equivalence-based properties using constraint solving,” *Theoretical Computer Science*, vol. 492, pp. 1–39, Jun. 2013. [Online]. Available: <http://www.lsv.ens-cachan.fr/Publis/PAPERS/PDF/CCD-tcs13.pdf>
- [23] J. Clark and J. Jacob, “A survey of authentication protocol literature : Version 1.0,” 1997.
- [24] B. Blanchet and A. Podelski, “Verification of cryptographic protocols: Tagging enforces termination,” in *Foundations of Software Science and Computation Structures (FoSSaCS’03)*.
- [25] R. Chréten, V. Cortier, and S. Delaune, “Checking trace equivalence: How to get rid of nonces?” in *Proceedings of the 20th European Symposium on Research in Computer Security (ESORICS’15)*, ser. Lecture Notes in Computer Science. Vienna, Austria: Springer, 2015.
- [26] V. Cortier, A. Dallon, and S. Delaune, “Bounding the number of agents, for equivalence too,” in *Proceedings of the 5th International Conference on Principles of Security and Trust (POST’16)*, ser. Lecture Notes in Computer Science, F. Piessens and L. Viganó, Eds. Eindhoven, The Netherlands: Springer, Apr. 2016. [Online]. Available: <http://www.lsv.ens-cachan.fr/Publis/PAPERS/PDF/CDD-post16.pdf>
- [27] L. Compagna, “SAT-based Model-Checking of Security Protocols,” Ph.D. dissertation, Università degli Studi di Genova and the University of Edinburgh (joint programme), September 2005.
- [28] N. Een and N. Sörensson, “An Extensible SAT-solver,” in *SAT 2003*, 2003, pp. 502–518.
- [29] <http://www.ntu.edu.sg/home/atiu/spec%2Dprover/>.
- [30] A. Tiu, “A trace based bisimulation for the spi calculus,” in *Programming Languages and Systems*. Springer, 2007, pp. 367–382.
- [31] <https://projects.lsv.ens-cachan.fr/APTE/author/cheval>.
- [32] <http://akiss.gforge.inria.fr>.
- [33] R. Chadha, V. Cheval, Ș. Ciobăcă, and S. Kremer, “Automated verification of equivalence properties of cryptographic protocol,” *ACM Transactions on Computational Logic*, 2016, to appear. [Online]. Available: <https://hal.inria.fr/hal-01306561/document>
- [34] M. Arapinis, J. Phillips, E. Ritter, and M. D. Ryan, “Statverif: Verification of stateful processes,” *Journal of Computer Security*, vol. 22, no. 5, pp. 743–821, 2014. [Online]. Available: <http://dx.doi.org/10.3233/JCS-140501>

A. Bounding the size of messages

The goal of this section is to prove Theorem 1. A similar result is stated and proved in [19] but for a slightly different semantics regarding rewriting of terms. Here, whenever an inner decryption/projection fails then the overall evaluation fails. Intuitively, we model *eager evaluation* while [19] models *lazy evaluation*. More formally, in [19], a term u can be rewritten in v if there is a position p in u , and a rewriting rule $\ell \rightarrow r$ and a substitution σ such that $u|_p = \ell\sigma$, and $v = u[r\sigma]_p$, i.e. v in which the subterm at position p has been replaced by $r\sigma$. We will denote $u \Rightarrow v$ this notion of rewriting, and $u \Downarrow$ the associated notion of normal form of u .

Example 14: Let $u = \text{dec}(\text{enc}(c, \text{proj}_1(a)), \text{proj}_1(a))$. We have that $u \Rightarrow c$ whereas u can not be reduced w.r.t. \rightarrow since $\text{proj}_1(a)$ is not a message.

Definition 11: A recipe R is *without detour* if it does not contain any subterm of the form $\text{dec}(\text{enc}(R_1, R_2), R_3)$, $\text{proj}_1(\langle R_1, R_2 \rangle)$, and $\text{proj}_2(\langle R_1, R_2 \rangle)$ for any recipes R_1, R_2, R_3 .

Lemma 3: Let ϕ be a frame, and R be a recipe without detour. If $R\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$ then we have that $R\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$. Moreover, we have that R is actually a recipe made of constructors on top of destructors.

Proof. We first show by structural induction on R the following claim.

Claim. Let ϕ be a frame, R be a recipe without detour such that $\text{root}(R) \notin \Sigma_c$, and $\text{root}(R\phi \Downarrow) \notin \Sigma_d$. We have that $R\phi \Downarrow = R\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$ and R is destructor-only.

Base case: $R = w$ for some $w \in \text{dom}(\phi)$. In such a case, the result trivially holds.

Inductive case: $R = \text{dec}(R_1, R_2)$ (or $R = \text{proj}_i(R')$ with $i \in \{1, 2\}$). First, we know that $\text{root}(R_1) \neq \text{enc}$ since R is without detour, and we have also that $\text{root}(R_1) \neq \langle \rangle$ since $\text{root}(\text{dec}(R_1, R_2)\phi \Downarrow) \notin \Sigma_d$. Therefore, we have that $\text{root}(R_1) \notin \Sigma_c$. We have that $R\phi \Downarrow = \text{dec}(R_1, R_2)\phi \Downarrow = \text{dec}(R_1\phi \Downarrow, R_2\phi \Downarrow)\Downarrow$. Since $\text{root}(R\phi \Downarrow) \notin \Sigma_d$, we deduce that $\text{root}(R_1\phi \Downarrow) \notin \Sigma_d$. Therefore, we can apply our induction hypothesis on R_1 , and we deduce that $R_1\phi \Downarrow = R_1\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$, and R_1 is destructor-only. We know that $R_1\phi \Downarrow = R_1\phi \Downarrow = \text{enc}(u_1, u_2)$ and $R_2\phi \Downarrow = u_2$ for some terms u_1, u_2 . Since $\text{enc}(u_1, u_2) \in \mathcal{M}_{\Sigma_0}$, we have that $u_2 \in \mathcal{M}_{\Sigma_0}$, and since it occurs in key position, it is an atom. Therefore, we have that $\text{root}(R_2) \notin \Sigma_c$, and $\text{root}(R_2\phi \Downarrow) \notin \Sigma_d$. Thus, we can apply our induction hypothesis, and we obtain that $R_2\phi \Downarrow = R_2\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$, and R_2 is destructor-only. This allows us to conclude that $R = \text{dec}(R_1, R_2)$ is destructor-only and $R\phi \Downarrow = R\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$.

The case where $R = \text{proj}_i(R')$ with $i \in \{1, 2\}$ can be done in a similar way. This concludes the proof of the claim.

Now, we prove the result stated in the lemma. Let R be a recipe without detour. Let C be a context built using

constructor symbols and R_1, \dots, R_k be recipes such that $\text{root}(R_i) \notin \Sigma_c$ ($i \in \{1, \dots, k\}$), and $R = C[R_1, \dots, R_k]$. Note that C can be the empty context in case $\text{root}(R) \notin \Sigma_c$, and in such a case we conclude thanks to the previous claim. Otherwise, we have that $R\phi \Downarrow = C[R_1\phi \Downarrow, \dots, R_k\phi \Downarrow]$, and therefore $R_i\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$ for $i \in \{1, \dots, k\}$, and R_1, \dots, R_k are recipes without detour. We apply our claim and we obtain that, for $1 \leq i \leq k$, $R_i\phi \Downarrow = R_i\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$ and R_i is destructor-only. This concludes the proof. \square

Lemma 4: Let ϕ be a frame, and R be a recipe without detour. If $R\phi \Downarrow \notin \mathcal{M}_{\Sigma_0}$ then there exists $f \in \Sigma_c \cup \Sigma_d$ such that:

- $R = f(R_1, \dots, R_k)$ for some R_1, \dots, R_k ;
- $R\phi \Downarrow = f(u_1, \dots, u_k)$ for some u_1, \dots, u_k ; and
- $R_1\phi \Downarrow = u_1, \dots, R_k\phi \Downarrow = u_k$.

Proof. We show this result by induction on R .

Base case: $R = w$. In such a case, $R\phi \Downarrow = R\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$, and we are done.

Inductive step. Consider the case where $R = \text{enc}(R_1, R_2)$. In such a case, we have that $R\phi \Downarrow = \text{enc}(R_1\phi \Downarrow, R_2\phi \Downarrow)$, and we are done. The case where $R = \langle R_1, R_2 \rangle$ can be done in a similar way. Now, consider the case where $R = \text{dec}(R_1, R_2)$. In such a case, we have that $R\phi \Downarrow = \text{dec}(R_1\phi \Downarrow, R_2\phi \Downarrow)\Downarrow$. In case the dec symbol at the root position does not reduce, we are done. Otherwise, we have that $R_1\phi \Downarrow = \text{enc}(u_1, u_2)$, and $R_2\phi \Downarrow = u_2$ for some u_1, u_2 . Moreover, we know that $u_1 \notin \mathcal{M}_{\Sigma_0}$, and thus $R_1\phi \Downarrow \notin \mathcal{M}_{\Sigma_0}$, and thanks to our induction hypothesis, we have that $\text{root}(R_1) = \text{enc}$, and this contradicts the fact that R is without detour. The case where $R = \text{proj}_i(R_1)$ can be done in a similar way. \square

Lemma 5: Let R be a recipe. There exists a recipe R' without detour such that $R'\phi \Downarrow = R\phi \Downarrow$ for any frame ϕ such that $R\phi \Downarrow \in \mathcal{M}_{\Sigma_0}$.

Proof. We introduce special notation to describe terms in this proof. For any terms t, t' and position p of the term t , $t|_p$ is the subterm of t at position p , and $t[t']_p$ denotes the term t in which the term occurring at position p has been replaced by t' . Given a term t and a position p of t , we denote $\text{seq}_p(t)$ the sequence of function symbols encountered along the path from ϵ (the root of t) to p .

Let R be a recipe. We consider a derivation in prefix order from R to its normal form w.r.t. the following linear rewriting system. Note that the last rule is not the usual one.

$$\text{proj}_1(\langle x, y \rangle) \rightarrow x, \text{proj}_2(\langle x, y \rangle) \rightarrow y, \text{dec}(\text{enc}(x, y), z) \rightarrow x$$

We will denote the associated normal form by \Downarrow_ℓ .

We have that:

$$R = R_0 \rightarrow_{p_1} R_1 \rightarrow_{p_2} \dots \rightarrow_{p_n} R_n = R'$$

Assume by contradiction that there exists a first index i such that $R_i\phi \Downarrow \neq R_{i+1}\phi \Downarrow$. So the reduction at position p_{i+1} is not possible in $R_i\phi$. Therefore $[R_i\phi]_{p_{i+1}} = \text{dec}(\text{enc}(t_1, t_2), t_3)$ for some t_1, t_2, t_3 , as projections pass in $R_i\phi$ whenever they pass in R_i . As $R_i\phi \Downarrow \neq R_{i+1}\phi \Downarrow$, $t_2 \Downarrow \neq t_3 \Downarrow$. So $\text{dec}(\text{enc}(t_1, t_2), t_3)$

will never reduce. We show that it will never be deleted by a reduction occurring above.

More precisely, we show by induction on n the following property. For every n , if $R_i\phi \rightarrow^n t$ (for the lazy evaluation, i.e. the one w.r.t. \Downarrow semantics), then

- 1) p_{i+1} is a path of t , $t|_{p_{i+1}}\Downarrow = \text{dec}(\text{enc}(t_1, t_2), t_3)\Downarrow$ and $\text{seq}_{p_{i+1}}(t) = \text{seq}_{p_{i+1}}(R_i)$;
- 2) for any $p \leq_{\text{lex}} p_{i+1}$ such that p is a path of t , if $t|_p$ is headed with a constructor symbol then
 - either p is a path of R_i and $\text{seq}_p(t) = \text{seq}_p(R_i)$,
 - or $t|_p$ is a subterm of a term of $\text{img}(\phi)$.

The case $n = 0$ is straightforward. Consider now a term t' such that $R_i\phi \rightarrow^n t \rightarrow t'$. By induction hypothesis, the properties above hold for t . We consider the position p' at which the reduction occurs in t .

- If $p' \geq_{\text{lex}} p_{i+1}$ and p_{i+1} is not a prefix of p' , then the induction hypothesis is trivially preserved.
- If p_{i+1} is a prefix of p' , then clearly, $t'|_{p_{i+1}}\Downarrow = t|_{p_{i+1}}\Downarrow = \text{dec}(\text{enc}(t_1, t_2), t_3)\Downarrow$ and the positions $p'' <_{\text{lex}} p_{i+1}$ are left unchanged.
- If $p' <_{\text{lex}} p_{i+1}$, we consider two cases. We have $t' = t[r\theta]_{p'}$ and $t|_{p'} = l\theta$ for some θ and $l \rightarrow r$ is one of the rewrite rules.

- 1) either p' is not a prefix of p_{i+1} , then property (1) is easily preserved for t' . Assume that $l = \text{dec}(\text{enc}(x, y), y)$. Since $p' <_{\text{lex}} p_{i+1}$, we must have $p'.1 \leq_{\text{lex}} p_{i+1}$ (we may even note that $p' \leq_{\text{lex}} p_{i+1}$ since p' is not a prefix of p_{i+1}). Since $t|_{p'.1}$ is headed by enc , we have by induction hypothesis that

- either $t|_{p'.1} = \text{enc}(t'_1, t'_2)$ is a subterm of a term of $\text{img}(\phi)$ and thus $t' = t[t'_1]_{p'}$ satisfies property (2).
- or $p'.1$ is a path of R_i and $\text{seq}_{p'.1}(t) = \text{seq}_{p'.1}(R_i)$, which means that R_i could have been reduced at position p' , contradiction. (Remember that these reductions have been performed following the prefix order.)

The case of the projection rule is similar.

- 2) or p' is a prefix of p_{i+1} . If $p'.1$ is also a prefix of p_{i+1} , then R_i could have been reduced at position p' (as $\text{seq}_{p_{i+1}}(t) = \text{seq}_{p_{i+1}}(R_i)$), contradiction. Thus we must have that $l = \text{dec}(\text{enc}(x, y), y)$ and $p'.2$ prefix of p_{i+1} . Since $p'.1 \leq_{\text{lex}} p'.2 \leq_{\text{lex}} p_{i+1}$ and $t|_{p'.1} = \text{enc}(t'_1, t'_2)$, by induction hypothesis, we deduce that

- either $t|_{p'.1} = \text{enc}(t'_1, t'_2)$ is a subterm of a term of $\text{img}(\phi)$. As $p'.2$ is a prefix of p_{i+1} , $t|_{p_{i+1}}$ is a subterm of $t_{p'.2}$. Moreover, since there is a reduction $\text{dec}(\text{enc}(x, y), y) \rightarrow x$ at position p' , we know that $t|_{p'.1.2} = t'_2 = t|_{p'.2}$. Therefore, we have that $t|_{p_{i+1}}$ is a subterm of $t|_{p'.2} = t'_2$ (a constructor term). However, $t|_{p_{i+1}}$ contains a destructor since $\text{seq}_{p_{i+1}}(t) = \text{seq}_{p_{i+1}}(R_i)$ (by

induction hypothesis, item 1). Hence, we obtain a contradiction.

- or $p'.1$ is a path of R_i and $\text{seq}_{p'.1}(t) = \text{seq}_{p'.1}(R_i)$, which means that R_i could have been reduced at position p' , contradiction.

Thanks to item 1, we have that $[R_i\phi]_{p_{i+1}}\Downarrow = \text{dec}(\text{enc}(t_1\Downarrow, t_2\Downarrow), t_3\Downarrow)$ is a subterm of $R\phi\Downarrow$, which is not a message. It is what we wanted to prove. \square

Lemma 6: Let ϕ and ψ be two frames. We have that $\phi \sqsubseteq_s \psi$ if, and only if, ϕ is statically included in ψ w.r.t. the semantics \Downarrow .

Proof. We show the two directions separately.

(\Leftarrow). Let ϕ and ψ be two frames such that $\phi \sqsubseteq_s \psi$ w.r.t. the semantics \Downarrow . We have to show that $\phi \sqsubseteq_s \psi$. We show this result by induction on the number of steps to make the recipe R (or the test $R_1 = R_2$) in normal form w.r.t. the rules below (and considering an innermost derivation). Note that the last rule is not the usual one.

$\text{proj}_1(\langle x, y \rangle) \rightarrow x$, $\text{proj}_2(\langle x, y \rangle) \rightarrow y$, $\text{dec}(\text{enc}(x, y), z) \rightarrow x$

Base case: R (or R_1, R_2) is without detour.

- Let R be a recipe without detour such that $R\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$. We have also that $R\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and thanks to our hypothesis, we know that $R\psi\Downarrow \in \mathcal{M}_{\Sigma_0}$. Applying Lemma 3, we deduce that $R\psi\Downarrow \in \mathcal{M}_{\Sigma_0}$.
- Let R_1, R_2 be two recipes without detour such that $R_1\phi\Downarrow, R_2\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\phi\Downarrow = R_2\phi\Downarrow$. We have also that $R_1\phi\Downarrow, R_2\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\phi\Downarrow = R_2\phi\Downarrow$. Since $\phi \sqsubseteq_s \psi$ w.r.t. the semantics \Downarrow , we deduce that $R_1\psi\Downarrow, R_2\psi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\psi\Downarrow = R_2\psi\Downarrow$. Applying Lemma 3, we deduce that $R_1\psi\Downarrow, R_2\psi\Downarrow \in \mathcal{M}_{\Sigma_0}$ and therefore $R_1\psi\Downarrow = R_2\psi\Downarrow$.

Inductive step.

- Let R be a recipe that contains n detours such that $R\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$. We assume w.l.o.g. that $R = C[\text{dec}(\text{enc}(R_1, R_2), R_3)]$, and R_1, R_2, R_3 are without detour. Let $R' = C[R_1]$. By definition of the rewriting, we have that $R_2\phi\Downarrow, R_3\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_2\phi\Downarrow = R_3\phi\Downarrow$. We have also that $\text{enc}(R_1\phi\Downarrow, R_2\phi\Downarrow) \in \mathcal{M}_{\Sigma_0}$. Since R_2, R_3 and $\text{enc}(R_1, R_2)$ are without detour, we know that $R_2\psi\Downarrow, R_3\psi\Downarrow \in \mathcal{M}_{\Sigma_0}$, $R_2\psi\Downarrow = R_3\psi\Downarrow$, and $\text{enc}(R_1, R_2)\psi\Downarrow \in \mathcal{M}_{\Sigma_0}$. Moreover, we have that $R'\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and applying the induction hypothesis, we deduce that $R'\psi\Downarrow \in \mathcal{M}_{\Sigma_0}$, therefore we deduce that

$$\begin{aligned} R\psi\Downarrow &= C[\text{dec}(\text{enc}(R_1\psi\Downarrow, R_2\psi\Downarrow), R_3\psi\Downarrow)]\Downarrow \\ &= C[R_1\psi\Downarrow]\Downarrow \\ &= R'\psi\Downarrow \in \mathcal{M}_{\Sigma_0} \end{aligned}$$

- Let R_1, R_2 be two recipes that contains $n_1 + n_2$ detours and such that $R_1\phi\Downarrow, R_2\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\phi\Downarrow = R_2\phi\Downarrow$. Moreover, we assume w.l.o.g. that $R_1 = C[\text{dec}(\text{enc}(R_a, R_b), R_c)]$ and R_a, R_b, R_c are recipes without detour. Let $R'_1 = C[R_a]$. By definition of the rewriting, we have that $R_b\phi\Downarrow, R_c\phi\Downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_b\phi\Downarrow = R_c\phi\Downarrow$. We have also that $\text{enc}(R_a\phi\Downarrow, R_b\phi\Downarrow) \in$

\mathcal{M}_{Σ_0} . Since R_b, R_c and $\text{enc}(R_a, R_b)$ are without detour, we know that $R_b\psi\downarrow, R_c\psi\downarrow \in \mathcal{M}_{\Sigma_0}$, $R_b\psi\downarrow = R_c\psi\downarrow$, and $\text{enc}(R_a, R_b)\psi\downarrow \in \mathcal{M}_{\Sigma_0}$. Moreover, we have that $R'_1\phi\downarrow, R_2\phi\downarrow \in \mathcal{M}_{\Sigma_0}$, and $R'_1\phi\downarrow = R_2\phi\downarrow$. Applying our induction hypothesis, we deduce that $R'_1\psi\downarrow, R_2\psi\downarrow \in \mathcal{M}_{\Sigma_0}$, and $R'_1\psi\downarrow = R_2\psi\downarrow$. Therefore, we deduce that $R_1\psi\downarrow, R_2\psi\downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\psi\downarrow = R_2\psi\downarrow$.

This allows us to conclude that $\phi \sqsubseteq_s \psi$ w.r.t. the semantics \downarrow implies that $\phi \sqsubseteq_s \psi$.

(\Rightarrow) Let ϕ and ψ be two frames such that $\phi \sqsubseteq_s \psi$. We have to show that $\phi \sqsubseteq_s \psi$ w.r.t. the semantics \downarrow . We show this result (or more precisely a slightly stronger result) by induction on the number of steps to make the recipe R (or the test $R_1 = R_2$) in normal form w.r.t. the rules below (and considering an outermost derivation). Note that the last rule is not the usual one.

$\text{proj}_1(\langle x, y \rangle) \rightarrow x$, $\text{proj}_2(\langle x, y \rangle) \rightarrow y$, $\text{dec}(\text{enc}(x, y), z) \rightarrow x$

Actually, we transfer all the tests even those that do not reduce to messages.

Base case: R (or R_1, R_2) is without detour.

- Let R be a recipe without detour such that $R\phi\downarrow \in \mathcal{M}_{\Sigma_0}$. Thanks to Lemma 3, we have that $R\phi\downarrow \in \mathcal{M}_{\Sigma_0}$. Since $\phi \sqsubseteq_s \psi$, we deduce that $R\psi\downarrow \in \mathcal{M}_{\Sigma_0}$, and therefore $R\psi\downarrow \in \mathcal{M}_{\Sigma_0}$.
- Let R_1, R_2 be two recipes without detour such that $R_1\phi\downarrow, R_2\phi\downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\phi\downarrow = R_2\phi\downarrow$. Thanks to Lemma 3, we have that $R_1\phi\downarrow, R_2\phi\downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\phi\downarrow = R_2\phi\downarrow$. Since $\phi \sqsubseteq_s \psi$, we deduce that $R_1\psi\downarrow, R_2\psi\downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\psi\downarrow = R_2\psi\downarrow$. Therefore, we conclude that $R_1\psi\downarrow, R_2\psi\downarrow \in \mathcal{M}_{\Sigma_0}$, and $R_1\psi\downarrow = R_2\psi\downarrow$.
- Let R_1, R_2 be two recipes without detour such that $R_1\phi\downarrow = R_2\phi\downarrow$ (but $R_1\phi\downarrow$ and $R_2\phi\downarrow$ are not both in \mathcal{M}_{Σ_0}). We show that $R_1\psi\downarrow = R_2\psi\downarrow$ by induction on $|R_1| + |R_2|$, i.e. number of symbols in R_1 and R_2 . When $R_1\phi\downarrow, R_2\phi\downarrow \in \mathcal{M}_{\Sigma_0}$, we have already shown the result, therefore we consider the case where $R_1\phi\downarrow, R_2\phi\downarrow \notin \mathcal{M}_{\Sigma_0}$. Applying Lemma 4 on R_1, R_2 , we deduce that we are in one of the following cases:
 - 1) $R_1 = f(R'_1, R''_1)$, $R_2 = f(R'_2, R''_2)$ for some R'_1, R''_1, R'_2, R''_2 , and $f \in \{\text{enc}, \text{dec}, \langle \rangle\}$. Moreover, we have that $R_1\phi\downarrow = R_2\phi\downarrow = f(u', u'')$ for some u', u'' such that $R'_1\phi\downarrow = R'_2\phi\downarrow = u'$, and $R''_1\phi\downarrow = R''_2\phi\downarrow = u''$.
 - 2) $R_1 = \text{proj}_i(R'_1)$, $R_2 = \text{proj}_i(R'_2)$ for some R'_1, R'_2 . Moreover, we have that $R_1\phi\downarrow = R_2\phi\downarrow = \text{proj}_i(u')$ for some u' such that $R'_1\phi\downarrow = R'_2\phi\downarrow = u'$.

We apply our induction hypothesis on the test $R'_1 = R'_2$ (and $R''_1 = R''_2$). This allows us to conclude that $R'_1\psi\downarrow = R'_2\psi\downarrow$ (and $R''_1\psi\downarrow = R''_2\psi\downarrow$), and therefore conclude that

$$\begin{aligned} R_1\psi\downarrow &= f(R'_1\psi\downarrow, R''_1\psi\downarrow)\downarrow \\ &= f(R'_2\psi\downarrow, R''_2\psi\downarrow)\downarrow \\ &= R_2\psi\downarrow. \end{aligned}$$

Inductive step.

- Let R be a recipe that contains n detours such that $R\phi\downarrow \in \mathcal{M}_{\Sigma_0}$. We assume w.l.o.g. that $R = C[\text{dec}(\text{enc}(R_1, R_2), R_3)]$, and this pattern corresponds to the outermost detour. Let $R' = C[R_1]$. By definition of the rewriting, we have that $R_2\phi\downarrow = R_3\phi\downarrow$ (even if we do not know whether they are messages or not). Applying our induction hypothesis, we know that $R_2\psi\downarrow = R_3\psi\downarrow$, and $R'\psi\downarrow \in \mathcal{M}_{\Sigma_0}$. Therefore, we deduce that

$$\begin{aligned} R\psi\downarrow &= C[\text{dec}(\text{enc}(R_1\psi\downarrow, R_2\psi\downarrow), R_3\psi\downarrow)]\downarrow \\ &= C[R_1\psi\downarrow]\downarrow \\ &= R'\psi\downarrow \in \mathcal{M}_{\Sigma_0} \end{aligned}$$

- Let R_1, R_2 be two recipes that contain $n_1 + n_2$ detours and such that $R_1\phi\downarrow = R_2\phi\downarrow$. We assume w.l.o.g. that $R = C[\text{dec}(\text{enc}(R_a, R_b), R_c)]$, and this pattern corresponds to the outermost detour. Let $R'_1 = C[R_a]$. By definition of the rewriting, we have that $R_b\phi\downarrow = R_c\phi\downarrow$ (even if we do not know whether they are messages or not). Applying our induction hypothesis, we know that $R_b\psi\downarrow = R_c\psi\downarrow$. Therefore, we deduce that $R_1\psi\downarrow = R_2\psi\downarrow$.

This allows us to conclude that $\phi \sqsubseteq_s \psi$ implies that $\phi \sqsubseteq_s \psi$ w.r.t. the semantics \downarrow . \square

Theorem 1: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$ and \mathcal{Q} be another protocol. We have that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 if, and only if, there exists a witness tr of this non-inclusion that only contains simple recipes and such that one of the following holds:

- 1) $(\text{tr}, \phi) \in \text{trace}_{\Sigma_0}(\mathcal{P})$ for some ϕ and (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$;
- 2) $\text{tr} = \text{tr}'\{c_0 \mapsto c_{\langle \omega, \omega \rangle}\}$ for some $c_0 \in \Sigma_0 \setminus \Sigma_{\mathcal{P}}$, and $(\text{tr}', \phi') \in \text{trace}_{\Sigma_0}(\mathcal{P})$ for some ϕ' and (tr', ϕ') is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

Proof. We have that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 , and therefore there exists a witness (tr, ϕ) of this non-inclusion. We have that $(\text{tr}, \phi) \in \text{trace}_{\Sigma_0}(\mathcal{P})$ and:

- 1) either $(\text{tr}, \psi) \notin \text{trace}_{\Sigma_0}(\mathcal{Q})$ for any frame ψ ;
- 2) or $(\text{tr}, \psi) \in \text{trace}_{\Sigma_0}(\mathcal{Q})$ for some ψ but $\phi \not\sqsubseteq_s \psi$ w.r.t. Σ_0 .

Note that, due to the fact that we consider simple protocols, the frame ψ is uniquely defined when it exists. Moreover, we chose tr minimal in length. We first establish that \mathcal{P} is not included in \mathcal{Q} w.r.t. the semantics \downarrow for terms. We distinguish the two cases we mentioned above. Regarding case 2, we have that (tr, ϕ) (resp. (tr, ψ)) is a trace of \mathcal{P} (resp. \mathcal{Q}) w.r.t. the semantics \downarrow , and therefore we conclude thanks to Lemma 6. Regarding case 1, we have that (tr, ϕ) is a trace of \mathcal{P} w.r.t. the semantics \downarrow , and we know also that tr^{-1} (i.e. tr without the last action) is a trace of \mathcal{Q} w.r.t. the semantics \downarrow . Let α be such that $\text{tr} = \text{tr}^{-1} \cdot \alpha$. Since we know that $\text{tr} = \text{tr}^{-1} \cdot \alpha$ is not a trace of \mathcal{Q} (w.r.t. the semantics \downarrow), the only case where tr can become a trace of \mathcal{Q} w.r.t. the semantics \downarrow is when $\alpha = \text{in}(c, R)$ with $R\psi\downarrow \in \mathcal{M}_{\Sigma_0}$

whereas $R\psi\downarrow \notin \mathcal{M}_{\Sigma_0}$. However, we know that $\phi \sqsubseteq_s \psi$ w.r.t. semantics \downarrow (thanks to the minimality of our witness), and since we have $R\phi\downarrow \in \mathcal{M}_{\Sigma_0}$, we know that $R\psi\downarrow \in \mathcal{M}_{\Sigma_0}$. Therefore this case can not happen. We have shown that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. semantics \downarrow .

Now, we can apply the typing result as stated and proved in [19], we deduce that there exists a witness (tr, ϕ) of this non-inclusion (w.r.t. the semantics \downarrow) such that one of the following holds:

- 1) (tr, ϕ) is a trace of \mathcal{P} (w.r.t. the semantics \downarrow) and (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$; or
- 2) $\text{tr} = \text{tr}'\{c_0 \mapsto c_{(\omega, \omega)}\}$ for some $c_0 \in \Sigma_0 \setminus \Sigma_{\mathcal{P}}$, and some (tr', ϕ') a trace of \mathcal{P} (w.r.t. the semantics \downarrow) for some ϕ' , and (tr', ϕ') is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

We consider among these witnesses one that is of minimal length. We have that $(\text{tr}, \phi) \in \text{trace}(\mathcal{P})$ (w.r.t. the semantics \downarrow) and:

- 1) either $(\text{tr}, \psi) \notin \text{trace}(\mathcal{Q})$ (w.r.t. the semantics \downarrow) for any frame ψ ;
- 2) or $(\text{tr}, \psi) \in \text{trace}(\mathcal{Q})$ (w.r.t. the semantics \downarrow) for some ψ but $\phi \not\sqsubseteq_s \psi$ (w.r.t. the semantics \downarrow).

Regarding case 2, we apply Lemma 5 and we consider $\bar{\text{tr}}$ a trace made of recipes without detours such that $\bar{\text{tr}}\phi\downarrow = \text{tr}\phi\downarrow$, and $\bar{\text{tr}}\psi\downarrow = \text{tr}\psi\downarrow$. Thanks to Lemma 3, the resulting trace is made of simple recipes. We have that $\phi \not\sqsubseteq_s \psi$ (w.r.t. the semantics \downarrow) thanks to Lemma 6. Regarding case 1, we have to show that $\bar{\text{tr}}$ is not a trace of \mathcal{Q} w.r.t. the semantics \downarrow . We know that $\text{tr} = \text{tr}^{-1} \cdot \alpha$, and in such a case $\alpha = \text{in}(c, R)$ whereas its counterpart in $\bar{\text{tr}}$ is $\text{in}(c, \bar{R})$. We know that $R\phi\downarrow = \bar{R}\phi\downarrow \in \mathcal{M}_{\Sigma_0}$, and therefore $R\psi\downarrow = \bar{R}\psi\downarrow \in \mathcal{M}_{\Sigma_0}$ since otherwise we would contradict the minimality of our witness. Therefore, $\bar{\text{tr}}$ is not a trace of \mathcal{Q} w.r.t. the semantics \downarrow , and thanks to Lemma 3, we deduce that $\bar{\text{tr}}$ is not a trace of \mathcal{Q} w.r.t. the semantics \downarrow .

Note that $\text{tr}\phi\downarrow = \bar{\text{tr}}\phi\downarrow$, and since tr satisfies the requirements regarding typing, we easily deduce that $(\bar{\text{tr}}, \phi)$ satisfies the requirements regarding typing. \square

B. Bounding the number of constants

First, we establish the following result.

Proposition 2: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$ and \mathcal{Q} be another protocol. Let $\Sigma = \Sigma_{\mathcal{P}} \uplus \{c \in \Sigma_0 \mid \delta_0(c) = \tau_\star\}$. We have that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 if, and only if, there exists a witness tr of this non-inclusion w.r.t. Σ that only contains simple recipes, and such that $(\text{tr}, \phi) \in \text{trace}_{\Sigma}(\mathcal{P})$ for some ϕ and (tr, ϕ) is quasi-well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

Proof. First note that the converse is obvious: if there is any kind of witness of non-inclusion, then $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 . So we only prove the direct part.

Assume that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 . By Theorem 1, it implies that there exists a witness tr of this non-inclusion that only contains simple recipes and such that one of the following holds:

- 1) $(\text{tr}, \phi) \in \text{trace}_{\Sigma_0}(\mathcal{P})$ for some ϕ and (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$;
- 2) $\text{tr} = \text{tr}'\{c_0 \mapsto c_{(\omega, \omega)}\}$ for some $c_0 \in \Sigma_0 \setminus \Sigma_{\mathcal{P}}$, and $(\text{tr}', \phi') \in \text{trace}_{\Sigma_0}(\mathcal{P})$ for some ϕ' and (tr', ϕ') is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

Assume that one of those conditions holds. In each case, tr is a trace w.r.t. Σ_0 quasi-well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$, as $c_{(\omega, \omega)}$ has type τ_\star (the smallest for \preceq). Then there is only a finite number of public constants of $\Sigma_0 \setminus \Sigma_{\mathcal{P}}$ occurring in (tr, ϕ) . Call them $\{c_1, \dots, c_n\}$. As $\{c \in \Sigma_0 \setminus \Sigma_{\mathcal{Q}} \mid \delta_0(c) = \tau_\star\}$ is infinite, we choose c'_1, \dots, c'_n in this set (different from $c_{(\omega, \omega)}$) and define a substitution σ such that $\sigma(c_i) = c'_i$ for each i . As c_1, \dots, c_n do not occur in \mathcal{P} , $(\text{tr}\sigma, \phi\sigma)$ is a trace of \mathcal{P} w.r.t. Σ . If (tr, ϕ) was not a trace of \mathcal{Q} , then $(\text{tr}\sigma, \phi\sigma)$ is still not because c'_1, \dots, c'_n do not occur in \mathcal{Q} . If (tr, ψ) was a trace of \mathcal{Q} , it passes in \mathcal{Q} with frame $\psi\sigma$. As σ is a bijective substitution, $R(\phi\sigma)\downarrow$ is a message if and only if $(R\sigma^{-1})\phi\downarrow$ is. So if there is a recipe R such that $R\phi\downarrow$ is a message, but $R\psi\downarrow$ is not, then $(R\sigma)(\phi\sigma)\downarrow$ is a message, but $(R\sigma)(\psi\sigma)\downarrow$ is not.

The equality case is similar, so $\text{tr}\sigma$ is still a witness of non-inclusion. \square

Note that we still have an unbounded number of constants to consider. We have to consider constants that occur in \mathcal{P} and in addition an unbounded number of constants of type τ_\star . In the following, we show that it is actually sufficient to consider two constants of type τ_\star . To prove Theorem 2, we have to state and prove some useful properties about renamings.

Given a set of atomic data A , an A -renaming is a function ρ such that $\text{dom}(\rho) \cup \text{img}(\rho) \subseteq A$.

Lemma 7: Let $\Sigma \subseteq \Sigma_0$, and t, t' be two terms in $\mathcal{T}(\Sigma_{\text{std}}, \Sigma \cup \mathcal{N})$.

- 1) If $t\downarrow \in \mathcal{M}_{\Sigma}$ then $(t\downarrow)\rho = (t\rho)\downarrow$ for any Σ -renaming ρ .
- 2) If $t\downarrow \notin \mathcal{M}_{\Sigma}$, then there exists $c_0 \in \Sigma$ such that for any Σ -renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$, we have that $t\rho\downarrow \notin \mathcal{M}_{\Sigma}$.
- 3) If $t\downarrow, t'\downarrow \in \mathcal{M}_{\Sigma}$ and $t\downarrow \neq t'\downarrow$, there exists $c_0 \in \Sigma$ such that for any Σ -renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$, we have that $t\rho\downarrow \neq t'\rho\downarrow$.

Proof. We prove the three items separately.

Item 1. Let $t \in \mathcal{T}(\Sigma_{\text{std}}, \Sigma \cup \mathcal{N})$ such that $t\downarrow \in \mathcal{M}_{\Sigma}$. We show the result by structural induction on t .

Base case: $t \in \Sigma \cup \mathcal{N}$. In such a case, we have that $(t\downarrow)\rho = t\rho = (t\rho)\downarrow$.

Inductive case: In such a case, $t = f(t_1, t_2)$ with $f \in \{\text{enc}, \text{dec}, \langle \rangle, \text{proj}_1, \text{proj}_2\}$.

- *Case $f = \text{enc}$.* In such a case, we have that $t = \text{enc}(t_1, t_2)$, and $t\downarrow = \text{enc}(t_1\downarrow, t_2\downarrow)$. Therefore, we know that $t_1\downarrow, t_2\downarrow \in \mathcal{M}_{\Sigma}$, and we conclude relying on our

induction hypothesis:

$$\begin{aligned}
(t\downarrow)\rho &= \text{enc}(t_1\downarrow, t_2\downarrow)\rho \\
&= \text{enc}((t_1\downarrow)\rho, (t_2\downarrow)\rho) \\
&= \text{enc}((t_1\rho)\downarrow, (t_2\rho)\downarrow) \\
&= \text{enc}(t_1\rho, t_2\rho)\downarrow \\
&= (\text{enc}(t_1, t_2)\rho)\downarrow \\
&= (t\rho)\downarrow
\end{aligned}$$

- *Case* $f = \text{dec}$. In such a case, we have that $t = \text{dec}(t_1, t_2)$, $t_1\downarrow, t_2\downarrow \in \mathcal{M}_\Sigma$, $t_1\downarrow = \text{enc}(u, v)$, $t_2 = v$ and $\text{dec}(t_1, t_2)\downarrow = u$ for some $u \in \mathcal{M}_\Sigma$, and $v \in \Sigma \cup \mathcal{N}$. Thanks to our induction hypothesis, we have that $(t_1\downarrow)\rho = \text{enc}(u, v)\rho = \text{enc}(u\rho, v\rho) = (t_1\rho)\downarrow$ and $(t_2\downarrow)\rho = v\rho = (t_2\rho)\downarrow$. Therefore, we have that $(t\downarrow)\rho = (\text{dec}(t_1, t_2)\downarrow)\rho = u\rho$, and $(t\rho)\downarrow = (\text{dec}(t_1, t_2)\rho)\downarrow = \text{dec}(t_1\rho\downarrow, t_2\rho\downarrow)\downarrow = \text{dec}(\text{enc}(u\rho, v\rho), v\rho)\downarrow = u\rho$. This allows us to conclude.

The cases where $f \in \{\langle \rangle, \text{proj}_1, \text{proj}_2\}$ can be done in a similar way.

Item 2. Let $t \in \mathcal{T}(\Sigma_{\text{std}}, \Sigma \cup \mathcal{N})$ such that $t\downarrow \notin \mathcal{M}_\Sigma$. We show the result by structural induction on t .

Base case: $t \in \Sigma \cup \mathcal{N}$. In such a case, we have that $t\downarrow \in \mathcal{M}_\Sigma$. Therefore, this case is impossible.

Inductive case: In such a case, $t = f(t_1, t_2)$ with $f \in \{\text{enc}, \text{dec}, \langle \rangle, \text{proj}_1, \text{proj}_2\}$.

- *Case* $f = \text{enc}$. We have that $f(t_1, t_2)\downarrow = f(t_1\downarrow, t_2\downarrow)$. Since $f(t_1, t_2)\downarrow \notin \mathcal{M}_\Sigma$, we have that either $t_1\downarrow \notin \mathcal{M}_\Sigma$; or $t_2\downarrow \notin \mathcal{M}_\Sigma$; or $t_2\downarrow \notin \Sigma \cup \mathcal{N}$. In case $t_1\downarrow \notin \mathcal{M}_\Sigma$ (resp. $t_2\downarrow \notin \mathcal{M}_\Sigma$), by induction hypothesis, there exists $c_0 \in \Sigma$ such that $t_1\rho\downarrow \notin \mathcal{M}_\Sigma$ (resp. $t_2\rho\downarrow \notin \mathcal{M}_\Sigma$) for any Σ -renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$, and this allows us to conclude. In case $t_2\downarrow \in \mathcal{M}_\Sigma$ but $t_2\downarrow \notin \Sigma \cup \mathcal{N}$, thanks to Item 1, we know that $t_2\rho\downarrow = t_2\downarrow\rho$ for any Σ -renaming ρ . Therefore $t_2\rho\downarrow \notin \Sigma \cup \mathcal{N}$ for any Σ -renaming ρ , and $\text{enc}(t_1, t_2)\rho \notin \mathcal{M}_\Sigma$ for any Σ -renaming ρ .
- *Case* $f = \langle \rangle$. In such a case, we have that $f(t_1, t_2)\downarrow = f(t_1\downarrow, t_2\downarrow)$. Since $f(t_1, t_2)\downarrow \notin \mathcal{M}_\Sigma$, we have that either $t_1\downarrow \notin \mathcal{M}_\Sigma$; or $t_2\downarrow \notin \mathcal{M}_\Sigma$. Therefore, we conclude by applying our induction hypothesis.
- *Case* $f = \text{dec}$. In case $t_1\downarrow \notin \mathcal{M}_\Sigma$ or $t_2\downarrow \notin \mathcal{M}_\Sigma$, we conclude by applying our induction hypothesis. Now, we assume that $t_1\downarrow \in \mathcal{M}_\Sigma$ and $t_2\downarrow \in \mathcal{M}_\Sigma$. Since $t\downarrow \notin \mathcal{M}_\Sigma$, we know that either $t_1\downarrow$ is not of the form $\text{enc}(u, v)$, or $t_1\downarrow$ is of the form $\text{enc}(u, v)$ and $t_2\downarrow = v'$ but $v \neq v'$. Thanks to Item 1, we know that $(t_1\downarrow)\rho = (t_1\rho)\downarrow$ and $(t_2\downarrow)\rho = (t_2\rho)\downarrow$ for any Σ -renaming ρ . Therefore, in the first case, we deduce that the root symbol of $t_1\rho\downarrow$ is not enc for any Σ -renaming, and we are done. In the second case, for any Σ -renaming ρ , we have that:

$$\begin{aligned}
(t\rho)\downarrow &= \text{dec}((t_1\rho)\downarrow, (t_2\rho)\downarrow)\downarrow \\
&= \text{dec}((t_1\downarrow)\rho, (t_2\downarrow)\rho)\downarrow \\
&= \text{dec}(t_1\downarrow, t_2\downarrow)\rho\downarrow \\
&= \text{dec}(\text{enc}(u, v), v')\rho\downarrow
\end{aligned}$$

Moreover, we know that $v \neq v'$. In case v or v' is not a constant in Σ , we still have that $v\rho \neq v'\rho$ for any Σ -renaming ρ , and therefore we are done: $(t\rho)\downarrow \notin \mathcal{M}_\Sigma$. In case, v, v' are both in Σ , let c_0 be the constant v' , and consider any renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$. We have that $v\rho \neq c_0$, and thus $v\rho \neq v'\rho$, and this allows us to conclude.

- *Case* $f = \text{proj}_1$ (or proj_2). In such a case, we have that $t = \text{proj}_1(t')$ for some t' . In case $t'\downarrow \notin \mathcal{M}_\Sigma$, we conclude by applying our induction hypothesis. Now, assuming that $t'\downarrow \in \mathcal{M}_\Sigma$, we know that $t'\downarrow$ is not of the form $\langle u, v \rangle$ (since otherwise $t\downarrow \in \mathcal{M}_\Sigma$). Thanks to Item 1, we have that $(t'\downarrow)\rho = (t'\rho)\downarrow$ for any Σ -renaming ρ . Therefore, we know that $(t'\rho)\downarrow$ is not of the form $\langle u', v' \rangle$ for any Σ -renaming ρ , and thus $t\rho\downarrow \notin \mathcal{M}_\Sigma$ for any Σ -renaming.

Item 3. Let $t_1, t_2 \in \mathcal{T}(\Sigma_{\text{std}}, \Sigma \cup \mathcal{N})$ such that $t_1\downarrow, t_2\downarrow \in \mathcal{M}_\Sigma$ and $t_1\downarrow \neq t_2\downarrow$. Thanks to Item 1, we have that $(t_1\downarrow)\rho = (t_1\rho)\downarrow$ and $(t_2\downarrow)\rho = (t_2\rho)\downarrow$. Therefore, we can simply show that if $t_1, t_2 \in \mathcal{M}_\Sigma$ and $t_1 \neq t_2$ then there exists $c_0 \in \Sigma$ such that $t_1\rho \neq t_2\rho$ for any Σ -renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$.

Base case: The only non trivial base case is when both t_1 and t_2 are in Σ . In such a case, let c_0 be t_2 . Clearly, since $t_1 \neq t_2$, we have that $t_1\rho = t_2\rho$ for any Σ -renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$. The other base cases where either t_1 or t_2 is in $\Sigma \cup \mathcal{N}$ are trivial and we may actually choose any Σ -renaming ρ .

Inductive case: Now, in case t_1 and t_2 are not atomic, we distinguish two cases. In case they do not have the same function symbol has their root, again we can actually choose any Σ -renaming ρ , and the disequality between $t_1\rho$ and $t_2\rho$ will be preserved. Now, assume that $t_1 = f(u_1, v_1)$ and $t_2 = f(u_2, v_2)$ with $f \in \{\text{enc}, \langle \rangle\}$. We know that either $u_1 \neq u_2$ or $v_1 \neq v_2$. Assume w.l.o.g. that $u_1 \neq u_2$. We can apply our induction hypothesis to conclude that there exists c_0 such $u_1\rho \neq u_2\rho$ for any Σ -renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$. Therefore, considering any Σ -renaming that satisfies such a condition will allow us to conclude. \square

Lemma 8: Let $\Sigma \subseteq \Sigma_0$, $m \in \mathcal{M}_\Sigma$, and u be a term in $\mathcal{T}(\Sigma_c, \mathcal{X} \cup \mathcal{N} \cup \Sigma_0)$. If $m \neq u\sigma$ for any substitution σ , then there exists $c_0 \in \Sigma$ such that for any Σ -renaming ρ such that $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$, we have that $m\rho \neq (u\rho)\sigma$ for any σ .

Proof. If m and u do not match because their structure differ, then no renaming will change that. Else, the only possibility is that there are two leaves of u that have the same variable, but m has different subterms $t_1 \neq t_2$ at those positions. Thanks to Lemma 7 (item 3), there is a constant c_0 such that for any Σ_0 -renaming ρ with $c_0 \notin \text{dom}(\rho) \cup \text{img}(\rho)$, $t_1\rho \neq t_2\rho$. So for such a ρ , $m\rho$ does not unify with $u\rho$. \square

We say that a renaming ρ is type-preserving if for any $a \in \text{dom}(\rho)$ we have $\delta(a\rho) = \delta(a)$.

Lemma 9: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_\mathcal{P}, \delta_\mathcal{P})$ and ρ be a Σ -renaming where $\Sigma = \Sigma_0 \setminus \Sigma_\rho$. Let

$(\mathcal{P}'; \phi'; \sigma')$ be a configuration such that $\mathcal{P} \xrightarrow{\text{tr}} (\mathcal{P}'; \phi'; \sigma')$ for some tr . We have that $\mathcal{P} \xrightarrow{\text{tr}\rho} (\mathcal{P}'; \phi'\rho; \sigma'\rho)$.

Moreover, when ρ is type-preserving and (tr, ϕ') is quasi-well-typed w.r.t. (\mathcal{T}, δ) , then $(\text{tr}\rho, \phi'\rho)$ is quasi-well-typed w.r.t. (\mathcal{T}, δ) .

Proof. We show this result by induction on the length ℓ of the execution trace $(\mathcal{P}; \emptyset; \emptyset) \xrightarrow{\text{tr}} (\mathcal{P}'; \phi'; \sigma')$.

Base case. In case $\ell = 0$, the result trivially holds.

Induction case. In such a case, we have that:

$$\mathcal{P} \xrightarrow{\text{tr}'} (\mathcal{P}''; \phi''; \sigma'') \xrightarrow{\alpha} (\mathcal{P}'; \phi'; \sigma')$$

Thanks to our induction hypothesis, we know that

$$\mathcal{P} \xrightarrow{\text{tr}'\rho} (\mathcal{P}''; \phi''\rho, \sigma''\rho).$$

We distinguish two cases depending on the action α .

- $\alpha = \text{in}(c, R)$. In such a case, we have that $\mathcal{P}'' = \{\text{in}(c, u).P_0\} \cup \mathcal{P}_0$ for some u, P_0 , and \mathcal{P}_0 . We have also that $\phi' = \phi''$, and $\sigma' = \sigma'' \uplus \sigma_0$ for some σ_0 such that $R\phi''\downarrow = (u\sigma'')\sigma_0$ and $R\phi''\downarrow \in \mathcal{M}_\Sigma$. To conclude that $(\mathcal{P}''; \phi''\rho; \sigma''\rho) \xrightarrow{\alpha\rho} (\mathcal{P}'; \phi'\rho; \sigma'\rho)$, it remains to show that $(R\rho)(\phi''\rho)\downarrow = u(\sigma''\rho)\sigma'_0$ and $\sigma'\rho = \sigma''\rho \uplus \sigma'_0$ for some σ'_0 . Since $R\phi''\downarrow = (u\sigma'')\sigma_0$, we deduce that $(R\phi''\downarrow)\rho = ((u\sigma'')\sigma_0)\rho$, and thanks to Lemma 7 (item 1), we have that $(R\phi''\downarrow)\rho\downarrow = ((u\rho)(\sigma''\rho))(\sigma_0\rho)$. Lastly, since ρ is a Σ -renaming and $\Sigma = \Sigma_0 \setminus \Sigma_{\mathcal{P}}$, we know that $u\rho = u$, and therefore we have that $(R\rho)(\phi''\rho)\downarrow = (u(\sigma''\rho))(\sigma_0\rho)$. Moreover, since $\sigma' = \sigma'' \uplus \sigma_0$, we have that $\sigma'\rho = \sigma''\rho \uplus \sigma_0\rho$. Therefore, choosing $\sigma'_0 = \sigma_0\rho$ allows us to conclude.
- $\alpha = \text{out}(c, w)$. In such a case, we have that $\mathcal{P}'' = \{\text{out}(c, u).P_0\} \cup \mathcal{P}_0$ for some u, P_0 , and \mathcal{P}_0 . We have also that $\sigma' = \sigma''$, and $\phi' = \phi'' \cup \{w \mapsto u\sigma''\}$. To conclude that $(\mathcal{P}''; \phi''\rho; \sigma''\rho) \xrightarrow{\alpha\rho} (\mathcal{P}'; \phi'\rho; \sigma'\rho)$, it is sufficient to show that $(u\sigma'')\rho = u(\sigma''\rho)$. Actually, we have that $(u\sigma'')\rho = (u\rho)(\sigma''\rho)$, and since $\Sigma = \Sigma_0 \setminus \Sigma_{\mathcal{P}}$, we deduce that $u\rho = u$, and this allows us to conclude.

Note that $\delta(x\sigma'\rho) = \delta(x\sigma')$ since ρ is type-preserving, and therefore the resulting trace is quasi-well-typed when (tr, ϕ') is quasi-well-typed. \square

Theorem 2: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$ and \mathcal{Q} be another protocol. Let $\Sigma = \Sigma_{\mathcal{P}} \uplus \{c_{\star}^0, c_{\star}^1, c_{\langle \omega, \omega \rangle}\}$. We have that $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 if, and only if, there exists a witness tr of this non-inclusion w.r.t. Σ that only contains simple recipes, and such that $(\text{tr}, \phi) \in \text{trace}_{\Sigma}(\mathcal{P})$ for some ϕ and (tr, ϕ) is quasi-well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

Proof. One direction is trivial. Therefore, we focus on the other one. Let $\Sigma_{\star} = \Sigma_{\mathcal{P}} \uplus \{c \in \Sigma_0 \mid \delta_0(c) = \tau_{\star}\}$. Proposition 2 states that if $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ_0 then there exists a witness tr of this non-inclusion w.r.t. Σ_{\star} that only contains simple recipes, and such that $(\text{tr}, \phi) \in \text{trace}_{\Sigma_{\star}}(\mathcal{P})$ for some ϕ and (tr, ϕ) is quasi-well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$.

Let tr be such a witness having a minimal length. To conclude, we establish the following claim.

Claim: There exists a type-preserving renaming ρ with $\text{dom}(\rho) \subseteq \Sigma_{\star} \setminus \Sigma_{\mathcal{P}}$, and $\text{img}(\rho) \subseteq \Sigma \setminus \Sigma_{\mathcal{P}}$ such that $\text{tr}\rho$ is a witness of the non-inclusion $\mathcal{P} \not\sqsubseteq_t \mathcal{Q}$ w.r.t. Σ .

Since tr is a witness of minimal length, we have that:

- 1) either tr is not a trace of \mathcal{Q} but tr^{-1} (i.e. tr without its last element) is a trace of \mathcal{Q} ;
- 2) or $\mathcal{Q} \xrightarrow{\text{tr}} (\mathcal{Q}'; \psi; \sigma_{\mathcal{Q}})$ for some ψ (that is uniquely defined) but $\phi \not\sqsubseteq_s \psi$.

Case 1): tr is not a trace of \mathcal{Q} . In such a case, we have that $\text{tr} = \text{tr}_0 \cdot \alpha$ and we know that

$$\mathcal{P} \xrightarrow{\text{tr}_0} (\mathcal{P}_0; \phi_0; \sigma_0) \xrightarrow{\alpha} (\mathcal{P}'_0; \phi'_0; \sigma'_0)$$

and also that $\mathcal{Q} \xrightarrow{\text{tr}_0} (\mathcal{Q}_0; \psi_0; \tau_0)$. We distinguish several cases depending on the action α and also the reason that prevents this step to be mimicked in \mathcal{Q} .

- 1) $\alpha = \text{in}(c, R)$, so there is $\text{in}(c, u).P_0 \in \mathcal{P}_0$, but there is no process on channel c starting with an input in \mathcal{Q}_0 . Let ρ_0 be the renaming that maps any constant in $\Sigma_{\star} \setminus \Sigma_{\mathcal{P}}$ to the constant c_{\star}^0 . Thanks to Lemma 9, we have that

$$\mathcal{P} \xrightarrow{\text{tr}_0\rho_0} (\mathcal{P}_0; \phi_0\rho_0; \sigma_0\rho_0) \xrightarrow{\alpha\rho_0} (\mathcal{P}'_0; \phi'_0\rho_0; \sigma'_0\rho_0)$$

and also that $\mathcal{Q} \xrightarrow{\text{tr}_0\rho_0} (\mathcal{Q}_0; \psi_0\rho_0; \tau_0\rho_0)$. There is still no process on channel c starting with an input in $\mathcal{Q}_0\rho_0$, and thus $\text{tr}_0\rho_0$ is the witness we are looking for.

- 2) $\alpha = \text{in}(c, R)$ and there is $\text{in}(c, u).P_0 \in \mathcal{P}_0$ as well as $\text{in}(c, v).Q_0 \in \mathcal{Q}_0$. Since tr is minimal and we know that $R\phi_0\downarrow \in \mathcal{M}_{\Sigma_0}$, we have also that $R\psi_0\downarrow \in \mathcal{M}_{\Sigma_0}$. Therefore, we know that $R\psi_0\downarrow$ does not unify with $v\tau_0$. Thanks to Lemma 8, there is a constant c in $R\psi_0\downarrow$ such that for any ρ with $c \notin \text{dom}(\rho) \cup \text{img}(\rho)$, we have that $(R\psi_0\downarrow)\rho$ does not unify with $v\rho$.

If $c \notin \Sigma_{\star} \setminus \Sigma_{\mathcal{P}}$, then ρ_0 (as defined above) satisfies the requirement. Therefore, applying Lemma 9, we obtain that:

$$\mathcal{P} \xrightarrow{\text{tr}_0\rho_0} (\mathcal{P}_0; \phi_0\rho_0; \sigma_0\rho_0) \xrightarrow{\alpha\rho_0} (\mathcal{P}'_0; \phi'_0\rho_0; \sigma'_0\rho_0)$$

and also that $\mathcal{Q} \xrightarrow{\text{tr}_0\rho_0} (\mathcal{Q}_0; \psi_0\rho_0; \tau_0\rho_0)$. We have also that $(R\psi_0\downarrow)\rho_0$ does not unify with $v\rho_0$, and we have that

$$(R\psi_0\downarrow)\rho_0 = R\psi_0\rho_0\downarrow = (R\rho_0)(\psi_0\rho_0)\downarrow$$

thanks to Lemma 7 (item 1). This allows us to conclude that this step can not be mimicked by \mathcal{Q} .

If $c \in \Sigma_{\star} \setminus \Sigma_{\mathcal{P}}$, then up to a bijective α -renaming, we can assume that $c = c_{\star}^1$. Let ρ_1 be the renaming that maps any constant in $\Sigma_{\star} \setminus \Sigma_{\mathcal{P}}$ on c_{\star}^0 except c_{\star}^1 that is left unchanged. Applying Lemma 9, we have that:

$$\mathcal{P} \xrightarrow{\text{tr}_0\rho_1} (\mathcal{P}_0; \phi_0\rho_1; \sigma_0\rho_1) \xrightarrow{\alpha\rho_1} (\mathcal{P}'_0; \phi'_0\rho_1; \sigma'_0\rho_1)$$

and also that $\mathcal{Q} \xrightarrow{\text{tr}_0\rho_1} (\mathcal{Q}_0; \psi_0\rho_1; \tau_0\rho_1)$. We have also that $(R\psi_0\downarrow)\rho_1$ does not unify with $v\rho_1$, and we have that

$$(R\psi_0\downarrow)\rho_1 = R\psi_0\rho_1\downarrow = (R\rho_1)(\psi_0\rho_1)\downarrow$$

thanks to Lemma 7 (item 1). This allows us to conclude that this step can not be mimicked by \mathcal{Q} .

- 3) $\alpha = \text{out}(c, w)$. In this case, either there is no corresponding output in \mathcal{Q}_0 , or there is a corresponding output, but the corresponding term is not a message. This can happen in case an encryption with a non-atomic key occurs in the outputted term. However, since renaming will not change that, we easily conclude considering ρ_0 as defined above.

Case 2): tr is a trace of \mathcal{Q} . In such a case, we know that $\mathcal{P} \xrightarrow{\text{tr}} (\mathcal{P}_0; \phi_0; \sigma_0)$ and $\mathcal{Q} \xrightarrow{\text{tr}} (\mathcal{Q}_0; \psi_0; \tau_0)$ for some ψ_0 that is uniquely defined, and we have that $\phi_0 \not\sqsubseteq_s \psi_0$. Following the definition of static inclusion, we distinguish two cases:

- 1) There is a recipe R w.r.t. Σ_\star such that $R\phi_0\downarrow$ is a message but $R\psi_0\downarrow$ is not. Then by Lemma 7, there is a constant c such that for any renaming ρ such that $c \notin \text{dom}(\rho) \cup \text{img}(\rho)$, we have that $R\psi_0\rho\downarrow$ is not a message.

If $c \notin \Sigma_\star \setminus \Sigma_{\mathcal{P}}$, then ρ_0 (as defined above) is a renaming such that $c \notin \text{dom}(\rho_0) \cup \text{img}(\rho_0)$. Thanks to Lemma 9, we have that $\mathcal{P} \xrightarrow{\text{tr}\rho_0} (\mathcal{P}_0; \phi_0\rho_0; \sigma_0\rho_0)$ and $\mathcal{Q} \xrightarrow{\text{tr}\rho_0} (\mathcal{Q}_0; \psi_0\rho_0; \tau_0\rho_0)$. Note that the only constants occurring in this execution are those of Σ . Thanks to Lemma 7 (item 1), we have that $(R\rho_0)(\phi_0\rho_0)\downarrow = (R\phi_0)\rho_0\downarrow = (R\phi_0\downarrow)\rho_0 \in \mathcal{M}$. However, we have that $(R\rho_0)(\psi_0\rho_0)\downarrow = (R\psi_0)\rho_0\downarrow \notin \mathcal{M}$. Therefore, we have $\phi_0\rho_0 \not\sqsubseteq_s \psi_0\rho_0$.

If $c \in \Sigma_\star \setminus \Sigma_{\mathcal{P}}$, then up to a bijective α -renaming, we can assume that $c = c_\star^1$. Applying Lemma 9 with the renaming ρ_1 as defined above, we have that $\mathcal{P} \xrightarrow{\text{tr}\rho_1} (\mathcal{P}_0; \phi_0\rho_1; \sigma_0\rho_1)$ and $\mathcal{Q} \xrightarrow{\text{tr}\rho_1} (\mathcal{Q}_0; \psi_0\rho_1; \tau_0\rho_1)$. Note that the only constants occurring in this execution are those of Σ . Thanks to Lemma 7 (item 1), we have that $(R\rho_1)(\phi_0\rho_1)\downarrow = (R\phi_0)\rho_1\downarrow = (R\phi_0\downarrow)\rho_1 \in \mathcal{M}$. However, we have that $(R\rho_1)(\psi_0\rho_1)\downarrow = (R\psi)\rho_1\downarrow \notin \mathcal{M}$. Therefore, we have that $\phi_0\rho_1 \not\sqsubseteq_s \psi_0\rho_1$.

- 2) There are two recipes R_1 and R_2 w.r.t. Σ_\star such that $R_1\phi_0\downarrow, R_2\phi_0\downarrow$ are messages, and $R_1\phi_0\downarrow = R_2\phi_0\downarrow$. We may also assume that $R_1\psi_0\downarrow, R_2\psi_0\downarrow$ are messages. However, we have that $R_1\psi_0\downarrow \neq R_2\psi_0\downarrow$. Then by Lemma 7 (item 3), there is a constant c such that for any renaming ρ such that $c \notin \text{dom}(\rho) \cup \text{img}(\rho)$, we have that $R_1\psi_0\rho\downarrow \neq R_2\psi_0\rho\downarrow$.

If $c \notin \Sigma_\star \setminus \Sigma_{\mathcal{P}}$, then ρ_0 (as defined above) is a renaming such that $c \notin \text{dom}(\rho_0) \cup \text{img}(\rho_0)$. Thanks to Lemma 9, we have that $\mathcal{P} \xrightarrow{\text{tr}\rho_0} (\mathcal{P}_0; \phi_0\rho_0; \sigma_0\rho_0)$ and $\mathcal{Q} \xrightarrow{\text{tr}\rho_0} (\mathcal{Q}_0; \psi_0\rho_0; \tau_0\rho_0)$. Note that the only constants occurring in this execution are those of Σ .

Thanks to Lemma 7 (item 1), we have that $(R_i\rho_0)(\phi_0\rho_0)\downarrow = (R_i\phi_0)\rho_0\downarrow = (R_i\phi_0\downarrow)\rho_0 \in \mathcal{M}$ for $i = 1, 2$, and $(R_i\rho_0)(\psi_0\rho_0)\downarrow = (R_i\psi_0)\rho_0\downarrow = (R_i\psi_0\downarrow)\rho_0 \in \mathcal{M}$ for $i = 1, 2$. Moreover, we have that $R_1\psi_0\rho_0\downarrow \neq R_2\psi_0\rho_0\downarrow$, i.e. $(R_1\rho_0)(\psi_0\rho_0)\downarrow \neq (R_2\rho_0)(\psi_0\rho_0)\downarrow$, whereas $R_1\phi_0\downarrow\rho_0 = R_2\phi_0\downarrow\rho_0$, i.e.

$(R_1\rho_0)(\phi_0\rho_0)\downarrow = (R_2\rho_0)(\phi_0\rho_0)\downarrow$. Hence, we have our witness of non-inclusion.

If $c \in \Sigma_\star \setminus \Sigma_{\mathcal{P}}$, then up to a bijective α -renaming, we can assume that $c = c_\star^1$. Applying Lemma 9 with the renaming ρ_1 as defined above, we have that $\mathcal{P} \xrightarrow{\text{tr}\rho_1} (\mathcal{P}_0; \phi_0\rho_1; \sigma_0\rho_1)$ and $\mathcal{Q} \xrightarrow{\text{tr}\rho_1} (\mathcal{Q}_0; \psi_0\rho_1; \tau_0\rho_1)$. Note that the only constants occurring in this execution are those of Σ .

Thanks to Lemma 7 (item 1), we have that $(R_i\rho_1)(\phi_0\rho_1)\downarrow = (R_i\phi_0)\rho_1\downarrow = (R_i\phi_0\downarrow)\rho_1 \in \mathcal{M}$ for $i = 1, 2$, and $(R_i\rho_1)(\psi_0\rho_1)\downarrow = (R_i\psi_0)\rho_1\downarrow = (R_i\psi_0\downarrow)\rho_1 \in \mathcal{M}$ for $i = 1, 2$. Moreover, we have that $R_1\psi_0\rho_1\downarrow \neq R_2\psi_0\rho_1\downarrow$, i.e. $(R_1\rho_1)(\psi_0\rho_1)\downarrow \neq (R_2\rho_1)(\psi_0\rho_1)\downarrow$, whereas $R_1\phi_0\downarrow\rho_1 = R_2\phi_0\downarrow\rho_1$, i.e. $(R_1\rho_1)(\phi_0\rho_1)\downarrow = (R_2\rho_1)(\phi_0\rho_1)\downarrow$. Hence, we have our witness of non-inclusion.

This allows us to establish the claim and therefore concludes the proof of our theorem. \square

APPENDIX B

FROM STATIC EQUIVALENCE TO PLANNING

Lemma 1: Let ϕ, ψ be two frames with $\text{dom}(\phi) = \text{dom}(\psi)$. Let $\Theta = \langle \text{Fact}_0, \text{Fact}(\phi, \psi), \text{Concrete}^+(\text{Rule}_A) \rangle$ and $\Pi = \langle \Theta, \{\text{att}(u, v)\} \rangle$ for some $u, v \in \mathcal{M}_\Sigma$. We have that Π has a solution if, and only if, there is a destructor-only recipe $R \in \mathcal{R}_\Sigma$ such that $R\phi\downarrow = u$, and $R\psi\downarrow = v$.

Proof. We show the two directions separately.

(\Rightarrow) Let $\pi = r_1, \dots, r_n$ be a planning path from S_0 to S_n , and $\text{att}(u, v) \in S_n$. We show the result by induction on the length of π .

Base case. We have that π is empty. In such a case, by definition of S_0 , the result trivially holds.

Inductive case. We know that r_n is an instance of one of the abstract rules in Rule_A , e.g.

$$\text{att}(\text{enc}(u_1, u_2), \text{enc}(v_1, v_2)), \text{att}(u_2, v_2) \rightarrow \text{att}(u_1, v_1)$$

Thanks to our induction hypothesis, we know that there exist:

- $R_1 \in \mathcal{R}_\Sigma$ such that $R_1\phi\downarrow = \text{enc}(u_1, u_2)$, and $R_1\psi\downarrow = \text{enc}(v_1, v_2)$;
- $R_2 \in \mathcal{R}_\Sigma$ such that $R_2\phi\downarrow = u_2$, and $R_2\psi\downarrow = v_2$.

Therefore, the recipe $R = \text{dec}(R_1, R_2)$ allows us to conclude.

(\Leftarrow) Let $R \in \mathcal{R}_\Sigma$ be a destructor-only recipe such that $R\phi\downarrow = u$ and $R\psi\downarrow = v$. We show the result by structural induction on R .

Base case. We have that R is either $w \in \text{dom}(\phi)$ or a constant in Σ . In both cases, by definition of S_0 , the empty path allows us to conclude.

Inductive case. In such a case, we have that $R = \text{dec}(R_1, R_2)$ or $R = \text{proj}_i(R')$ with $i \in \{1, 2\}$. We assume that $R = \text{dec}(R_1, R_2)$. Since we know that $R\phi\downarrow$ and $R\psi\downarrow$ are messages, we have that:

- $R_1\phi\downarrow$ and $R_2\phi\downarrow$ are messages of the form $\text{enc}(u_1, u_2)$ and u_2 for some terms u_1, u_2 ;

- $R_1\psi\downarrow$ and $R_2\psi\downarrow$ are messages of the form $\text{enc}(v_1, v_2)$ and v_2 for some terms v_1, v_2 .

Thanks to our induction hypothesis, we know that there exists π_1 a planning path from S_0 to S_1 with $\text{att}(R_1\phi\downarrow, R_1\psi\downarrow) \in S_1$. We have also that there exists π_2 a planning path from S_0 to S_2 with $\text{att}(R_2\phi\downarrow, R_2\psi\downarrow) \in S_2$. Therefore, the planning path obtained by concatenating π_1 and π_2 is a planning path from S_0 to $S_1 \cup S_2$, and we have that $\text{att}(\text{enc}(u_1, u_2), \text{enc}(v_1, v_2))$ and $\text{att}(u_2, v_2)$ are both in $S_1 \cup S_2$. Applying the planning rule r :

$$\text{att}(\text{enc}(u_1, u_2), \text{enc}(v_1, v_2)), \text{att}(u_2, v_2) \rightarrow \text{att}(u_1, v_1)$$

which is indeed an instance of a rule in Rule_A , we obtain a planning path from S_0 to S such that $\text{att}(R\phi\downarrow, R\psi\downarrow) \in S$. The other cases can be done in a similar way. \square

We define the notion of static inclusion for destructors, which is roughly the classical notion of static inclusion restricted to destructor-only recipes.

Definition 12: A frame ϕ is statically included for destructors (w.r.t. $\Sigma \subseteq \Sigma_0$) in a frame ψ , denoted $\phi \sqsubseteq_{\text{des}} \psi$, when $\text{dom}(\phi) = \text{dom}(\psi)$, and:

- 1) for any destructor-only recipe $R \in \mathcal{R}_\Sigma$, $R\phi\downarrow \in \mathcal{M}_{\Sigma_0}$ implies that $R\psi\downarrow \in \mathcal{M}_{\Sigma_0}$; and
- 2) for any destructor-only recipes $R_1, R_2 \in \mathcal{R}_\Sigma$ with $R_1\phi\downarrow, R_2\phi\downarrow \in \mathcal{M}_{\Sigma_0}$, we have that $R_1\phi\downarrow = R_2\phi\downarrow$ implies that $R_1\psi\downarrow = R_2\psi\downarrow$;
- 3) for any destructor-only recipe $R \in \mathcal{R}_\Sigma$, $R\phi\downarrow$ is an atom different from $c_{(\omega, \omega)}$ implies that $R\psi\downarrow$ is an atom different from $c_{(\omega, \omega)}$.

We will show that this notion coincides with the regular notion of static equivalence (see Proposition 3). To prove that, we first establish some technical lemmas.

Lemma 10: Let ϕ and ψ be two frames such that $\phi \sqsubseteq_{\text{des}} \psi$. Let $R_0 = f(\text{at}_1, \text{at}_2)$ with $f \in \{\text{enc}, \langle \rangle\}$ and $\text{at}_1, \text{at}_2 \in \Sigma \cup \text{dom}(\phi)$ and such that $R_0\phi\downarrow$ is a message. We have that $R_0\psi\downarrow$ is a message, and $\phi^+ \sqsubseteq_{\text{des}} \psi^+$ where $\phi^+ = \phi \uplus \{w \triangleright R_0\phi\downarrow\}$, and $\psi^+ = \psi \uplus \{w \triangleright R_0\psi\downarrow\}$ for any fresh variable w .

Proof. First, since $\phi \sqsubseteq_{\text{des}} \psi$, if $R_0\phi\downarrow$ is a message then $R_0\psi\downarrow$ is a message too.

We will establish this result by induction. More precisely, we will show that:

- 1) If R is a destructor-only recipe with at most n destructors such that $R\phi^+\downarrow$ is a message, then $R\psi^+\downarrow$ is a message.
- 2) If R_1 (resp. R_2) is a destructor-only recipe with n_1 (resp. n_2) destructors such that $n_1 + n_2 \leq n$, and $R_1\phi^+\downarrow = R_2\phi^+\downarrow \in \mathcal{M}_{\Sigma_0}$, then $R_1\psi^+\downarrow = R_2\psi^+\downarrow$.
- 3) If R is a destructor-only recipe with at most n destructors such that $R\phi^+\downarrow$ is an atom different from $c_{(\omega, \omega)}$, then $R\psi^+\downarrow$ is an atom different from $c_{(\omega, \omega)}$.

Base cases.

- 1) $R \in \Sigma \cup \text{dom}(\phi^+)$, and $R\phi^+\downarrow \in \mathcal{M}_{\Sigma_0}$. The only interesting case is when $R = w$. In such a case, we

have that $R\psi^+ = w\psi^+ = R_0\psi\downarrow$, and we have seen that $R_0\psi\downarrow$ is a message.

- 2) $R_1, R_2 \in \Sigma \cup \text{dom}(\phi^+)$, and $R_1\phi^+\downarrow = R_2\phi^+\downarrow \in \mathcal{M}_{\Sigma_0}$. In case both R_1 and R_2 are equal to w then the result trivially holds; and in case both R_1 and R_2 are different from w , then the result follows from $\phi \sqsubseteq_{\text{des}} \psi$. Therefore, the only interesting case is when $R_1 = w$ and $R_2 \neq w$ (or the converse).

Case $f = \text{enc}$. In such a case, we have that $\text{dec}(R_2\phi\downarrow, \text{at}_2\phi\downarrow)\downarrow = \text{at}_1\phi\downarrow$. As $\text{dec}(R_2, \text{at}_2)$ and at_1 are destructors recipes, $\phi \sqsubseteq_{\text{des}} \psi$ applies and $\text{dec}(R_2\psi\downarrow, \text{at}_2\psi\downarrow)\downarrow = \text{at}_1\psi\downarrow$. So $R_1\psi^+\downarrow = \text{enc}(\text{at}_1\psi\downarrow, \text{at}_2\psi\downarrow) = R_2\psi\downarrow = R_2\psi^+\downarrow$.

Case $f = \langle \rangle$. In such a case, we have that $\text{proj}_i(R_2\phi\downarrow) = \text{at}_i\phi\downarrow$ for each $i \in \{1, 2\}$, and $\text{proj}_i(R_2)$ and at_i are destructor recipes, so $\text{proj}_i(R_2\psi\downarrow)\downarrow = \text{at}_i\psi\downarrow$ for each $i \in \{1, 2\}$, which implies that

$$\begin{aligned} R_1\psi^+\downarrow &= \langle \text{at}_1\psi\downarrow, \text{at}_2\psi\downarrow \rangle \\ &= \langle \text{proj}_1(R_2\psi\downarrow)\downarrow, \text{proj}_2(R_2\psi\downarrow)\downarrow \rangle \\ &= R_2\psi^+\downarrow \end{aligned}$$

- 3) $R \in \Sigma \cup \text{dom}(\phi^+)$, and $R\phi^+$ is an atom different from $c_{(\omega, \omega)}$. The only interesting case is when $R = w$. In such a case, we have that $R\phi^+\downarrow = w\phi^+ = f(\text{at}_1\phi\downarrow, \text{at}_2\phi\downarrow)$ which is not an atom, thus contradiction.

Before proving the inductive case, we establish the following claim.

Claim. Let R_d be a destructor-only recipe that contains at least one destructor and such that w occurs in R_d , and $R_d\phi^+\downarrow \in \mathcal{M}_{\Sigma_0}$. There exists a destructor-only recipe R'_d smaller than R_d (i.e. with less destructor symbols than R_d) such that

$$R'_d\phi^+\downarrow = R_d\phi^+\downarrow \text{ and } R'_d\psi^+\downarrow = R_d\psi^+\downarrow.$$

Proof of the claim. We distinguish two cases depending on whether $f = \text{enc}$ or $f = \langle \rangle$.

Case $f = \text{enc}$. Then the destructor directly above a w must be a dec (because $\text{proj}_i(w)\phi^+\downarrow = \text{proj}_i(\text{enc}(\text{at}_1\phi\downarrow, \text{at}_2\phi\downarrow))$ would never reduce, as a term only reduces when their subterms are messages). Moreover, it is impossible that we have $\text{dec}(R', w)$ for some recipe R' . In this case, we would have $R'\phi^+\downarrow = \text{enc}(t, w\phi^+\downarrow)$ for some t as there is a reduction at top level in $\text{dec}(R', w)\phi^+$. But $w\phi^+\downarrow$ is not atomic, so $\text{enc}(t, w\phi^+\downarrow)$ is not a message, so $\text{dec}(R', w)\phi^+\downarrow$ does not reduce, contradiction.

So w only occurs in $\text{dec}(w, R')$ patterns. There is such a pattern where $\text{vars}(R') \subseteq \text{dom}(\phi)$, so we assume that we are in this case. We have $R'\phi^+\downarrow = R'\phi\downarrow$. There is a reduction at top level in $\text{dec}(w, R')\phi^+ = \text{dec}(\text{enc}(\text{at}_1, \text{at}_2), R')\phi$, therefore $R'\phi\downarrow = R'\phi^+\downarrow = \text{at}_2\phi\downarrow$. As $\phi \sqsubseteq_{\text{des}} \psi$ and R' and at_2 are destructor recipes, $R'\psi\downarrow = \text{at}_2\psi\downarrow$. So $\text{dec}(\text{enc}(\text{at}_1\psi\downarrow, \text{at}_2\psi\downarrow), R'\psi\downarrow) = \text{at}_1\psi\downarrow$.

We replace one occurrence of $\text{dec}(w, R')$ by at_1 in R_d and we get R'_d . Clearly, R'_d has less destructors than R_d and $R'_d\phi^+\downarrow = R_d\phi^+\downarrow$, $R'_d\psi^+\downarrow = R_d\psi^+\downarrow$ because we proved

that the equality between $\text{dec}(w, R')$ and at_1 was true in both frames.

Case $f = \langle \rangle$. Similarly as above, the destructor occurring directly above w must be proj_i for some i . But $\text{proj}_i(w)\phi^+\downarrow = \text{at}_i\phi\downarrow$ and $\text{proj}_i(w)\psi^+\downarrow = \text{at}_i\psi\downarrow$. So we replace one occurrence of $\text{proj}_i(w)$ by at_i in R_d and we get R'_d . We have that $R'_d\phi^+\downarrow = R_d\phi^+\downarrow$ and $R'_d\psi^+\downarrow = R_d\psi^+\downarrow$, and R'_d has less destructors than R_d . This concludes the proof of the claim.

Now, we assume that the result holds for n , and we establish it for $n + 1$.

- 1) Let R be a destructor recipe with $n + 1$ destructor symbols, and assume that $R\phi^+\downarrow \in \mathcal{M}_{\Sigma_0}$. The only interesting case is when w occurs in R . Our claim gives us a R' with less than n destructors such that $R'\phi^+\downarrow = R\phi^+\downarrow$ and $R'\psi^+\downarrow = R\psi^+\downarrow$. Then, our induction hypothesis (item 1) applies to R' so $R\psi^+\downarrow = R'\psi^+\downarrow \in \mathcal{M}_{\Sigma_0}$.
- 2) Let R_1 (resp. R_2) be a destructor recipe with n_1 (resp. n_2) destructor symbols with $n_1 + n_2 \leq n + 1$, and $R_1\phi^+\downarrow = R_2\phi^+\downarrow \in \mathcal{M}_{\Sigma_0}$. In case w occurs neither in R_1 nor in R_2 , the result trivially holds. Therefore, we assume w.l.o.g. that w occurs in R_1 . If R_1 is not atomic, our claim (item 2) gives us a R'_1 such that R'_1 has less destructor symbols than R_1 and $R'_1\phi^+\downarrow = R_1\phi^+\downarrow$, $R'_1\psi^+\downarrow = R_1\psi^+\downarrow$. Then, applying our induction hypothesis (item 2) to R'_1 and R_2 , we get that $R_1\psi^+\downarrow = R'_1\psi^+\downarrow = R_2\psi^+\downarrow$.

Now assume that $R_1 = w$. We can also assume that w does not occur in R_2 (else R_2 is not atomic and contains w : we just proved the result for this case). So $R_2\phi^+\downarrow = R_2\phi\downarrow$ and $R_2\psi^+\downarrow = R_2\psi\downarrow$. Now, we distinguish two cases depending on f .

Case $f = \text{enc}$. In such a case, we have that $\text{enc}(\text{at}_1\phi\downarrow, \text{at}_2\phi\downarrow) = R_1\phi^+\downarrow = R_2\phi^+\downarrow$. So $\text{at}_1\phi\downarrow = \text{dec}(R_2, \text{at}_2)\phi\downarrow$. As $\phi \sqsubseteq_{\text{des}} \psi$, $\text{at}_1\psi\downarrow = \text{dec}(R_2, \text{at}_2)\psi\downarrow$, which implies that $R_1\psi^+\downarrow = \text{enc}(\text{at}_1\psi\downarrow, \text{at}_2\psi\downarrow) = R_2\psi^+\downarrow$.

Case $f = \langle \rangle$. This case can be done in a similar way.

- 3) Let R be a destructor recipe with $n + 1$ destructors symbols such that $R\phi^+\downarrow$ is an atom but is not $c_{\langle \omega, \omega \rangle}$. Again, the only interesting case is when w occurs in R . In such a case, our claim gives us a recipe R' with less than n destructor symbols such that $R'\phi^+\downarrow = R\phi^+\downarrow$ and $R'\psi^+\downarrow = R\psi^+\downarrow$. Applying our induction hypothesis (item 3) on R' , we obtain that $R'\psi^+\downarrow$ is a message different from $c_{\langle \omega, \omega \rangle}$. Therefore, $R\psi^+\downarrow$ is a message different from $c_{\langle \omega, \omega \rangle}$.

This concludes the proof. \square

Lemma 11: Let ϕ and ψ be two frames such that $\phi \sqsubseteq_{\text{des}} \psi$. Let R be a recipe such that $R\phi\downarrow$ is a message. We have that $R\psi\downarrow$ is a message and $\phi^+ \sqsubseteq_{\text{des}} \psi^+$ where $\phi^+ = \phi \uplus \{w \triangleright R\phi\downarrow\}$ and $\psi^+ = \psi \uplus \{w \triangleright R\psi\downarrow\}$ for any fresh variable w .

Proof. We prove this result by structural induction on R .

Base case. $R \in \Sigma \cup \text{dom}(\phi)$. In such a case, the result trivially holds.

Inductive cases. In such a case, we have that $R = f(R_1, R_2)$ with $f = \{\text{enc}, \text{dec}, \langle \rangle\}$, or $R = \text{proj}_i(R')$ with $i \in \{1, 2\}$. We distinguish two cases depending on whether $f \in \{\text{enc}, \langle \rangle\}$ or $f \in \{\text{dec}, \text{proj}_1, \text{proj}_2\}$.

f is a destructor symbol. We assume w.l.o.g. that $R = \text{dec}(R_1, R_2)$. Since $R\phi\downarrow$ is a message, we know that $R_1\phi\downarrow$ and $R_2\phi\downarrow$ are messages. Thanks to our induction hypothesis, we know that $R_1\psi\downarrow$ and $R_2\psi\downarrow$ are messages too, and $\phi' \sqsubseteq_{\text{des}} \psi'$ where:

- $\phi' = \phi \uplus \{w_1 \triangleright R_1\phi\downarrow, w_2 \triangleright R_2\phi\downarrow\}$;
- $\psi' = \psi \uplus \{w_1 \triangleright R_1\psi\downarrow, w_2 \triangleright R_2\psi\downarrow\}$.

Since $f = \text{dec}$ is a destructor symbol, $\phi' \sqsubseteq_{\text{des}} \psi'$, and $f(R_1\phi\downarrow, R_2\phi\downarrow)\downarrow = R\phi\downarrow$ is a message, we deduce that $f(R_1\psi\downarrow, R_2\psi\downarrow)\downarrow = R\psi\downarrow$ is a message. We have also that $\phi'' \sqsubseteq_{\text{des}} \psi''$ where $\phi'' = \phi' \uplus \{w \triangleright R\phi\downarrow\}$ and $\psi'' = \psi' \uplus \{w \triangleright R\psi\downarrow\}$, and thus we conclude that $\phi^+ \sqsubseteq_{\text{des}} \psi^+$.

f is a constructor symbol. We assume w.l.o.g. that $R = \text{enc}(R_1, R_2)$. Thanks to our induction hypothesis, we know that $\phi' \sqsubseteq_{\text{des}} \psi'$ where:

- $\phi' = \phi \uplus \{w_1 \triangleright R_1\phi\downarrow, w_2 \triangleright R_2\phi\downarrow\}$;
- $\psi' = \psi \uplus \{w_1 \triangleright R_1\psi\downarrow, w_2 \triangleright R_2\psi\downarrow\}$.

Since $f = \text{enc}$, relying on Lemma 10, we obtain that $R\psi\downarrow$ is a message, and $\phi'' \sqsubseteq_{\text{des}} \psi''$ where $\phi'' = \phi' \uplus \{w \triangleright R\phi\downarrow\}$ and $\psi'' = \psi' \uplus \{w \triangleright R\psi\downarrow\}$, and thus we conclude that $\phi^+ \sqsubseteq_{\text{des}} \psi^+$. This concludes the proof. \square

Now, we prove that the two notions of static inclusion coincide.

Proposition 3: Let ϕ and ψ be two frames. We have that

$$\phi \sqsubseteq_s \psi \text{ if, and only if, } \phi \sqsubseteq_{\text{des}} \psi.$$

Proof. Let ϕ and ψ be two frames. We show the two directions separately.

(\Rightarrow) We assume that $\phi \sqsubseteq_s \psi$, and we have to establish that $\phi \sqsubseteq_{\text{des}} \psi$. First, the items 1 and 2 of Definition 12 are direct consequences of the definition of static inclusion. Now, let R be a destructor recipe such that $R\phi\downarrow$ is atomic and different from $c_{\langle \omega, \omega \rangle}$. Let c be a constant in Σ_0 , and let $R' = \text{enc}(c, R)$. We have that $R'\phi\downarrow = \text{enc}(c, R\phi\downarrow)$ is a message. Therefore, $R'\psi\downarrow = \text{enc}(c, R\psi\downarrow)$ is a message as $\phi \sqsubseteq_s \psi$. Hence, we have that $R\psi\downarrow$ is atomic and different from $c_{\langle \omega, \omega \rangle}$. This allows us to conclude.

(\Leftarrow) We assume that $\phi \sqsubseteq_{\text{des}} \psi$, and we have to establish that $\phi \sqsubseteq_s \psi$. We show that the two items of Definition 3 are satisfied. First, let R be a recipe such that $R\phi\downarrow$ is a message. Thanks to Lemma 11, we know that $R\psi\downarrow$ is a message too.

Second, let R_1 and R_2 be two recipes such that $R_1\phi\downarrow = R_2\psi\downarrow \in \mathcal{M}_{\Sigma_0}$. Thanks to Lemma 11, we obtain that $\phi' \sqsubseteq_{\text{des}} \psi'$ where:

- $\phi' = \phi \uplus \{w_1 \triangleright R_1\phi\downarrow, w_2 \triangleright R_2\phi\downarrow\}$,
- $\psi' = \psi \uplus \{w_1 \triangleright R_1\psi\downarrow, w_2 \triangleright R_2\psi\downarrow\}$.

In particular the equation $w_1 = w_2$ holds in ϕ' and w_1 and w_2 are destructor recipes so this equation also holds in ψ' , i.e. $R_1\psi\downarrow = R_2\psi\downarrow$. \square

Now we can state and prove our main proposition:

Proposition 1: Let ϕ and ψ be two frames with $\text{dom}(\phi) = \text{dom}(\psi)$, and $\Theta = \langle \text{Fact}_0, \text{Fact}(\phi, \psi), \mathcal{R} \rangle$ where

$$\mathcal{R} = \text{Concrete}(\text{Rule}_A) \cup \mathcal{R}_{\text{fail}}^{\text{test}} \cup \mathcal{R}_{\text{fail}}^{\text{atom}}.$$

Let $\Pi = \langle \Theta, \{\text{bad}\} \rangle$. We have that $\phi \sqsubseteq_s \psi$ if, and only if, Π has a solution.

Proof. First, thanks to Proposition 3, it is sufficient to show that $\phi \sqsubseteq_{\text{des}} \psi$ if, and only if, Π has a solution. We show the two directions separately.

(\Rightarrow) We have that $\phi \sqsubseteq_{\text{des}} \psi$. Following the definition of \sqsubseteq_{des} , we consider 3 cases.

- 1) There is a destructor recipe R such that $R\phi\downarrow \in \mathcal{M}_{\Sigma_0}$ but $R\psi\downarrow \notin \mathcal{M}_{\Sigma_0}$. We consider one having a minimal size. Since both ϕ and ψ are frames, we have that $R = \text{dec}(R_1, R_2)$ or $R = \text{proj}_i(R')$ with $i \in \{1, 2\}$. We assume w.l.o.g. that $R = \text{dec}(R_1, R_2)$, and by minimality of R we have that $R_1\psi\downarrow$ and $R_2\psi\downarrow$ are in \mathcal{M}_{Σ_0} . Thanks to Lemma 1, we know that there exists a plan π_1 (resp. π_2) or $\text{att}(R_1\phi\downarrow, R_1\psi\downarrow)$ (resp. $\text{att}(R_2\phi\downarrow, R_2\psi\downarrow)$). We consider the plan obtained by “concatening” the plans π_1 and π_2 , and we consider the rule r of the form:

$$\text{att}(R_1\phi\downarrow, R_1\psi\downarrow), \text{att}(R_2\phi\downarrow, R_2\psi\downarrow) \rightarrow \text{bad}$$

which is indeed an instance of a rule in $\text{Concrete}^-(\text{Rule}_A)$ since $R_1\phi\downarrow = \text{enc}(u_1, u_2)$ for some u_1, u_2 , and $\text{enc}(u_1, u_2), R_1\psi\downarrow, R_2\psi\downarrow$ are messages whereas $\text{dec}(R_1\psi\downarrow, R_2\psi\downarrow)\downarrow$ is not a message. This rule r can be triggered and leads to bad. Therefore, Π has as solution.

- 2) There are two destructor recipes R_1 and R_2 such that $R_1\phi\downarrow = R_2\phi\downarrow \in \mathcal{M}_{\Sigma_0}$ whereas $R_1\psi\downarrow \neq R_2\psi\downarrow$. First, thanks to the first item, we may assume that $R_1\psi\downarrow$ and $R_2\psi\downarrow$ are both in \mathcal{M}_{Σ_0} . Therefore, thanks to Lemma 1, we know that there exists a plan π_1 (resp. π_2) of or $\text{att}(R_1\phi\downarrow, R_1\psi\downarrow)$ (resp. $\text{att}(R_2\phi\downarrow, R_2\psi\downarrow)$). We consider the plan obtained by “concatening” the plans π_1 and π_2 , and we consider the rule r of the form:

$$\text{att}(R_1\phi\downarrow, R_1\psi\downarrow), \text{att}(R_2\phi\downarrow, R_2\psi\downarrow) \rightarrow \text{bad}$$

which is indeed an instance of a rule $\mathcal{R}_{\text{fail}}^{\text{test}}$. Therefore, we have shown that Π has a solution.

- 3) There is a destructor recipe R such that $R\phi\downarrow$ is an atom different from $c_{\langle \omega, \omega \rangle}$ whereas $R\psi\downarrow$ is either not an atom or it is $c_{\langle \omega, \omega \rangle}$. First, thanks to the first item, we may assume that $R\psi\downarrow$ is in \mathcal{M}_{Σ_0} . Therefore, thanks to Lemma 1, we know that there exists a plan π of or $\text{att}(R\phi\downarrow, R\psi\downarrow)$. We consider the rule r of the form:

$$\text{att}(R\phi\downarrow, R\psi\downarrow) \rightarrow \text{bad}$$

which is indeed an instance of a rule $\mathcal{R}_{\text{fail}}^{\text{atom}}$, and which leads to a solution for Π . Therefore, we have also that Π has a solution.

So in any case we have shown that Π has a solution.

(\Leftarrow) We have a plan of bad. We consider such a plan r_1, \dots, r_n of minimal length. Since this plan is minimal, we know that r_1, \dots, r_{n-1} are rules in $\text{Concrete}^+(\text{Rule}_A)$, and therefore, we can rely on Lemma 1 to conclude that there exists a destructor-only recipe R such that $R\phi\downarrow = u$ and $R\psi\downarrow = v$ for any $\text{att}(u, v) \in S_{n-1}$ (the state resulting from the application of r_1, \dots, r_{n-1}). Then, in order to derive bad, we have applied either a rule in $\text{Concrete}^-(\text{Rule}_A)$, or a rule in $\text{Rule}_{\text{fail}}^{\text{test}}$, or a rule in $\text{Rule}_{\text{fail}}^{\text{atom}}$. The two last cases are quite obvious, and we easily derive a witness of $\phi \sqsubseteq_{\text{des}} \psi$ relying on item 2 (resp. item 3) of Definition 12. Regarding the first case, according to the definition of $\text{Concrete}^-(\text{Rule}_A)$, we distinguish two cases:

- $r_n = \text{att}(\langle u_1, u_2 \rangle, v) \rightarrow \text{bad}$ with v not a pair; or
- $r_n = \text{att}(\text{enc}(u_1, u_2), v), \text{att}(u_2, v') \rightarrow \text{bad}$ with v not of the form $\text{enc}(v_0, v')$ for some v_0 .

Moreover, we have destructor-only recipes R_1 (and R_2) allowing us to derive these facts. In the first case, we conclude using the recipe $\text{proj}_1(R_1)$ and checking whether it is a message or not. In the second case, we do the same with $\text{dec}(R_1, R_2)$. \square

APPENDIX C

FROM TRACE EQUIVALENCE TO PLANNING

Lemma 12: Let $r = \text{Pre}, \text{att}(u, v) \rightarrow \text{Add}; \text{Del}$ be an abstract rule. Let σ be a grounding substitution for r such that $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r)$. Let C be a constructor context such that $u\sigma = C[u_1, \dots, u_n]$ and $v\sigma = C[v_1, \dots, v_n]$. There exists $r' \in \text{Flat}(r)$:

$$r' = \text{Pre}', \text{att}(u'_1, v'_1), \dots, \text{att}(u'_n, v'_n) \rightarrow \text{Add}'; \text{Del}'$$

and σ' a grounding substitution for r' such that:

- 1) $\delta_{\mathcal{P}}(x\sigma') \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r')$;
- 2) $(\text{Pre}', \text{Add}', \text{Del}')\sigma' = (\text{Pre}, \text{Add}, \text{Del})\sigma$; and
- 3) $\text{att}(u, v)\sigma = \text{att}(C[u'_1, \dots, u'_n], C[v'_1, \dots, v'_n])\sigma'$.

Proof. We first establish the following claim:

Claim. Let $r = \text{Pre}, \text{att}(u, v) \rightarrow \text{Add}; \text{Del}$ be an abstract rule. Let σ be a grounding substitution for r such that $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r)$. Let $f \in \Sigma_c$ be such that $u\sigma = f(u_1, u_2)$ and $v\sigma = f(v_1, v_2)$ for some terms u_1, u_2, v_1, v_2 . Then u is decomposable, and $r_1 = \text{decompo}(r, \text{att}(u, v))$ is of the following form:

$$r_1 = \text{Pre}_1, \text{att}(u'_1, v'_1), \text{att}(u'_2, v'_2) \rightarrow \text{Add}_1; \text{Del}_1$$

Moreover, there is a grounding substitution σ_1 for r_1 such that:

- 1) $\delta_{\mathcal{P}}(x\sigma_1) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r_1)$;
- 2) $(\text{Pre}_1, \text{Add}_1, \text{Del}_1)\sigma_1 = (\text{Pre}, \text{Add}, \text{Del})\sigma$; and
- 3) $u\sigma = f(u'_1, u'_2)\sigma_1$ and $v\sigma = f(v'_1, v'_2)\sigma_1$.

Proof of the Claim. We have that $u\sigma = f(u_1, u_2)$ and we know that $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r)$. Therefore, we know that u is decomposable. We have that

$$\text{split}(\text{att}(u, v)) = (f, \{\text{att}(x_1, y_1), \text{att}(x_2, y_2)\}, \sigma_{\mathcal{P}}, \sigma_{\mathcal{Q}})$$

with $\delta_{\mathcal{P}}(x_1) = \tau_1$, $\delta_{\mathcal{P}}(x_2) = \tau_2$, $\sigma_{\mathcal{P}} = \text{mgu}(u, f(x_1, x_2))$ is quasi-well-typed, and $\sigma_{\mathcal{Q}} = \text{mgu}(v, f(y_1, y_2))$. Note that

$\sigma_Q \neq \perp$ since $v\sigma = f(v_1, v_2)$. Moreover, when u (resp v) is not a variable, we assume w.l.o.g. that x_1, x_2 (resp. y_1, y_2) do not occur in $img(\sigma_P)$ (resp. $img(\sigma_Q)$). Let $r_1 = decompo(r, att(u, v))$. We have that:

$$r_1 = [Pre, att(x_1, y_1), att(x_2, y_2) \rightarrow Add; Del](\sigma_P \uplus \sigma_Q)$$

Let $\sigma^{\text{left}} = \sigma|_{vars_{\text{left}}(r)}$ and $\sigma^{\text{right}} = \sigma|_{vars_{\text{right}}(r)}$. Note that $vars_{\text{left}}(r) \cap vars_{\text{right}}(r) = \emptyset$, and thus $\sigma = \sigma^{\text{left}} \uplus \sigma^{\text{right}}$.

Now, we make a distinction depending on whether u (resp. v) is a variable or not. In case u is a variable, say z_u , then we have that $\sigma_P = \{z_u \mapsto f(x_1, x_2)\}$, and we let $\sigma_1^{\text{left}} = \sigma^{\text{left}} \uplus \{x_1 \mapsto u_1, x_2 \mapsto u_2\}$. Otherwise, we have that $u = f(a_1, a_2)$, and $\sigma_P = \{x_1 \mapsto a_1, x_2 \mapsto a_2\}$, and we let $\sigma_1^{\text{left}} = \sigma^{\text{left}}$. We proceed similarly for v . It remains to show that r_1 and $\sigma_1 = \sigma_1^{\text{left}} \uplus \sigma_1^{\text{right}}$ as defined above satisfy the requirements. We establish each property separately,

- 1) We have that $\delta_P(x\sigma_1) = \delta_P(x\sigma_1^{\text{left}}) = \delta_P(x\sigma) \preceq \delta_P(x)$ for any $x \in vars_{\text{left}}(r_1) \setminus \{x_1, x_2\}$; and $\delta_P(x_i\sigma_1) = \delta_P(x_i\sigma_1^{\text{left}}) = \delta_P(u_i) = \tau_i \preceq \delta_P(x_i)$ for $i \in \{1, 2\}$. Hence the result.
- 2) In case u is a variable, we have that $(z_u\sigma_P)\sigma_1^{\text{left}} = z_u\sigma$, and similarly for v . Therefore, it is easy to see that

$$(Pre, Add, Del)(\sigma_P \uplus \sigma_Q)\sigma_1 = (Pre, Add, Del)\sigma.$$

- 3) We have that $f(u'_1, u'_2)\sigma_1 = f(x_1\sigma_P, x_2\sigma_P)\sigma_1 = u\sigma$, and similarly for v .

This concludes the proof of the claim.

Now we prove the main result by induction on C . The base case, i.e. C is empty, is obvious. We simply choose $r' = r$. Assume now that $C = f(C_1, C_2)$. From our claim, we get $r_1 = decompo(r, att(u, v))$ of the following form

$$r_1 = Pre_1, att(u'_1, v'_1), att(u'_2, v'_2) \rightarrow Add_1; Del_1$$

and a substitution σ_1 grounding for r_1 such that:

- 1) $\delta_P(x\sigma_1) \preceq \delta_P(x)$ for any $x \in vars_{\text{left}}(r_1)$;
- 2) $(Pre_1, Add_1, Del_1)\sigma_1 = (Pre, Add, Del)\sigma$; and
- 3) $u\sigma = f(u'_1, u'_2)\sigma_1$ and $v\sigma = f(v'_1, v'_2)\sigma_1$.

In particular we have that $C_i[u_1, \dots, u_n] = u'_i\sigma_1$ and $C_i[v_1, \dots, v_n] = v'_i\sigma_1$ for each $i \in \{1, 2\}$.

Now we write

$$r_1 = Pre'_1, att(u'_2, v'_2) \rightarrow Add_1; Del_1$$

and we apply our induction hypothesis with context C_2 and substitution σ_1 . We get a rule $r_2 \in Flat(r_1)$ such that

$$r_2 = Pre_2, att(u_1^2, v_1^2), \dots, att(u_n^2, v_n^2) \rightarrow Add_2; Del_2$$

and a substitution σ_2 grounding for r_2 such that:

- 1) $\delta_P(x\sigma_2) \preceq \delta_P(x)$ for any $x \in vars_{\text{left}}(r_2)$;
- 2) $(Pre_2, Add_2, Del_2)\sigma_2 = (Pre'_1, Add_1, Del_1)\sigma_1$;
- 3) $u'_2\sigma_1 = C_2[u_1^2, \dots, u_n^2]\sigma_2$, and similarly $v'_2\sigma_1 = C_2[v_1^2, \dots, v_n^2]\sigma_2$.

We can write:

$$r_2 = Pre'_2, att(u''_1, v''_1) \rightarrow Add_2; Del_2$$

where $u''_1\sigma_2 = u'_1\sigma_1$ and $v''_1\sigma_2 = v'_1\sigma_1$ and we apply our induction hypothesis with context C_1 and substitution σ_2 . We get a rule $r_3 \in Flat(r_2)$ such that

$$r_3 = Pre_3, att(u_1^3, v_1^3), \dots, att(u_n^3, v_n^3) \rightarrow Add_3; Del_3$$

and a substitution σ_3 grounding for r_3 such that:

- 1) $\delta_P(x\sigma_3) \preceq \delta_P(x)$ for any $x \in vars_{\text{left}}(r_3)$;
- 2) $(Pre_3, Add_3, Del_3)\sigma_3 = (Pre'_2, Add_2, Del_2)\sigma_2$,
- 3) $u_1^3\sigma_3 = C_1[u_1^3, \dots, u_n^3]\sigma_3$, and similarly $v_1^3\sigma_3 = C_1[v_1^3, \dots, v_n^3]\sigma_3$.

We have that $r_3 \in Flat(r)$ and it remains to check that r_3 and σ_3 as defined above satisfy our three conditions. First, we have seen that $\delta_P(x\sigma_3) \preceq \delta_P(x)$ for any $x \in vars_{\text{left}}(r_3)$. Second, we have that

$$\begin{aligned} (Add_3, Del_3)\sigma_3 &= (Add_2, Del_2)\sigma_2 \\ &= (Add_1, Del_1)\sigma_1 \\ &= (Add, Del)\sigma \end{aligned}$$

As $Pre_3\sigma_3 = Pre'_2\sigma_2$, we have

$$Pre_3 = Pre'_3, att(u_1^4, v_1^4), \dots, att(u_n^4, v_n^4)$$

for some Pre'_3 where $u_i^4\sigma_3 = u_i^2\sigma_2$ and $v_i^4\sigma_3 = v_i^2\sigma_2$ for each $i \in \{1, \dots, n\}$. Hence, we have that:

$$\begin{aligned} &Pre'_3\sigma_3, att(u_1^4, v_1^4)\sigma_3, \dots, att(u_n^4, v_n^4)\sigma_3, att(u''_1, v''_1)\sigma_2 \\ &= Pre_3\sigma_3, att(u''_1, v''_1)\sigma_2 \\ &= Pre'_2\sigma_2, att(u''_1, v''_1)\sigma_2 \\ &= Pre_2\sigma_2, att(u_1^2, v_1^2)\sigma_2, \dots, att(u_n^2, v_n^2)\sigma_2 \\ &= Pre'_1\sigma_1, att(u_1^2, v_1^2)\sigma_2, \dots, att(u_n^2, v_n^2)\sigma_2 \\ &= Pre_1\sigma_1, att(u'_1, v'_1)\sigma_1, att(u_1^2, v_1^2)\sigma_2, \dots, att(u_n^2, v_n^2)\sigma_2 \\ &= Pre\sigma, att(u'_1, v'_1)\sigma_1, att(u_1^2, v_1^2)\sigma_2, \dots, att(u_n^2, v_n^2)\sigma_2 \end{aligned}$$

Hence, we have that $Pre'_3\sigma_3 = Pre\sigma$. Lastly, we have that:

$$\begin{aligned} &u\sigma \\ &= f(u'_1, u'_2)\sigma_1 \\ &= f(u''_1\sigma_2, C_2[u_1^2, \dots, u_n^2]\sigma_2) \\ &= f(C_1[u_1^3, \dots, u_n^3], C_2[u_1^4, \dots, u_n^4])\sigma_3. \end{aligned}$$

We can establish in a similar way that $v\sigma = f(C_1[v_1^3, \dots, v_n^3], C_2[v_1^4, \dots, v_n^4])\sigma_3$, and this concludes the proof. \square

For the next lemmas, we need to be more specific on how the fact bad has appeared. Therefore, from now on, we consider three facts instead: bad-proto, bad-flat, and bad-concrete. Moreover, we assume that in protocol rules, bad is replaced by bad-proto, in flattening rules, bad is replaced by bad-flat, and in concretization rules bad is replaced by bad-concrete. When the precise origin of the failure does not matter, we simply write bad (meaning one of the three cases above).

Lemma 13: Let r be an abstract protocol rule. Let $r' \in \text{Flat}(r)$ written as

$$r' = \text{state}, \text{att}(u_1, v_1), \dots, \text{att}(u_n, v_n) \rightarrow \text{Add}; \text{Del}$$

where state is a state fluent.

- Either we have $\text{bad-flat} \notin \text{Add}$, and then there exists a constructor context C and a substitution τ such that

$$r\tau = \text{state}, \text{att}(u, v) \rightarrow \text{Add}; \text{Del}.$$

where $u = C[u_1, \dots, u_n]$ and $v = C[v_1, \dots, v_n]$.

- Or $\text{Add} = \text{bad-flat}$, $\text{Del} = \emptyset$ and there exists a constructor context C , a substitution τ and a term v and two sets Add_0 and Del_0 such that $r\tau = \text{state}, \text{att}(C[u_1, \dots, u_n], v) \rightarrow \text{Add}_0; \text{Del}_0$ but v does not unify with C .

Proof. As $r' \in \text{Flat}(r)$, there exists a sequence r_0, \dots, r_n of rules, and a sequence f_0, \dots, f_{n-1} of facts, such that $r_0 = r$, $r_n = r'$ and for each $0 \leq i \leq n-1$, we have that $r_{i+1} = \text{decompo}(r_i, f_i)$. We establish the result by induction on n . The base case, i.e. $n = 0$, is trivial.

Assume that we have the result for n . Let

$$r_n = \text{state}_n, \text{att}(u_1, v_1), \dots, \text{att}(u_m, v_m) \rightarrow \text{Add}_n; \text{Del}_n.$$

and $r_{n+1} = \text{decompo}(r_n, f_n) = \text{Pre}_{n+1} \rightarrow \text{Add}_{n+1}; \text{Del}_{n+1}$. Without loss of generality, we can assume that $f_n = \text{att}(u_m, v_m)$.

First case. $\text{bad-flat} \notin \text{Add}_{n+1}$. Then, as $r_{n+1} = \text{decompo}(r_n, f_n)$, $\text{bad-flat} \notin \text{Add}_n$. By induction hypothesis, there exist C and τ_n such that:

$$r\tau_n = \text{state}_n, \text{att}(u_0, v_0) \rightarrow \text{Add}_n; \text{Del}_n$$

where $u_0 = C_n[u_1, \dots, u_m]$ and $v_0 = C_n[v_1, \dots, v_m]$.

We have $\text{split}(f_n) = (f, S, \sigma_{\mathcal{P}}, \sigma_{\mathcal{Q}})$ with $S = \{\text{att}(x_1, y_1), \text{att}(x_2, y_2)\}$, $\sigma_{\mathcal{P}} = \text{mgu}(u_m, f(x_1, x_2))$, and $\sigma_{\mathcal{Q}} = \text{mgu}(v_m, f(y_1, y_2))$. Moreover, since $\text{bad-flat} \notin \text{Add}_{n+1}$, we have that $\sigma_{\mathcal{Q}} \neq \perp$. We get the following rule r_{n+1} :

$$\begin{aligned} &(\text{state}_n, \text{att}(u_1, v_1), \dots, \text{att}(u_{m-1}, v_{m-1}), \\ &\quad \text{att}(x_1, y_1), \text{att}(x_2, y_2) \rightarrow \text{Add}_n; \text{Del}_n)(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}) \end{aligned}$$

Let $\tau = \tau_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}})$ and $C = C_n[_, \dots, f(_, _)]$. We have that

$$\begin{aligned} &r\tau_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}) \\ &= \text{state}_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}), \text{att}(u_0\sigma_{\mathcal{P}}, v_0\sigma_{\mathcal{Q}}) \rightarrow \text{Add}_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}); \\ &\quad \text{Del}_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}). \end{aligned}$$

It only remains to establish that $u_0\sigma_{\mathcal{P}} = C[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, x_1\sigma_{\mathcal{P}}, x_2\sigma_{\mathcal{P}}]$ (and similarly for v_0). We have that:

$$\begin{aligned} &u_0\sigma_{\mathcal{P}} \\ &= C_n[u_1, \dots, u_m]\sigma_{\mathcal{P}} \\ &= C_n[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, f(x_1, x_2)\sigma_{\mathcal{P}}] \\ &= C[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, x_1\sigma_{\mathcal{P}}, x_2\sigma_{\mathcal{P}}] \end{aligned}$$

Hence, this case is proved.

Second case. $\text{bad-flat} \in \text{Add}_{n+1}$ but $\text{bad-flat} \notin \text{Add}_n$. By induction hypothesis, there exist C and τ_n such that:

$$r\tau_n = \text{state}_n, \text{att}(u_0, v_0) \rightarrow \text{Add}_n; \text{Del}_n$$

where $u_0 = C_n[u_1, \dots, u_m]$ and $v_0 = C_n[v_1, \dots, v_m]$.

We have $\text{split}(f_n) = (f, S, \sigma_{\mathcal{P}}, \perp)$ with $S = \{\text{att}(x_1, y_1), \text{att}(x_2, y_2)\}$, $\sigma_{\mathcal{P}} = \text{mgu}(u_m, f(x_1, x_2))$. We get the following rule r_{n+1} :

$$\begin{aligned} &(\text{state}_n, \text{att}(u_1, v_1), \dots, \text{att}(u_{m-1}, v_{m-1}), \\ &\quad \text{att}(x_1, y_1), \text{att}(x_2, y_2) \rightarrow \text{bad-flat})\sigma_{\mathcal{P}} \end{aligned}$$

Let $\tau = \tau_n.\sigma_{\mathcal{P}}$ and $C = C_n[_, \dots, f(_, _)]$.

We have that

$$\begin{aligned} &r\tau_n\sigma_{\mathcal{P}} \\ &= \text{state}_n\sigma_{\mathcal{P}}, \text{att}(u_0\sigma_{\mathcal{P}}, v_0) \rightarrow \text{Add}_n\sigma_{\mathcal{P}}; \\ &\quad \text{Del}_n\sigma_{\mathcal{P}} \end{aligned}$$

It only remains to establish that $u_0\sigma_{\mathcal{P}} = C[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, x_1\sigma_{\mathcal{P}}, x_2\sigma_{\mathcal{P}}]$ but v_0 does not unify with C . We have that:

$$\begin{aligned} &u_0\sigma_{\mathcal{P}} \\ &= C_n[u_1, \dots, u_m]\sigma_{\mathcal{P}} \\ &= C_n[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, f(x_1, x_2)\sigma_{\mathcal{P}}] \\ &= C[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, x_1\sigma_{\mathcal{P}}, x_2\sigma_{\mathcal{P}}] \end{aligned}$$

and $v_0 = C_n[v_1, \dots, v_m]$, so if it unifies with C then v_m unifies with $f(_, _)$ so with $f(y_1, y_2)$ as y_1, y_2 are variables. But it is impossible as $\sigma_{\mathcal{Q}} = \perp$. So v_0 does not unify with C , which concludes the proof of this second case.

Third case. $\text{bad-flat} \in \text{Add}_{n+1}$ and $\text{bad-flat} \in \text{Add}_n$. By induction hypothesis, there exist C and τ_n such that:

$$r\tau_n = \text{state}_n, \text{att}(u_0, v_0) \rightarrow \text{Add}_0; \text{Del}_0$$

where $u_0 = C_n[u_1, \dots, u_m]$ and v_0 does not unify with C_n .

We have $\text{split}(f_n) = (f, S, \sigma_{\mathcal{P}}, \sigma_{\mathcal{Q}})$ with $S = \{\text{att}(x_1, y_1), \text{att}(x_2, y_2)\}$, $\sigma_{\mathcal{P}} = \text{mgu}(u_m, f(x_1, x_2))$ and $\sigma_{\mathcal{Q}} = \text{mgu}(v_m, f(y_1, y_2))$.

Subcase 3.1. $\sigma_{\mathcal{Q}} \neq \perp$. We get the following rule r_{n+1} :

$$\begin{aligned} &(\text{state}_n, \text{att}(u_1, v_1), \dots, \text{att}(u_{m-1}, v_{m-1}), \\ &\quad \text{att}(x_1, y_1), \text{att}(x_2, y_2) \rightarrow \text{bad-flat})(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}) \end{aligned}$$

Let $\tau = \tau_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}})$ and $C = C_n[_, \dots, f(_, _)]$. We have that

$$\begin{aligned} &r\tau_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}) \\ &= \text{state}_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}), \text{att}(u_0\sigma_{\mathcal{P}}, v_0\sigma_{\mathcal{Q}}) \rightarrow \text{Add}_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}); \\ &\quad \text{Del}_n(\sigma_{\mathcal{P}} \uplus \sigma_{\mathcal{Q}}). \end{aligned}$$

It only remains to establish that $u_0\sigma_{\mathcal{P}} = C[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, x_1\sigma_{\mathcal{P}}, x_2\sigma_{\mathcal{P}}]$ but $v_0\sigma_{\mathcal{Q}}$ does not unify with C . We have that:

$$\begin{aligned} &u_0\sigma_{\mathcal{P}} \\ &= C_n[u_1, \dots, u_m]\sigma_{\mathcal{P}} \\ &= C_n[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, f(x_1, x_2)\sigma_{\mathcal{P}}] \\ &= C[u_1\sigma_{\mathcal{P}}, \dots, u_{m-1}\sigma_{\mathcal{P}}, x_1\sigma_{\mathcal{P}}, x_2\sigma_{\mathcal{P}}] \end{aligned}$$

and $v_0\sigma_Q$ does not unify with C_n , so it does not unify with C , which concludes the proof of this subcase.

Subcase 3.2. $\sigma_Q = \perp$. We get the following rule r_{n+1} :

$$\begin{aligned} &(\text{state}_n, \text{att}(u_1, v_1), \dots, \text{att}(u_{m-1}, v_{m-1}), \\ &\quad \text{att}(x_1, y_1), \text{att}(x_2, y_2) \rightarrow \text{bad-flat})\sigma_P \end{aligned}$$

Let $\tau = \tau_n\sigma_P$ and $C = C_n[_, \dots, f(_, _)]$. We have that

$$\begin{aligned} &r\tau_n\sigma_P \\ &= \text{state}_n\sigma_P, \text{att}(u_0\sigma_P, v_0) \rightarrow \text{Add}_n\sigma_P; \\ &\quad \text{Del}_n\sigma_P. \end{aligned}$$

It only remains to establish that $u_0\sigma_P = C[u_1\sigma_P, \dots, u_{m-1}\sigma_P, x_1\sigma_P, x_2\sigma_P]$ but v_0 does not unify with C . We have that:

$$\begin{aligned} &u_0\sigma_P \\ &= C_n[u_1, \dots, u_m]\sigma_P \\ &= C_n[u_1\sigma_P, \dots, u_{m-1}\sigma_P, f(x_1, x_2)\sigma_P] \\ &= C[u_1\sigma_P, \dots, u_{m-1}\sigma_P, x_1\sigma_P, x_2\sigma_P] \end{aligned}$$

and v_0 does not unify with C_n , so it does not unify with C , which concludes the proof of this subcase, and hence of the lemma. \square

Lemma 14: Let r be an abstract rule, $r = \text{Pre}, \text{att}(u, v) \rightarrow \text{Add}; \text{Del}$. Let σ be a substitution grounding for $\text{vars}_{\text{left}}(r)$ such that $\delta_P(x\sigma) \preceq \delta_P(x)$ for any $x \in \text{vars}_{\text{left}}(r)$, and f a constructor function symbol such that $u\sigma = f(u_1, u_2)$. Assume that $\text{Add} = \text{bad}$ or v does not unify with $f(_, _)$.

Then u is decomposable. Let r' defined by

$$\begin{aligned} &r' = \text{decompo}(r, \text{att}(u, v)) \\ &= \text{Pre}', \text{att}(u'_1, v'_1), \text{att}(u'_2, v'_2) \rightarrow \text{bad} \end{aligned}$$

If $\text{Add} \neq \text{bad}$ then there is a substitution σ' grounding for $\text{vars}_{\text{left}}(r)$ such that $\delta_P(x\sigma') \preceq \delta_P(x)$ for any $x \in \text{vars}_{\text{left}}(r')$, $\text{Pre}'\sigma' = \text{Pre}\sigma$, $f(u'_1, u'_2)\sigma' = u\sigma$ and v'_1, v'_2 are distinct variables that do not occur elsewhere in r' .

If $\text{Add} = \text{bad}$ and $\text{Del} = \emptyset$, the result still holds except that nothing is required on v'_1 and v'_2 if v unifies with $f(_, _)$.

Proof. $u\sigma = f(u_1, u_2)$ so either u is not atomic or u is a variable and $\delta_P(u\sigma) \preceq \delta_P(u) = f(\delta_P(u_1), \delta_P(u_2))$. So in both cases u is decomposable.

We first consider the case where $\text{Add} \neq \text{bad}$.

As v does not unify with $f(v_1, v_2)$ for any v_1, v_2 ,

$$\text{split}(\text{att}(u, v)) = (f, \{\text{att}(x_1, y_1), \text{att}(x_2, y_2)\}, \sigma_P, \perp)$$

where $\sigma_P = \text{mgu}(u, f(x_1, x_2))$ and $\delta_P(x_i) = \delta_P(u_i)$.

First case. u is a variable. We have $\sigma_P = \{u \mapsto f(x_1, x_2)\}$. Let r' defined by

$$\begin{aligned} &r' = \text{decompo}(r, \text{att}(u, v)) \\ &= \text{Pre}\sigma_P, \text{att}(x_1\sigma_P, y_1), \text{att}(x_2\sigma_P, y_2) \rightarrow \text{bad} \end{aligned}$$

and σ' defined by $\sigma' = \{x_1 \mapsto u_1; x_2 \mapsto u_2\} \cup \sigma$

As $x_1, x_2 \notin \text{dom}(\sigma)$, σ' is well-defined. We have $\delta_P(x\sigma') \preceq \delta_P(x)$ for any $x \in \text{vars}_{\text{left}}(\sigma')$. Moreover, $\text{Pre}'\sigma' = \text{Pre}\sigma_P\sigma' = \text{Pre}\sigma$ as σ' coincide with σ on $\text{dom}(\sigma)$ and $u\sigma_P\sigma' = u\sigma$. Finally, y_1, y_2 are variables that do not occur elsewhere in r' . So it concludes the proof for this case.

Second case. $u = f(a_1, a_2)$ for some a_i with $a_i\sigma = u_i$ for each $i \in \{1, 2\}$. We have $\sigma_P = \{x_1 \mapsto a_1; x_2 \mapsto a_2\}$. Let r' defined by

$$\begin{aligned} &r' = \text{decompo}(r, \text{att}(u, v)) \\ &= \text{Pre}\sigma_P, \text{att}(x_1\sigma_P, y_1), \text{att}(x_2\sigma_P, y_2) \rightarrow \text{bad} \end{aligned}$$

and σ' defined by $\sigma' = \sigma$.

We have $\delta_P(x\sigma') \preceq \delta_P(x)$ for any $x \in \text{vars}_{\text{left}}(\sigma')$. Moreover, $\text{Pre}'\sigma' = \text{Pre}\sigma_P\sigma' = \text{Pre}\sigma$ as $\text{Pre}\sigma_P = \text{Pre}$ because $\text{dom}(\sigma_P) \cap \text{vars}(\text{Pre}) = \emptyset$. Finally, y_1, y_2 are variables that do not occur elsewhere in r' . So it concludes the proof of the main result.

We now consider the case where $\text{Add} = \text{bad}$.

Now, if v does unify with $f(_, _)$, then, the hypotheses of Lemma 12 are satisfied, so we get its conclusion, which implies the desired result. \square

For the next lemmas, we need to define the relation $=^{\text{left}}$ on facts as $f_1 =^{\text{left}} f_2$ iff $f_1 = \text{att}(u, v)$, $f_2 = \text{att}(u', v')$ with $u = u'$, or $f_1 = \text{state}_{P,Q}^c(\sigma_P, \sigma_Q)$, $f_2 = \text{state}_{P',Q'}^{c'}(\sigma'_P, \sigma'_Q)$ with $c = c'$, $P = P'$ and $\sigma_P = \sigma'_P$. We extend this definition to Pre .

Lemma 15: Let $r = \text{Pre}, \text{att}(u_1, v_1), \dots, \text{att}(u_n, v_n) \rightarrow \text{bad}$. Let σ be a substitution grounding for $\text{vars}_{\text{left}}(r)$ and such that $\delta_P(x\sigma) \preceq \delta_P(x)$ for each $x \in \text{vars}_{\text{left}}(r)$.

Let C_1, \dots, C_n be constructor contexts. We assume that $u_i\sigma = C_i[u_1^i, \dots, u_{k_i}^i]$. Then there exists $r' \in \text{Flat}(r)$ such that $r' = \text{Pre}', \text{att}(s_1^1, t_1^1), \dots, \text{att}(s_{k_n}^n, t_{k_n}^n) \rightarrow \text{bad}$ and σ' such that $u_i^j = s_i^j\sigma'$ and $\text{Pre}'\sigma' =^{\text{left}} \text{Pre}\sigma$ and the t_i^j are any terms.

Proof. We first prove the following claim:

Claim. Let $r = \text{Pre}, \text{att}(u, v) \rightarrow \text{bad}$. Let σ be a substitution grounding for $\text{vars}_{\text{left}}(r)$ and such that $\delta_P(x\sigma) \preceq \delta_P(x)$ for each $x \in \text{vars}_{\text{left}}(r)$.

Let C be a constructor context. We assume that $u\sigma = C[u_1, \dots, u_n]$. Then there exists $r' \in \text{Flat}(r)$ such that $r' = \text{Pre}', \text{att}(u'_1, v_1), \dots, \text{att}(u'_n, v_n) \rightarrow \text{bad}$ and σ' such that $u_i = u'_i\sigma'$ and $\text{Pre}'\sigma' =^{\text{left}} \text{Pre}\sigma$.

Proof of the claim. We proceed by induction on C . The base case is obvious. We assume $C = f(C_1, C_2)$. By Lemma 14, we have that u is decomposable, and $r_1 = \text{decompo}(r, \text{att}(u, v)) = \text{Pre}_1, \text{att}(u'_1, v_1), \text{att}(u'_2, v_2) \rightarrow \text{bad}$. There exists a σ_1 such that σ_1 is grounding for $\text{vars}_{\text{left}}(r_1)$ and $\text{Pre}_1\sigma_1 = \text{Pre}\sigma$, $f(u'_1, u'_2)\sigma_1 = u\sigma$.

Recall that $u\sigma = C[u_1, \dots, u_n] = f(C_1[u_1, \dots, u_m], C_2[u_{m+1}, \dots, u_n])$. By induction hypothesis on C_1 with $r_1 = \text{Pre}'_1, \text{att}(u'_1, v_1) \rightarrow \text{bad}$, we get that there exists $r_2 \in \text{Flat}(r_1) \subset \text{Flat}(r)$ such that

$r_2 = Pre_2, \text{att}(u_1^2, v_1'), \dots, \text{att}(u_m^2, v_m') \rightarrow \text{bad}$ and a σ_2 such that $u_i^2 \sigma_2 = u_i$ for $i \leq m$, and $Pre_2 \sigma_2 =^{\text{left}} Pre_1' \sigma_1$.

By induction hypothesis on C_2 with $r_2 = Pre_2', \text{att}(u_2', v_2) \rightarrow \text{bad}$, we get that there exists $r_3 \in \text{Flat}(r_2) \subset \text{Flat}(r)$ such that $r_3 = Pre_3, \text{att}(u_{m+1}^3, v_{m+1}'), \dots, \text{att}(u_n^3, v_n') \rightarrow \text{bad}$ and a σ_3 such that $u_i^3 \sigma_3 = u_i$ for $i > m$, and $Pre_3 \sigma_3 =^{\text{left}} Pre_2' \sigma_2$.

So we have that $Pre_3 =^{\text{left}} Pre_3', \text{att}(u_1^3, v_1''), \dots, \text{att}(u_m^3, v_m'')$ for some Pre_3' where $u_i^3 \sigma_3 = u_i^2 \sigma_2$ for each $i \leq m$. Hence we have that

$$\begin{aligned} & Pre_3' \sigma_3, \text{att}(u_1^3, v_1'') \sigma_3, \dots, \text{att}(u_m^4, v_m'') \sigma_3, \text{att}(u_2', v_2) \sigma_2 \\ &= Pre_3 \sigma_3, \text{att}(u_2', v_2) \sigma_2 \\ &=^{\text{left}} Pre_2' \sigma_2, \text{att}(u_2', v_2) \sigma_2 \\ &=^{\text{left}} Pre_2 \sigma_2, \text{att}(u_1^2, v_1') \sigma_2, \dots, \text{att}(u_m^2, v_m') \sigma_2 \\ &=^{\text{left}} Pre_1' \sigma_1, \text{att}(u_1^2, v_1') \sigma_2, \dots, \text{att}(u_m^2, v_m') \sigma_2 \\ &=^{\text{left}} Pre_1 \sigma_1, \text{att}(u_2^1, v_2) \sigma_1, \text{att}(u_1^2, v_1') \sigma_2, \dots, \text{att}(u_m^2, v_m') \sigma_2 \\ &=^{\text{left}} Pre \sigma, \text{att}(u_2^1, v_2) \sigma_1, \text{att}(u_1^2, v_1') \sigma_2, \dots, \text{att}(u_m^2, v_m') \sigma_2 \end{aligned}$$

We deduce that $Pre \sigma =^{\text{left}} Pre_3' \sigma_3$ and $u_i = u_i^3 \sigma_3$ for each i . It concludes the proof of the claim.

Now we want to prove the main result. We proceed by induction on the number n of contexts. The base case ($n = 1$) is our claim. Consider the inductive case.

We have $r = Pre, \text{att}(u_1, v_1), \dots, \text{att}(u_{n+1}, v_{n+1}) \rightarrow \text{bad}$. We define $Pre' = Pre, \text{att}(u_{n+1}, v_{n+1})$. We apply our induction hypothesis on $r = Pre', \text{att}(u_1, v_1), \dots, \text{att}(u_n, v_n) \rightarrow \text{bad}$ and we get a $r_1 \in \text{Flat}(r)$ such that $r_1 = Pre_1, \text{att}(s_1^1, t_1^1), \dots, \text{att}(s_{k_n}^n, t_{k_n}^n) \rightarrow \text{bad}$ and σ_1 such that $u_i^j = s_i^j \sigma_1$ and $Pre_1 \sigma_1 =^{\text{left}} Pre' \sigma$.

We can apply our claim on $r_1 = Pre_1', \text{att}(u_{n+1}', v_{n+1}') \rightarrow \text{bad}$ for some adequate Pre_1' , where $u_{n+1}' \sigma_1 = u_{n+1} \sigma$ and $v_{n+1}' \sigma_1 = v_{n+1} \sigma$. We get a rule $r_2 = Pre_2, \text{att}(\alpha_1, \beta_1), \dots, \text{att}(\alpha_{k_{n+1}}, \beta_{k_{n+1}}) \rightarrow \text{bad}$ and σ_2 such that $Pre_2 \sigma_2 =^{\text{left}} Pre_1' \sigma_1$ and $C_{n+1}[\alpha_1, \dots, \alpha_{k_{n+1}}] \sigma_2 = u_{n+1}' \sigma_1$. So $Pre_2 = Pre_2', \text{att}(\gamma_1^1, \delta_1^1), \dots, \text{att}(\gamma_{k_n}^n, \delta_{k_n}^n)$ where $\gamma_i^j \sigma_2 = s_i^j \sigma_1$ for any i, j . So $Pre_2' \sigma_2 =^{\text{left}} Pre_1 \sigma_1 \setminus \{\text{att}(u_{n+1} \sigma_1, v_{n+1} \sigma_1)\} =^{\text{left}} Pre \sigma$. \square

Lemma 16: Let $r = Pre, \text{att}(u, v) \rightarrow Add; Del$ be a rule, σ be a grounding substitution for $\text{vars}_{\text{left}}(r)$ such that $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r)$, and C a linear context built on Σ_c only. Assume $u\sigma = C[u_1, \dots, u_n]$ and v and C are not unifiable.

Then there exists $r' \in \text{Flat}(r)$ such that $r' = Pre', \text{att}(u_1', v_1), \dots, \text{att}(u_n', v_n) \rightarrow \text{bad}$ and σ' such that $u_i = u_i' \sigma'$ and $Pre' \sigma' =^{\text{left}} Pre \sigma$.

Proof. Let $r = Pre, \text{att}(u, v) \rightarrow Add; Del$ be a rule, σ be a grounding substitution for $\text{vars}_{\text{left}}(r)$ such that $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r)$, and C a linear context built on Σ_c only.

Assume $u\sigma = C[u_1, \dots, u_n]$ whereas v and C are not unifiable. Take C' a maximal prefix of C such that v and C'

are unifiable. We can define σ' such that $\sigma' = \sigma$ on $\text{vars}_{\text{left}}(r)$ and σ' unifies v with C' : $v\sigma' = C'[v_1, \dots, v_n]$.

By Lemma 12, there exists $r_1 \in \text{Flat}(r)$ in the form:

$$r_1 = Pre_1, \text{att}(u_1', v_1'), \dots, \text{att}(u_n', v_n') \rightarrow Add_1; Del_1$$

and σ_1 a grounding substitution such that:

- 1) $\delta_{\mathcal{P}}(x\sigma_1) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r_1)$;
- 2) $(Pre_1, Add_1, Del_1)\sigma_1 = (Pre, Add, Del)\sigma'$; and
- 3) $\text{att}(u, v)\sigma' = \text{att}(C'[u_1', \dots, u_n'], C'[v_1', \dots, v_n'])\sigma_1$.

Now, we have $C = C'[C_1, \dots, C_n]$. But v and C where not unifiable, and by maximality of C' , we assume without loss of generality that v_1' and C_1 are not unifiable.

As C_1 is a context built on Σ_c only, C_1 is not a leaf (otherwise v_1' would be unifiable with C_1). So $C_1 = f(C_1', C_2')$. By maximality of C' , v_1' is not even unifiable with $f(_, _)$. u_1' is unifiable with C_1 as $u\sigma = C[u_1, \dots, u_n]$.

We can apply Lemma 14 on rule $r_1 = Pre_1', \text{att}(u_1', v_1') \rightarrow Add_1; Del_1$, u_1' is decomposable and the following rule is well-defined:

$$\begin{aligned} r_2 &= \text{decompo}(r_1, \text{att}(u_1', v_1')) \\ &= Pre_2, \text{att}(u_1'', v_1''), \text{att}(u_2'', v_2'') \rightarrow \text{bad} \end{aligned}$$

Moreover, there is a substitution σ_2 such that $\delta_{\mathcal{P}}(x\sigma_2) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r_2)$, $Pre_2 \sigma_2 = Pre_1' \sigma_1$, $f(u_1', u_2')\sigma' = u_1' \sigma$ and v_1', v_2' are distinct variables that do not occur elsewhere in r_2 .

Now we write $r_2 = Pre_2', \text{att}(u_1'', v_1''), \text{att}(u_2'', v_2''), \text{att}(\alpha_2, \beta_2), \dots, \text{att}(\alpha_n, \beta_n) \rightarrow \text{bad}$, where $\alpha_i \sigma_2 = u_i' \sigma_1$ and $\beta_i \sigma_2 = v_i' \sigma_1$ for each $i \geq 2$. We can apply Lemma 15 with contexts $C_1'', C_2'', C_2, \dots, C_n$. We get a rule

$$\begin{aligned} r_3 &= \\ & Pre_3, \text{att}(\gamma_1^1, \delta_1^1), \dots, \text{att}(\gamma_{k_1}^1, \delta_{k_1}^1) \\ & \text{att}(\gamma_1^2, \delta_1^2), \dots, \text{att}(\gamma_{k_2}^2, \delta_{k_2}^2) \\ & \text{att}(\eta_1^2, \theta_1^2), \dots, \text{att}(\eta_{j_2}^2, \theta_{j_2}^2) \\ & \dots \\ & \text{att}(\eta_1^n, \theta_1^n), \dots, \text{att}(\eta_{j_n}^n, \theta_{j_n}^n) \\ & \rightarrow \text{bad} \end{aligned}$$

and a substitution σ_3 where $Pre_3 \sigma_3 =^{\text{left}} Pre_2' \sigma_2$ and $u_i'' \sigma_2 = C_i''[\gamma_1^i, \dots, \gamma_{k_i}^i] \sigma_3$ for each $i \in \{1; 2\}$, $\alpha_i \sigma_2 = C_i[\eta_1^i, \dots, \eta_{j_i}^i] \sigma_3$ for each $i \geq 2$ and the δ_j^i, θ_j^i are any terms.

We have:

$$\begin{aligned} u\sigma &= C'[u_1', \dots, u_n'] \sigma_1 \\ &= C'[f(u_1'', u_2''), u_2', \dots, u_n'] \sigma_2 \\ &= C'[f(C_1''[(\gamma_1^1)_{1 \leq i \leq k_1}], C_2''[(\gamma_2^2)_{1 \leq i \leq k_2}], \\ & \quad C_2[(\eta_2^2)_{1 \leq i \leq j_2}], \dots, C_n[(\eta_n^n)_{1 \leq i \leq k_n}]) \sigma_3 \\ &= C[(\gamma_1^1)_{1 \leq i \leq k_1}, (\gamma_2^2)_{1 \leq i \leq k_2}, (\eta_2^2)_{1 \leq i \leq j_2}, \dots, (\eta_n^n)_{1 \leq i \leq k_n}] \sigma_3 \end{aligned}$$

Moreover, as $u_i' \sigma_1 = \alpha_i \sigma_2$ for each $i \geq 2$, we have:

$$\begin{aligned} Pre_2 \sigma_2 &=^{\text{left}} Pre_1 \sigma_1, \text{att}(u_2', v_2') \sigma_1, \dots, \text{att}(u_n', v_n') \sigma_1 \\ &=^{\text{left}} Pre_2' \sigma_2, \text{att}(\alpha_2, \beta_2) \sigma_2, \dots, \text{att}(\alpha_n, \beta_n) \sigma_2 \end{aligned}$$

so $Pre_1\sigma_1 =^{\text{left}} Pre'_2\sigma_2 =^{\text{left}} Pre_3\sigma_3$. As $Pre_1\sigma_1 = Pre\sigma$ we get $Pre\sigma =^{\text{left}} Pre_3\sigma_3$. It concludes the proof. \square

Lemma 2: Let \mathcal{P} be a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$, and \mathcal{Q} be another protocol. Let Θ be the following planning system:

$$\langle \mathcal{F}act_0, \mathcal{F}act(\mathcal{P}, \mathcal{Q}), \mathcal{R} \rangle$$

where $\mathcal{R} = \text{Concrete}^+(\text{Rule}_{\mathcal{A}} \cup \text{Flat}(\text{Rule}(\mathcal{P}, \mathcal{Q})))$.

Let $(\text{tr}, \phi) \in \text{trace}_{\Sigma}(\mathcal{P})$ for some ϕ and such that:

- tr only contains simple recipes;
- (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$;
- $(\text{tr}, \psi) \in \text{trace}_{\Sigma}(\mathcal{Q})$ for some ψ .

Then, there exist a planning path r_1, \dots, r_n of some length n from $\text{Fact}(\mathcal{P}, \mathcal{Q})$ to some S_n such that $\text{Fact}(K'_P, K'_Q) \uparrow S_n$ where K'_P (resp. K'_Q) is the resulting configuration starting from \mathcal{P} (resp. \mathcal{Q}) and executing tr .

Conversely, let r_1, \dots, r_n be a planning path from $\text{Fact}(\mathcal{P}, \mathcal{Q})$ to S_n such that $\text{bad} \notin S_n$. Then, there exist a trace tr , and frames ϕ and ψ such that:

- tr only contains simple recipes;
- (tr, ϕ) is well-typed w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$;
- $(\text{tr}, \psi) \in \text{trace}_{\Sigma}(\mathcal{Q})$ for some ψ ; and
- $\text{Fact}(K'_P, K'_Q) \uparrow S_n$ where K'_P (resp. K'_Q) is the resulting configuration starting from \mathcal{P} (resp. \mathcal{Q}) and executing tr .

Proof. (\Rightarrow) We show this result by induction on the length of tr .

Base case. The trace is empty, and the empty planning path can be used to establish the result.

Inductive case. $\text{tr} = \text{tr}' \cdot \alpha$ with $\alpha = \text{out}(c, w)$ or $\alpha = \text{in}(c, R)$. We apply our induction hypothesis on tr' and we obtain a planning path r_1, \dots, r_n from $\text{Fact}(K_P, K_Q)$ to some S_n . Let K'_P (resp. K'_Q) the resulting configuration starting from \mathcal{P} (resp. \mathcal{Q}) and executing tr' . Similarly, let K''_P (resp. K''_Q) the resulting configuration starting from \mathcal{P} (resp. \mathcal{Q}) and executing $\text{tr}' \cdot \alpha$. Thanks to our induction hypothesis, we have that $\text{Fact}(K'_P, K'_Q) \uparrow S_n$. We have also that $K'_P \xrightarrow{\alpha} K''_P$ and $K'_Q \xrightarrow{\alpha} K''_Q$, and therefore $K'_P = (\mathcal{P}'; \sigma'_P; \phi')$ contains a simple process of the form $P = \text{out}(c, u) \cdot P'$ and $K'_Q = (\mathcal{Q}'; \sigma'_Q; \psi')$ contains a simple process of the form $Q = \text{out}(c, v) \cdot Q'$ (and similarly in case of an input). Moreover, we know that $u\sigma'_P$ and $v\sigma'_Q$ are messages.

Let R be the abstract protocol rule corresponding to this step.

We consider the case of an output. We have that $R \in \text{Rule}(\mathcal{P}, \mathcal{Q})$ and this rule is of the form:

$$\text{St}(P, Q) \rightarrow \text{att}(u, v), \text{St}(P', Q'); \text{St}(P, Q)$$

Now, we consider the concrete instance that corresponds to the execution mentioned above, i.e. the one obtained by applying $\sigma'_P \uplus \sigma'_Q$. This will allow us to conclude.

We now consider the case of an input, i.e. $P = \text{in}(c, u) \cdot P'$ and $Q = \text{in}(c, v) \cdot Q'$. We have that $R \in \text{Rule}(\mathcal{P}, \mathcal{Q})$ and this rule is of the form:

$$\text{St}(P, Q), \text{att}(u, v) \rightarrow \text{St}(P', Q'); \text{St}(P, Q)$$

We know that $R\phi' \downarrow = u\sigma'_P$ and $R\psi' \downarrow = v\sigma'_Q$ with R a simple recipe. R is a constructor on destructor recipe, so there is a constructor context C such that $R = C[R_1, \dots, R_n]$ where R_1, \dots, R_n are destructor-only recipes. So $u\sigma'_P = C[R_1\phi' \downarrow, \dots, R_n\phi' \downarrow]$ and $v\sigma'_Q = C[R_1\psi' \downarrow, \dots, R_n\psi' \downarrow]$. So it is possible to apply Lemma 12. There exists a rule $r' \in \text{Flat}(r)$:

$$r' = \text{Pre}', \text{att}(u'_1, v'_1), \dots, \text{att}(u'_n, v'_n) \rightarrow \text{Add}'; \text{Del}'$$

and σ' a grounding substitution for r' such that:

- 1) $\delta_{\mathcal{P}}(x\sigma') \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r')$;
- 2) $(\text{Pre}', \text{Add}', \text{Del}')\sigma' = (\text{Pre}, \text{Add}, \text{Del})(\sigma'_P \uplus \sigma'_Q)$; and
- 3) $\text{att}(u\sigma'_P, v\sigma'_Q) = \text{att}(C[u'_1, \dots, u'_n], C[v'_1, \dots, v'_n])\sigma'$.

R_1, \dots, R_n are destructor-only recipes such that $\text{att}(R_i\phi \downarrow, R_i\psi \downarrow)$ unifies with $\text{att}(u'_i, v'_i)$. Thanks to Lemma 1, for each R_i there is an associated plan π_i containing only adversary rules such that $\text{att}(R_i\phi \downarrow, R_i\psi \downarrow)$ is in the final state of π_i . As the adversary rules delete nothing, these plans are composable together. They give $\pi = \pi_1 \dots \pi_n$. As the $\text{att}(R_i\phi \downarrow, R_i\psi \downarrow)$ unify with $\text{Pre}(r')$, there is a rule r'' in $\text{Concrete}^+(r')$ such that its preconditions are exactly the $\text{att}(R_i\phi \downarrow, R_i\psi \downarrow)$.

This allows us to conclude.

(\Leftarrow) We show this result by induction on the length of the planning path.

Base case. Obvious.

Inductive case. We have a planning path r_1, \dots, r_n . Thanks to our induction hypothesis, we know that the result holds for r_1, \dots, r_{n-1} and therefore the existence of a trace tr . Then, we distinguish several cases depending on the rule r_n . In case r_n is an instance of $\text{Concrete}^+(\text{Rule}_{\mathcal{A}})$, we consider tr again. The case where r_n is a rule that adds bad is impossible since $\text{bad} \notin S_n$. Now, if r_n is an instance of an abstract rule in $\text{Flat}(\text{Rule}(\mathcal{P}, \mathcal{Q}))$. Let R_f be the flattened abstract rule, and R the abstract protocol rule.

In case R is a rule corresponding to the case of an output, then r_n is an instance of R since the flattening does not produce any other rule. In such a case, we can mimick this step by considering $\text{tr} \cdot \text{out}(c, w)$.

In case R is a rule corresponding to an input, then r_n is an instance of a rule $R_f \in \text{Flat}(R)$. We have that R_f is of the form:

$$\text{St}_{P,Q}^c(\theta_P, \theta_Q), \text{att}(u_1, v_1), \dots, \text{att}(u_k, v_k) \rightarrow \text{St}_{P',Q'}^c(\theta_{P'}, \theta_{Q'})$$

and r_n is an instance of $R_f(\sigma_P \cup \sigma_Q)$ where σ_P (resp. σ_Q) is the substitution obtained after executing tr . Let τ_P , and τ_Q be grounding substitution such that $r_n = (R_f(\sigma_P \cup \sigma_Q))(\tau_P \uplus \tau_Q)$.

We know that there exist destructor only recipes R_1, \dots, R_k such that $R_i\phi\downarrow = u_i\sigma_P\tau_P$ and $R_i\psi\downarrow = v_i\sigma_Q\tau_Q$ by Lemma 1. We can apply Lemma 13 on rule r_n written as:

$$r_n = \text{state}, \text{att}(u_1, v_1), \dots, \text{att}(u_n, v_n) \rightarrow \text{Add}; \text{Del}$$

We are in the case where $\text{bad-flat} \notin \text{Add}$, so there exists a constructor context C and a substitution τ such that $R_f(\sigma_P \cup \sigma_Q)\tau = \text{state}, \text{att}(u, v) \rightarrow \text{Add}; \text{Del}$ where $u = C[u_1, \dots, u_n]$ and $v = C[v_1, \dots, v_n]$.

Therefore, consider the trace $\text{tr} \cdot \text{in}(c, C[R_1, \dots, R_k])$. This step can be done on the P side, as well as in the Q side. Hence, the result. \square

Theorem 3: Let \mathcal{P} a protocol type-compliant w.r.t. $(\mathcal{T}_{\mathcal{P}}, \delta_{\mathcal{P}})$, and \mathcal{Q} be another protocol. We consider the following set \mathcal{R} of concrete rules:

$$\mathcal{R} = \text{Concrete}(\text{Rule}_A \cup \text{flat}(\text{Rule}(\mathcal{P}, \mathcal{Q}))) \cup \mathcal{R}_{\text{fail}}^{\text{test}} \cup \mathcal{R}_{\text{fail}}^{\text{atom}}$$

Let $\Theta = \langle \text{Fact}_0, \text{Fact}(\mathcal{P}, \mathcal{Q}), \mathcal{R} \rangle$ and $\Pi = \langle \Theta, \{\text{bad}\} \rangle$. We have that $\mathcal{P} \sqsubseteq \mathcal{Q}$ if, and only if, Π has a solution.

Proof. We show the two directions separately.

(\Rightarrow) In case $\mathcal{P} \sqsubseteq \mathcal{Q}$, we know thanks to Theorem 2 that there exists a witness of this fact such that $(\text{tr}, \phi) \in \text{trace}(\mathcal{P})$ is quasi-well-typed, only involve the constants we consider here. Moreover, tr is made of simple recipes. We consider such a witness of minimal length, and we distinguish two cases depending on the fact that $(\text{tr}, \psi) \in \text{trace}(\mathcal{Q})$ for some ψ or not. If not, we let tr^{-1} the trace tr without its last element, otherwise $\text{tr}^{-1} = \text{tr}$.

Lemma 2 allows us to conclude that there exists a planning path r_1, \dots, r_n from $\text{Fact}(\mathcal{P}, \mathcal{Q})$ to S_n such that $\text{Fact}(K'_P, K'_Q) \uparrow S_n$ where K'_P (resp. K'_Q) is the resulting configuration starting from \mathcal{P} (resp. \mathcal{Q}) and executing tr^{-1} .

In case $(\text{tr}, \psi) \in \text{trace}(\mathcal{Q})$, we know that $\phi \sqsubseteq_s \psi$, and thanks to Proposition 1, we will obtain a planning path that we can concatenate to r_1, \dots, r_n to conclude.

Otherwise, we have that $(\text{tr}^{-1}, \psi^{-1}) \in \text{trace}(\mathcal{Q})$ but the last action α can not be performed. In case $\alpha = \text{out}(c, w)$. If such an action can not be performed, it means that this action is not available in the process or would lead to output a term that is not a message. In the first case, we have an abstract protocol rule R that can be instantiated to mimic this step. In the second case, we have to consider the instance in $\text{Concrete}^-(R)$. Note that for such a rule $\text{Flat}(R) = R$.

Now, in case $\alpha = \text{in}(c, R)$. If such an action can not be performed, it means that either this action is not syntactically available in the process or the term in the Q side does not match. In both case, we have an abstract protocol rule in $R_f \in R$ that corresponds to this step.

First of all, remind that R is a simple recipe: $R = C[R_1, \dots, R_k]$ where R_1, \dots, R_k are destructor-only recipes and C a constructor context built on Σ_c only. Thanks to Lemma 1, for each R_i there is an associated plan π_i containing only adversary rules such that $\text{att}(R_i\phi\downarrow, R_i\psi\downarrow)$ is in the final state of π_i . As the adversary rules delete nothing, these plans

are composable together. They give $\pi = \pi_1 \dots \pi_k$. We call S'_n the resulting state.

If the input is not syntactically available in the process, then R_f is of the form $St(P, Q), \text{att}(u, y) \rightarrow \text{bad-proto}$ where y is a fresh variable. $St(P, Q)$ unifies with some fact of S'_n by induction hypothesis (we arrived at this step). So we call σ the substitution such that:

- $St(P, Q)\sigma \in S'_n$.
- $R\phi\downarrow = u\sigma$
- $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(R_f)$
- $R\psi\downarrow = y\sigma$

There exists such a σ because we arrived at step (induction hypothesis: item 1), the input passes in the P side (item 2,3) and y is a fresh variable.

We can apply Lemma 12. We get a rule $r' \in \text{Flat}(R_f)$:

$$r' = \text{Pre}', \text{att}(u'_1, v'_1), \dots, \text{att}(u'_k, v'_k) \rightarrow \text{Add}'; \text{Del}'$$

and a grounding substitution σ' such that:

- $\delta_{\mathcal{P}}(x\sigma') \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r')$.
- $(\text{Pre}', \text{Add}', \text{Del}')\sigma' = (St(P, Q), \text{bad-proto}, \emptyset)\sigma$
- $\text{att}(u, v)\sigma = \text{att}(C[u'_1, \dots, u'_n], C[v'_1, \dots, v'_n])\sigma'$

As the $\text{att}(R_i\phi\downarrow, R_i\psi\downarrow)$ unify with $\text{Pre}'(r')$, there is a rule r'' in $\text{Concrete}^+(r')$ such that its preconditions are exactly the $\text{att}(R_i\phi\downarrow, R_i\psi\downarrow)$. This concludes the case where the input is not syntactically available in the process.

We consider the case where there is an input in the Q side: $Q = \text{in}(c, v).Q' \in \mathcal{Q}'$, but the recipe R is such that $R\psi\downarrow$ does not unify with v . In this case, we write $R_f = \text{Pre}, \text{att}(u, v) \rightarrow \text{Add}; \text{Del}$.

First, assume that v does not unify with C . We call σ a substitution such that $u\sigma = R\phi\downarrow$ which is grounding for $\text{vars}_{\text{left}}(R_f)$ with $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for each $x \in \text{vars}_{\text{left}}(R_f)$ (it exists by induction hypothesis because we arrived at this step). We apply Lemma 16 and we get a $r' \in \text{Flat}(R)$ and a σ' with:

$$r' = \text{Pre}', \text{att}(u'_1, v_1), \dots, \text{att}(u'_k, v_k) \rightarrow \text{bad-flat}$$

and $u'_i\sigma' = R_i\phi\downarrow$, $\text{Pre}'\sigma' = {}^{\text{left}}\text{Pre}\sigma$.

We have proven that we have facts in S'_n that unify at left with $r'\sigma$. Then either they unify with $r'\sigma$ and then there is a rule $r'' \in \text{Concrete}^+(r')$ that allows to reach bad-flat , or they do not unify at left with $r'\sigma$, and we get a $r'' \in \text{Concrete}^-(r')$ that allows to reach bad-concrete . In both cases, we reach bad .

Now, assume that v does unify with the context C . There is a σ grounding for R_f such that $v\sigma = C[v_1, \dots, v_n]$, $u\sigma = C[u_1, \dots, u_n]$ and $\delta_{\mathcal{P}}(x\sigma) \preceq \delta_{\mathcal{P}}(x)$ for each $x \in \text{vars}_{\text{left}}(R_f)$. So we can apply Lemma 12 and we get a $r' \in \text{Flat}(R_f)$:

$$r' = \text{Pre}', \text{att}(u'_1, v'_1), \dots, \text{att}(u'_n, v'_n) \rightarrow \text{Add}'; \text{Del}'$$

and a σ' such that:

- 1) $\delta_{\mathcal{P}}(x\sigma') \preceq \delta_{\mathcal{P}}(x)$ for any $x \in \text{vars}_{\text{left}}(r')$;
- 2) $(\text{Pre}', \text{Add}', \text{Del}')\sigma' = (\text{Pre}, \text{Add}, \text{Del})\sigma$; and

3) $\text{att}(u, v)\sigma = \text{att}(C[u'_1, \dots, u'_n], C[v'_1, \dots, v'_n])\sigma'$.

We have that there is some fact unifying at left with $\text{Pre}'\sigma' = \text{Pre}\sigma$ in S'_n by induction hypothesis, and the $R_i\phi\downarrow$ unify with the u_i , but the $R_i\psi\downarrow$ do not unify with the v_i by hypothesis. So there is a $r'' \in \text{Concrete}^-(r')$ whose precondition are true. It concludes this case and therefore the proof.

(\Leftarrow) We show this result by induction on the length of planning path leading to bad. We consider one of minimal length. We have that $\pi = r_1, \dots, r_n$, and we can apply Lemma 2 on r_1, \dots, r_{n-1} , we obtain tr. This trace allows us to reach the configurations $(\mathcal{P}', \sigma_{\mathcal{P}'}, \phi')$ and $(\mathcal{Q}', \sigma_{\mathcal{Q}'}, \psi')$. We call S_{n-1} the set of fluents resulting from this planning path, and S_n the set resulting from r_1, \dots, r_n . Now, we distinguish several cases depending on whether r_n is in $\text{Concrete}^-(\text{Rule}_A) \cup \mathcal{R}_{\text{fail}}^{\text{test}} \cup \mathcal{R}_{\text{fail}}^{\text{atom}}$ or in $\text{Concrete}(\text{Flat}(\text{Rule}(\mathcal{P}, \mathcal{Q})))$. In the first case, we conclude relying on Proposition 1, and therefore we obtain that the frames resulting from the execution of tr are not in static inclusion.

The second case occurs when $r_n \in \text{Concrete}(\text{Flat}(\text{Rule}(\mathcal{P}, \mathcal{Q})))$. So there is a R_f such that $r_n \in \text{Concrete}(\text{Flat}(R_f))$.

This rule cannot come from the first item of the protocol rules definition, so it comes either from the second or from the third.

We first consider the case where it comes from the second. Then, there is no flattening on those rules. Therefore: $r_n \in \text{Concrete}(R_f)$. We write:

$$\begin{aligned} R_f &= St(P, Q) \rightarrow Add; Del \\ r_n &= f_0 \rightarrow Add_n; Del_n \end{aligned}$$

for some Add, Del, Add_n, Del_n sets of facts and $f_0 \in S_{n-1}$. As $r_n \in \text{Concrete}(R_f)$ is applicable, $St(P, Q)$ unifies with $f_0 \in S_{n-1}$ by induction hypothesis: call σ a substitution such that $St(P, Q)\sigma = f_0$. (Add, Del) unifies at left with (Add_n, Del_n) through σ . If it unifies at right, then $r_n \in \text{Concrete}^+(R_f)$. Therefore $Del = \emptyset$ and $Add = \text{att}(u, c_0^*)$, bad-proto. u must be instanciated by a message as r_n exists and is applicable. So in \mathcal{P}' there is a process P on some channel c that begins with an output but the process in \mathcal{Q}' on channel c does not begin by an output. Moreover, it is possible to make this output, so $\text{tr.out}(c, w)$ is a witness of non-inclusion.

If it does not unify at right, then $r_n \in \text{Concrete}^-(R_f)$. Assume $R_f = St(P, Q) \rightarrow \text{att}(u, c_0^*)$, bad-proto. Then by definition of Concrete^- we deduce that $u\sigma$ is a message but c_0^* is not. So this case never happens. We get that $R_f = St(P, Q) \rightarrow \text{att}(u, v), St(P', Q'); St(P, Q)$. As $St(P, Q)\sigma \in S_{n-1}$, we must have that $u\sigma$ is a message but $v\sigma$ is not. So the output is possible in the \mathcal{P} side, but not in the \mathcal{Q} side. This concludes the case of the second item of protocol rules definition.

Only the third item remains to be considered. We write:

$$\begin{aligned} R_f &= St(P, Q), \text{att}(u, v) \rightarrow Add; Del \\ r_n &= f_0, \text{att}(t_1, t'_1), \dots, \text{att}(t_k, t'_k) \rightarrow Add_n; Del_n \end{aligned}$$

where f_0 unifies at left with $St(P, Q)$ and the t_i, t'_i are messages. We have that $\text{bad} \in Add_n$. As r_n is applicable, there are recipes R_1, \dots, R_k such that $R_i\phi'\downarrow = t_i$ and $R_i\psi'\downarrow = t'_i$ for each i by Lemma 1.

Moreover, the form of the rule indicates that there is some process $P = \text{in}(c, u).P' \in \mathcal{P}'$ and Q is the process on channel c in \mathcal{Q}' . We distinguish three cases according to the origin of this bad:

First case. It is bad-proto. Then the only possibility is that $R_f = St(P, Q), \text{att}(u, x) \rightarrow \text{bad-proto}$ where x is a fresh variable. We have $r_n \in \text{Concrete}^+(\text{Flat}(R_f))$ (Concrete^- would give bad-concrete) so there is a rule $r' = f'_0, \text{att}(u_1, v_1), \dots, \text{att}(u_k, v_k) \rightarrow Add'; Del' \in \text{Flat}(R_f)$ such that $r_n \in \text{Concrete}^+(r')$. In particular there is a σ_0 such that $r_n = r'\sigma_0$ and $f'_0\sigma_0 = f_0$, $u_i\sigma_0 = t_i$ and $v_i\sigma_0 = t'_i$ for each i . So $\text{bad-flat} \notin Add'$. We apply Lemma 13, there is a constructor context C and a substitution τ such that $R_f\tau = f'_0, \text{att}(u, v) \rightarrow Add; Del$ and $u = C[u_1, \dots, u_k]$ and $v = C[v_1, \dots, v_k]$.

The $\text{att}(t_i, t'_i)$ are in S_{n-1} . So by Lemma 1, there are destructor only recipes R_1, \dots, R_k such that $R_i\phi'\downarrow = t_i$ and $R_i\psi'\downarrow = t'_i$.

So it means that $\text{tr.in}(c, C[R_1, \dots, R_k])$ is a trace of \mathcal{P} but it is not a trace of \mathcal{Q} because there is no input in \mathcal{Q}' .

Second case. It is bad-flat. We have $r_n \in \text{Concrete}^+(\text{Flat}(R_f))$ (Concrete^- would give bad-concrete) So there is a rule

$$r' = f'_0, \text{att}(u_1, v_1), \dots, \text{att}(u_k, v_k) \rightarrow \text{bad-flat}; \emptyset \in \text{Flat}(R_f)$$

and a substitution σ such that $r_n = r'\sigma$. So we apply Lemma 13, and we get that there exists a constructor context C a substitution τ , a term v' and two sets Add_0 and Del_0 such that

$$R_f\tau = f'_0, \text{att}(C[u_1, \dots, u_n], v') \rightarrow Add_0; Del_0$$

but v' does not unify with C .

So $\text{tr.in}(c, C[R_1, \dots, R_k])$ is a trace of \mathcal{P} , but it is not a trace of \mathcal{Q} (either there was no input in \mathcal{Q} or there is an input but it does not unify with $C[R_1, \dots, R_k]\psi'\downarrow$). It gives a witness of non-inclusion.

Third case. It is bad-concrete. We have $r_n \in \text{Concrete}^-(\text{Flat}(R_f))$ (Concrete^+ would not give bad-concrete). So there is a rule

$$r' = f'_0, \text{att}(u_1, v_1), \dots, \text{att}(u_k, v_k) \rightarrow Add'; Del' \in \text{Flat}(R_f)$$

for some Add', Del' and a substitution σ such that $r_n =^{\text{left}} r'\sigma$, but r_n and r' do not unify at right.

In both cases of Lemma 13, we get a constructor context C , a substitution τ and two sets Add_0, Del_0 such that

$R_f\tau = St(P, Q), \text{att}(u', v') \rightarrow Add_0; Del_0$ where $u = C[u_1, \dots, u_k]$.

So $\text{tr.in}(c, C[R_1, \dots, R_k])$ is a valid trace of \mathcal{P} (we have $C[R_1, \dots, R_k]\phi' \downarrow = u' = u\tau$).

Moreover, $C[R_1\psi' \downarrow, \dots, R_k\psi' \downarrow]$ does not unify with v , (as $r_n \in \text{Concrete}^-(r')$). So $\text{tr.in}(c, C[R_1, \dots, R_k])$ is not a trace of \mathcal{Q} , which gives a witness of non-inclusion.

It concludes the proof.

□